



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: A4125000

Test Date 12/11/2018

Description: Anchor Pad (concrete)

Concrete Anchor Pad, 4', Model A4125000, Tubular Wear Pad (Full Length)

Configuration: 3' Free Fall



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



PALMER SAFETY

• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: **A4125000**

Test Date **5/9/2018**

Description: **Anchor Pad (concrete)**

Concrete Anchor Pad, Type A Anchorage Connector, 4 ft., 1 3/4" polyester webbing (6000 lb). ANSI Z359.12 D ring. #207 Polyester thread. Tubular wear pad (full length).



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: A4125000

Test Date 5/10/2018

Description: Anchor Pad (concrete)

Fall Arrest Lanyard, 6 ft.



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



PALMER SAFETY

• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: **A4125000**

Test Date **8/21/2018**

Description: **Anchor Pad (concrete)**

Concrete Anchor Pad, Type A Anchorage Connector, 4 ft., 1 3/4" polyester webbing (6000 lb). ANSI Z359.12 D-ring. #207 Polyester thread. Tubular wear pad (full length).



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: A4125000

Test Date 5/10/2018

Description: Anchor Pad (concrete)

Concrete Anchor Pad, Type A Anchorage Connector, 4 ft., 1 3/4" polyester webbing (6000 lb). ANSI Z359.12 D ring. #207 Polyester thread. Tubular wear pad (full length).



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: A4125000

Test Date 10/19/2018

Description: Anchor Pad (concrete)

Concrete Anchor Pad, Type A Anchorage Connector, 4 ft., 1 3/4" polyester webbing (6000 lb). ANSI Z359.12 D ring. #207 Polyester thread. Tubular wear pad (full length).



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808