



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL911212

Test Date 1/17/23

Description: Self Retracting Device

18' leading edge retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner. Black housing. Meets or exceeds ANSI Z359.14-2014 and ANSI Z359.14-2014 SRD-LE.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL411311

Test Date 11/16/2022

Description: Self Retracting Device

11 ft. retractable galvanized cable, swivel top plastic housing, 3/4" load indicator hook, 1/2" carabiner, blue housing, minimum breaking strength 4500 lbs., rated for 420 lbs. Meets or exceeds ANSI Z359.14-2012 Class B.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212100574

Test Date 11/11/2022

Description: Self Retracting Device

5 point harness, QCB, padded back sewn in, padded QCB legs. Positioning belt black. 3 D-rings. Oil and Dust Resistant, fall indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL911212

Test Date 9/19/2022

Description: Self Retracting Device

18' leading edge retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner. Black housing. Meets or exceeds ANSI Z359.14-2014 and ANSI Z359.14-2014 SRD-LE.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL411311

Test Date 11/16/2022

Description: Self Retracting Device

11 ft. retractable galvanized cable, swivel top plastic housing, 3/4" load indicator hook, 1/2" carabiner, blue housing, minimum breaking strength 4500 lbs., rated for 420 lbs. Meets or exceeds ANSI Z359.14-2012 Class B.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212100574

Test Date 11/11/2022

Description: Self Retracting Device

5 point harness, QCB, padded back sewn in, padded QCB legs. Positioning belt black. 3 D-rings. Oil and Dust Resistant, fall indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212100574

Test Date 12/22/2020

Description: Full Body Harness

H212100574 Black top, black padding, 5 point, QCB, padded back sewn in, grommet padded legs. Positioning belt black. 3 D-ring. Oil & Dust Resistant. Universal size. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829-10211-3

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808