



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L122133

Test Date 10/8/2024

Description: Energy Absorbing Lanyard

6 ft. single leg, non-stretch, internal shock absorber lanyard, 2-1/4" rebar hook. Meets or exceeds ANSI Z359.13-2013.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L122133

Test Date 2/22/2024

Description: Energy Absorbing Lanyard

6 ft. single leg, non-stretch, internal shock absorber lanyard, 2-1/4" rebar hook. Meets or exceeds ANSI Z359.13-2013.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



PALMER SAFETY

• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L122133

Test Date 9/11/2018

Description: Energy Absorbing Lanyard

Fall Arrest Lanyard, 6 ft., Model L122133, Internal Energy Absorber, 2.5" Rebar Hooks, (Z359.12), Red Poly Tube



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L122133

Test Date 12/7/2018

Description: Energy Absorbing Lanyard

Fall Arrest Lanyard, 6 ft., Model L122133, Internal Energy Absorber, 2.5" Rebar Hooks, (Z359.12), Red Poly Tube

Configuration: 6' Free Fall



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808