



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL1111212

Test Date: 3/02/2022

Description: Self Retracting Device

SRL1111212 50 ft. Leading edge Retractable galvanized cable, 3/4" load indicator hook, 1/2" carabiner. black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014, ANSI Z359.14-2014 SRL-LE. 007-00829-10156-7



Palmer Safety 6000 Jefferson Hwy. Harahan, La 70123  
www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

# Declaration of Conformance

Model No: SRL1111212

Test Date: 9/21/2021

Description: Self Retracting Device

SRL1111212 50 ft. Leading edge Retractable galvanized cable, 3/4" load indicator hook, 1/2" carabiner. black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014, ANSI Z359.14-2014 SRL-LE. 007-00829-10156-7



Palmer Safety 6000 Jefferson Hwy. Harahan, La 70123  
www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

# Declaration of Conformance

Model No: SRL1111212

Test Date 6/11/2021

Description: Self Retracting Device

SRL1111212 50 ft. Leading edge Retractable galvanized cable, 3/4" load indicator hook, 1/2" carabiner. black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014, ANSI Z359.14-2014 SRL-LE. 007-00829-10156-7

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808