



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL311311C1

Test Date 12/30/2025

Description: Self Retracting Device

10 ft. retractable galvanized cable, swivel top blue plastic housing, 3/4" load indicator hook, 1/2" carabiner, minimum breaking strength 3000 lbs. Meets or exceeds ANSI Z359.14-2021 Class 1.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL311311C1

Test Date 8/6/2025

Description: Self Retracting Device

10 ft. retractable galvanized cable, swivel top blue plastic housing, 3/4" load indicator hook, 1/2" carabiner, minimum breaking strength 3000 lbs. Meets or exceeds ANSI Z359.14-2021 Class 1.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL311311

Test Date 11/16/2022

Description: Self Retracting Device

10 ft. retractable galvanized cable, swivel top blue plastic housing, 3/4" load indicator hook, 1/2" carabiner, minimum breaking strength 3000 lbs., rated for 420 lbs. Meets or exceeds ANSI Z359.14-2014 Class B.



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL311311

Test Date 4/17/2020

Description: Self Retracting Device

SRL311311 10 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 10ft. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10149-9

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL311311

Test Date 4/17/2020

Description: Self Retracting Device

SRL311311 10 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 10ft. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10149-9

Configuration: 4' Free Fall



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808