



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL611311

Test Date: 7/6/2022

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2



Palmer Safety 6000 Jefferson Hwy. Harahan, La 70123
www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL611311

Test Date: 01/07/2022

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2



Palmer Safety 6000 Jefferson Hwy. Harahan, La 70123
www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL611311

Test Date: 9/20/2021

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2



Palmer Safety 6000 Jefferson Hwy. Harahan, La 70123
www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL611311

Test Date 4/17/2020

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL611311

Test Date 4/17/2020

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2

Configuration: 4' Free Fall



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



PALMER SAFETY

• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL611311

Test Date 8/21/2018

Description: Self Retracting Device

SRD - SRL 611311, Cable, 20 ft., Class B, Integral Energy Absorption, 3/4" Load Indicating Connector Element



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL 611311

Test Date 12/12/2018

Description: Self Retracting Device

SRD - SRL 611311, Cable, 20 ft., Class B, Integral Energy Absorption, 3/4" Load Indicating Connector Element

Configuration: 4' Free Fall



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808