


PRODUCT CATALOG



• Fall Protection • Training • Netting • PPE

CC GROUP L.L.C.



Table of Contents

Rope and Cordages 4	Adhesive Tape.....36
3-Strand Polypropylene Rope Monofilament.....4	PE Tape.....36
3-Strand Polypropylene Rope Film.....6	Duct Tape.....37
3-Strand Nylon Plus Rope.....7	Clear Tape.....38
3-Strand Poly Dacron Combo Rope.....8	Filament/Strapping Tape.....38
Manila Rope.....10	Electrical Tape.....39
Sisal Rope.....11	Painters Tape.....39
Hollow Braid Polypro Rope.....12	Masking Tape.....40
Bulwark Safety X Kernmantle Static Rope.....13	Thread Seal Tape.....41
3-Strand Mega Rope.....14	Barrier / Marking Tape42
12-Strand.....16	Caution Tape.....42
HYPER-XII™.....16	Danger Tape.....42
Bexco 12.....18	Flagging Tape.....43
Performance HMPE.....19	Woven Tape.....43
Fabricated Products.....20	Tarps44
Mooring Lines/Tails.....21	Stretch Film.....45
8-Strand Blue Danline.....21	Strapping / Seals / Tools.....46
w/6' Canvas Covered Eyes Both Ends.....21	Steel Banding.....46
8-Strand X2 Blue Danline.....21	Pre-Cut Strapping.....46
w/6' Canvas Covered Eyes Both Ends.....21	Open Seals.....47
8-Strand Maxiflex Gold.....22	Closed Seals.....47
w/6' Canvas Covered Eyes Both Ends.....22	Crimpers.....48
8-Braid X2 Ultima.....22	Tensioner.....48
w/6' Canvas Covered Eyes Both Ends.....22	Sealless Tensioner.....49
12-Strand MaxiFlex-12.....23	Banding Cart.....49
w/6' Canvas Covered Eyes Both Ends.....23	Tie Wire50
Mooring Quick Reference Guide.....23	Sorbents50
Maxiflex Mooring Tail.....24	Oil Pads.....50
Nylon Plus Mooring Tail.....24	Oil Booms.....51
8-Braid Nylon Plus Rope.....25	Oil Spill Rolls.....51
3-Strand Poly Dacron Black Battle Rope.....25	Buckets and Lids52
Solid Braid.....26	Nails53
Double Braid Nylon.....28	Bright Common.....53
Cotton Sash Cord.....29	Duplex.....53
3-Strand Cotton Rope.....30	Fluted Nail.....54
Pull Tape.....31	Phosphate Coated (PC) Drywall.....54
Poly Pull Line.....31	Rubber Bands55
Bungee Cord.....32	Printed.....55
Twine.....33	Crepe.....56
Tree Rope.....33	Ceramic.....58
Sisal Twine.....33	Pallet Bands.....59
Braided and Twisted Mason Seine Twine.....34	
Baler Twine.....35	
Tying Twine.....35	
Tying Tape.....36	



**Personal Protective
Equipment.....60**

Gloves.....60

- Cut And Impact Resistant.....60
 - PS360 Series.....60
 - PS933 Series.....61
 - X Series.....62
 - Gulf Grip Series.....63
 - G820 Series.....65
 - G-Flex/Core Series.....66
- Leather.....68
- Cotton.....70
- Welder.....71
- PVC.....73
- Dish Washing Glove.....74
- Glove Clips.....74

Coveralls.....75

- Disposable Coveralls.....75
- FR Coveralls.....76

Eyewear (Glasses, Spoggles, Goggles).....78

Safety Shirts & Vests.....81

- Safety Shirt Long Sleeve Class 3.....81
- Palmer SV2184FR Class 2 Vest (5 Pocket Vest).....82
- Palmer SV2187FR Two-Tone Vest (6 Pocket Vest).....83
- Palmer SV2301 and SV2302 Class 2 Type R Vest.....84
- Palmer SV2313 Two-Tone with Black Bottom Vest.....85
- Palmer SV2327 Six Pocket Surveyors Vest.....86
- Palmer SV2339.....87
- Class 2 Type R Safety Vests.....88

Chem Suits.....89

Hydroblasting.....90

Rainwear.....91

- 30 mil LF 100% PVC 3 pc. Jacket w/Hood & Bib.....91
- 35 mil LF PVC/Polyester 3 pc. Jacket, Hood, & Bib.....92
- 35 mil PVC/Polyester 3 pc. Jacket, Hood, & Bib.....94
- 35 mil PVC/ Polyester 48" Rain Coat - Yellow.....96
- 35 mil PVC/ Polyester 60" Rain Coat - Yellow.....97
- 35 mil PVC/ Polyester 60" Rain Coat - Black.....98
- 35 mil LF PVC/ Polyester 60" Rain Coat - Black.....99

PVC & Rubber Boots..... 100

Safety Fencing and Netting..... 102

Fall Protection 104

Harness Sizing Chart.....105

Full Body Harnesses106

- Full Body Harness Series Introduction.....106
- Mako Series.....112
- Hammerhead Series.....116
- Akula Series.....120
- Stingray Series.....121

Harness/Lanyard Kit Combo123

Rescue Trauma Strap126

Tool Lanyards.....127

Bags127

Lanyards130

- Positioning / Restraint.....137

Self-Retracting Devices (SRD).....138

ABC's of Fall Protection.....139

- MicroBeast Series.....138
- Beast Series.....142
- Beast Edge Series.....144
- MicroBeast Edge Series.....145
- Dual SRL Connectors.....146

Anchorage.....147

Horizontal Lifelines151

On-Site Training.....153

Vertical Lifelines.....154

Roofer's Kit.....155

Confined Space.....157

Carabiners158

Palmer Rescue Kits160

Guardrail System162

BeamGuard HLL Stanchion.....163

Training Classes.....164

Palmer Safety Test Tower165

New Arrivals166

Terms and Conditions167



3-Strand Polypropylene Rope Monofilament

Polypropylene is a lightweight and strong general purpose rope. It is rot proof and unaffected by water, oil, gasoline, and most chemicals. Polypropylene floats yet it is twice as strong as manila. Our regular monofilament polypropylene rope is made with a medium lay, allowing for easy splicing. Harder lay pot warp which is ideal for fishing applications is also available.

Categories: Ropes and Cordages, 3-Strand Polypropylene Rope Monofilament

Key Features

Yellow, Black, Tan, International Orange, Red, Red with Orange Tracer, White, Blue, Blue/ White, Black with Orange Tracer

Additional sizes and colors available to special order

Standard reels of 300 ft., 600 ft., 1,200 ft. and 2,400 ft.

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
PPM1/83		1/8"	3,000'	Yellow	41	98
PPM3/16250		3/16"	250'	Yellow	54	130
PPM3/16		3/16"	600'	Yellow	54	130
PPM3/1612		3/16"	1,200'	Yellow	54	130
PPM3/163		3/16"	3,000'	Yellow	54	130
PPM3/1636		3/16"	3,600'	Yellow	54	130
PPM1/41C		1/4"	100'	Yellow	94	225
PPM1/4300		1/4"	300'	Yellow	94	225
PPM1/4		1/4"	600'	Yellow	94	225
PPM1/412		1/4"	1,200'	Yellow	94	225
PPM1/424		1/4"	2,400'	Yellow	94	225
PPM1/43		1/4"	3,000'	Yellow	94	225
PPM1/44		1/4"	4,000'	Yellow	94	225
PPM5/16		5/16"	600'	Yellow	143	342
PPM5/1612		5/16"	1,200'	Yellow	143	342
PPM3/850C		3/8"	50'	Yellow	203	486
PPM3/8300		3/8"	300'	Yellow	203	486
PPM3/8		3/8"	600'	Yellow	203	486
PPM3/812		3/8"	1,200'	Yellow	203	486
PPM3/824		3/8"	2,400'	Yellow	203	486

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
PPM7/16		7/16"	600'	Yellow	263	630
PPM1/23		1/2"	300'	Yellow	315	756
PPM1/2		1/2"	600'	Yellow	315	756
PPM1/212		1/2"	1,200'	Yellow	315	756
PPM1/224		1/2"	2,400'	Yellow	315	756
PPM5/8		5/8"	600'	Yellow	465	1,116
PPM5/824		5/8"	2,400'	Yellow	465	1,116
PPM3/4		3/4"	600'	Yellow	638	1,530
PPMTR1/4	Tiger Rope	1/4"	600'	Yellow/ Yellow/ Black	94	225
PPMTR5/16	Tiger Rope	5/16"	600'	Yellow/ Yellow/ Black	143	342
PPMTR3/8	Tiger Rope	3/8"	600'	Yellow/ Yellow/ Black	203	486
PPMTR7/16	Tiger Rope	7/16"	600'	Yellow/ Yellow/ Black	263	630
PPMTR1/2	Tiger Rope	1/2"	600'	Yellow/ Yellow/ Black	315	756
PPMTR5/8	Tiger Rope	5/8"	600'	Yellow/ Yellow/ Black	465	1,116
PPMTR3/4	Tiger Rope	3/4"	600'	Yellow/ Yellow/ Black	638	1,530
PPMB3/16		3/16"	600'	Black	54	130
PPMB3/1612		3/16"	1,200'	Black	54	130
PPMB1/4		1/4"	600'	Black	94	225
PPMB1/412		1/4"	1,200'	Black	94	225
PPMB5/16		5/16"	600'	Black	143	342

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

3-Strand Polypropylene Rope Monofilament

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)		Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max						Min	Max
PPMB5/1612		5/16"	1,200'	Black	143	342	PPMW5/16		5/16"	600'	White	143	342
PPMB3/8		3/8"	600'	Black	203	486	PPMW3/8		3/8"	600'	White	203	486
PPMB3/812		3/8"	1,200'	Black	203	486	PPMW3/812		3/8"	1,200'	White	203	486
PPMB3/824		3/8"	2,400'	Black	203	486	PPMW1/2		1/2"	600'	White	315	756
PPMB1/2		1/2"	600'	Black	315	756	PPMW5/8		5/8"	600'	White	465	1,116
PPMB5/8		5/8"	600'	Black	465	1,116	PPMW3/4		3/4"	600'	White	638	1,530
PPMB3/4		3/4"	600'	Black	638	1,530	PPMBLU1/4		1/4"	600'	Blue	94	225
PPMB7/8		7/8"	600'	Black	863	2,070	PPMBLU3/8		3/8"	600'	Blue	203	486
PPMB7/815		7/8"	1,500'	Black	863	2,070	PPMBLU1/2		1/2"	600'	Blue	315	756
PPMB1		1"	600'	Black	1,069	2,565	PPMBLS/8		5/8"	600'	Blue	465	1,116
PPMT5/8		5/8"	600'	Tan	465	1,116	PPMBLU3/4		3/4"	600'	Blue	638	1,530
PPMT3/4		3/4"	600'	Tan	638	1,530	PPMBLU1		1"	600'	Blue	1,069	2,565
PPMT1		1"	600'	Tan	1,069	2,565	PPM1/2G		1/2"	600'	Green	315	756
PPMT1-1/4		1-1/4"	600'	Tan	1,613	3,870	PPMBW1/2	Pool Rope	1/2"	600'	Blue/ White	315	756
PPMT1-1/2		1-1/2"	600'	Tan	2,279	5,470	PPM3/43BWW	Pool Rope	3/4"	300'	Blue/ White	638	1,530
PPMT2		2"	600'	Tan	3,900	9,360	PPM3/4BWW	Pool Rope	3/4"	600'	Blue/ White	638	1,530
PPMIO1/4		1/4"	600'	International Orange	94	225	PPMCT1/450	California Truck Rope	1/4"	50'	Black with Orange Tracer	94	225
PPMIO5/16		5/16"	600'	International Orange	143	342	PPMCT1/4100	California Truck Rope	1/4"	100'	Black with Orange Tracer	94	225
PPMIO3/8		3/8"	600'	International Orange	203	486	PPMCT3/8100	California Truck Rope	3/8"	100'	Black with Orange Tracer	203	486
PPMIO1/2		1/2"	600'	International Orange	315	756	PPMCT3/8	California Truck Rope	3/8"	600'	Black with Orange Tracer	203	486
PPMIO5/8		5/8"	600'	International Orange	465	1,116	PPMCT3/812	California Truck Rope	3/8"	1,200'	Black with Orange Tracer	203	486
PPMIO3/4		3/4"	600'	International Orange	638	1,530	PPMCT7/16	California Truck Rope	7/16"	600'	Black with Orange Tracer	263	630
PPMIO1		1"	600'	International Orange	1,069	2,565	PPMCT1/2	California Truck Rope	1/2"	600'	Black with Orange Tracer	315	756
PPM1/4R		1/4"	600'	Red	94	225	PPMCT1/212	California Truck Rope	1/2"	1,200'	Black with Orange Tracer	315	756
PPMR3/8		3/8"	600'	Red	286	686	PPMCT5/8	California Truck Rope	5/8"	600'	Black with Orange Tracer	465	1,116
PPM1/2R		1/2"	600'	Red	315	756	PPMCT3/4	California Truck Rope	3/4"	600'	Black with Orange Tracer	638	1,530
PPMR5/8		5/8"	600'	Red	465	1,116	PPMCT1	California Truck Rope	1"	600'	Black with Orange Tracer	1,069	2,565
PPMRCT1/2	California Truck Rope	1/2"	600'	Red with Orange Tracer	315	756							
PPMW3/1612		3/16"	1,200'	White	54	130							
PPMW1/4		1/4"	600'	White	94	225							
PPMW1/412		1/4"	1,200'	White	94	225							



3-Strand Polypropylene Rope Film

Polypropylene is a lightweight and strong general purpose rope. It is rot proof and unaffected by water, oil, gasoline, and most chemicals. Polypropylene floats yet it is twice as strong as manila. Our regular film polypropylene rope is made with a medium lay, allowing for easy splicing. Harder lay pot warp which is ideal for fishing applications is also available.

Categories: Ropes and Cordages, 3-Strand Polypropylene Rope Film

Key Features

Available colors: Yellow, Yellow/Yellow/Black, Black, Red/White/Blue, White, Tan

Additional sizes and colors available to special order

Standard reels of 300 ft., 600 ft., and 1,200 ft.

3/16" through 3/4" on reels

Part #	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
PPF3/16	3/16"	600'	Yellow	54	130
PPF3/1612	3/16"	1,200'	Yellow	54	130
PPF3/1636	3/16"	3,600'	Yellow	54	130
PPF1/4	1/4"	600'	Yellow	94	225
PPF1/412	1/4"	1,200'	Yellow	94	225
PPF5/16	5/16"	600'	Yellow	143	342
PPF3/8	3/8"	600'	Yellow	203	486
PPF3/825	3/8"	2,500'	Yellow	203	486
PPF3/836	3/8"	3,600'	Yellow	203	486
PPF1/2	1/2"	600'	Yellow	315	756
PPF5/8	5/8"	600'	Yellow	465	1,116
PPF3/4	3/4"	600'	Yellow	638	1,530
PPFY13	1"	300'	Yellow	1,069	2,565
PPF1-1/4Y	1-1/4"	600'	Yellow	1,613	3,870
PPF7/8	7/8"	600'	Yellow/ Yellow/ Black	863	2,070
PPF13	1"	300'	Yellow/ Yellow/ Black	1,069	2,565
PPF1	1"	600'	Yellow/ Yellow/ Black	1,069	2,565
PPF1-1/8	1-1/8"	600'	Yellow/ Yellow/ Black	1,333	3,200
PPF1-1/4	1-1/4"	600'	Yellow/ Yellow/ Black	1,613	3,870
PPF1-1/2	1-1/2"	600'	Yellow/ Yellow/ Black	2,279	5,470
PPF1-5/8	1-5/8"	600'	Yellow/ Yellow/ Black	2,663	6,390

Part #	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
PPF1-3/4	1-3/4"	600'	Yellow/ Yellow/ Black	3,075	7,380
PPF23	2"	300'	Yellow/ Yellow/ Black	3,900	9,360
PPF2	2"	600'	Yellow/ Yellow/ Black	3,900	9,360
PPF2-1/4	2-1/4"	600'	Yellow/ Yellow/ Black	4,950	11,880
PPF2-1/23	2-1/2"	300'	Yellow/ Yellow/ Black	6,000	14,400
PPF2-1/2	2-1/2"	600'	Yellow/ Yellow/ Black	6,000	14,400
PPF2-5/8	2-5/8"	600'	Yellow/ Yellow/ Black	6,708	16,100
PPF33	3"	300'	Yellow/ Yellow/ Black	8,550	20,520
PPF3	3"	600'	Yellow/ Yellow/ Black	8,550	20,520
PPFB1-1/2	1-1/2"	600'	Black	2,279	5,470
PPFB2	2"	600'	Black	3,900	9,360
PPF2RWB	2"	600'	Red/ White/ Blue	3,900	9,360
PPF7/16W	7/16"	600'	White	263	630
PPFT1/4	1/4"	600'	Tan	94	225
PPFT1/412	1/4"	1,200'	Tan	94	225
PPFT5/16	5/16"	600'	Tan	143	342
PPFT3/8	3/8"	600'	Tan	203	486
PPFT1/2	1/2"	600'	Tan	315	756
PPFT5/8	5/8"	600'	Tan	465	1,116
PPFT3/412	3/4"	1,200'	Tan	638	1,530

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

3-Strand Nylon Plus Rope

3-strand twisted nylon plus is a nylon/polyester blend known for its elasticity and tremendous shock absorbing qualities. When new, nylon plus ropes can stretch up to 20 - 25% of their length before breaking. Stretch characteristics will reduce relative to the amount of use and can lose 10% of its tensile strength when wet. It has good abrasion resistance, is rot proof, resists oil, gasoline, and most chemicals. It has good resistance to UV rays. Nylon plus will last 4-5 times longer than natural fibers.

Categories: Ropes and Cordages, 3-Strand Nylon Plus Rope



Key Features

Available Colors: White and Black

Additional sizes and colors available to special order

Standard reels of 300 ft., 600 ft. and 1,200 ft.

Excellent for shock load and high energy absorption applications.

Specific Gravity 1.14.

Part #	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
N3/16	3/16"	600'	White	73	176
N1/4	1/4"	600'	White	122	294
N1/412	1/4"	1,200'	White	122	294
N5/16	5/16"	600'	White	191	459
N3/83	3/8"	300'	White	270	648
N3/8	3/8"	600'	White	270	648
N3/812	3/8"	1,200'	White	270	648
N1/23	1/2"	300'	White	473	1,134
N1/2	1/2"	600'	White	473	1,134
N1/212	1/2"	1,200'	White	473	1,134
N5/83	5/8"	300'	White	743	1,782
N5/8	5/8"	600'	White	743	1,782
N5/812	5/8"	1,200'	White	743	1,782
N3/41	3/4"	100'	White	1,065	2,556
N3/43	3/4"	300'	White	1,065	2,556
N3/4	3/4"	600'	White	1,065	2,556
N3/412	3/4"	1,200'	White	1,065	2,556
N7/8	7/8"	600'	White	1,440	3,456
N7/812	7/8"	1,200'	White	1,440	3,456
N13	1"	300'	White	1,853	4,446
N16	1"	600'	White	1,853	4,446
N112	1"	1,200'	White	1,853	4,446
N1-1/8	1-1/8"	600'	White	2,355	5,652
N1-1/43	1-1/4"	300'	White	2,903	6,966

Part #	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
N1-1/4	1-1/4"	600'	White	2,903	6,966
N1-1/49	1-1/4"	900'	White	2,903	6,966
N1-5/16	1-5/16"	600'	White	3,188	7,650
N1-1/23	1-1/2"	300'	White	4,050	9,720
N1-1/2	1-1/2"	600'	White	4,050	9,720
N1-1/29	1-1/2"	900'	White	4,050	9,720
N1-5/8	1-5/8"	600'	White	4,781	11,475
N1-3/4	1-3/4"	600'	White	5,513	13,230
N23	2"	300'	White	7,050	16,920
N26	2"	600'	White	7,050	16,920
N2-1/4	2-1/4"	600'	White	8,925	21,420
N2-1/23	2-1/2"	300'	White	10,950	26,280
N2-1/2	2-1/2"	600'	White	10,950	26,280
N2-5/8	2-5/8"	600'	White	12,000	28,800
N33	3"	300'	White	15,450	37,080
N36	3"	600'	White	15,450	37,080
N3/16B	3/16"	600'	Black	73	176
N1/4B	1/4"	600'	Black	122	294
N5/16B	5/16"	600'	Black	191	459
N3/8B	3/8"	600'	Black	270	648
N1/2B	1/2"	600'	Black	473	1,134
N5/8B	5/8"	600'	Black	743	1,782
N3/4B	3/4"	600'	Black	1,065	2,556
N16B	1"	600'	Black	1,853	4,446



3-Strand Poly Dacron Combo Rope

Polydac rope is made from a combination of polyester and polypropylene fibers and is an excellent, low cost, general utility rope. This economical, high strength rope has very low stretch properties, high abrasion resistance and is easily spliced. Additionally polydac has good dielectric properties. Used in construction and fishing industries.

Categories: Ropes and Cordages, 3-Strand Poly Dacron Combo Rope

Key Features

- White with a colored tracer, White, Black, and Tan
- Additional sizes and colors available to special order
- Standard reels of 600 ft. and 1200 ft.
- 1/4" to 1-1/4" on reels.
- 1-1/2" to 3" in coils.

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
PD1/4100		1/4"	100'	White with Red Tracer	100	240
PD1/4		1/4"	600'	White with Red Tracer	100	240
PD5/16		5/16"	600'	White with Red Tracer	156	374
PD3/8		3/8"	600'	White with Red Tracer	225	540
PD7/16		7/16"	600'	White with Red Tracer	292	700
PD1/2		1/2"	600'	White with Red Tracer	367	880
PD1/212		1/2"	1,200'	White with Red Tracer	367	880
PD9/16		9/16"	600'	White with Red Tracer	433	1,040
PD5/8		5/8"	600'	White with Red Tracer	508	1,220
PD5/812		5/8"	1,200'	White with Red Tracer	508	1,220
PD5/824		5/8"	2,400'	White with Red Tracer	508	1,220
PD3/4		3/4"	600'	White with Red Tracer	700	1,680
PD7/8		7/8"	600'	White with Red Tracer	927	2,225
PD1		1"	600'	White with Red Tracer	1,098	2,635
PD112		1"	1,200'	White with Red Tracer	1,098	2,635

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
PD1-1/8		1-1/8"	600'	White with Red Tracer	1,360	3,265
PD1-1/4		1-1/4"	600'	White with Red Tracer	1,658	3,980
PD1-1/23		1-1/2"	300'	White with Red Tracer	2,354	5,650
PD1-1/2		1-1/2"	600'	White with Red Tracer	2,354	5,650
PD1-5/8		1-5/8"	600'	White with Red Tracer	2,746	6,590
PD1-3/4		1-3/4"	600'	White with Red Tracer	3,071	7,370
PD23		2"	300'	White with Red Tracer	4,004	9,610
PD2		2"	600'	White with Red Tracer	4,004	9,610
PD2-1/4		2-1/4"	600'	White with Red Tracer	4,996	11,990
PD2-1/2		2-1/2"	600'	White with Red Tracer	6,129	14,710
PD2-5/8		2-5/8"	600'	White with Red Tracer	6,721	16,130
PD33		3"	300'	White with Red Tracer	8,575	20,580
PD3		3"	600'	White with Red Tracer	8,575	20,580
PD5/16SL	Stageline	5/16"	600'	White with Orange Tracer	156	374
PD3/8SL	Stageline	3/8"	600'	White with Orange Tracer	225	540

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

3-Strand Poly Dacron Combo Rope

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)		Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max						Min	Max
PD7/16SL	Stageline	7/16"	600'	White with Orange Tracer	292	700	PD5/8W		5/8"	600'	White	508	1,220
PD1/2SL	Stageline	1/2"	600'	White with Orange Tracer	367	880	PD3/4W		3/4"	600'	White	700	1,680
PD5/8SL	Stageline	5/8"	600'	White with Orange Tracer	508	1,220	PD1W		1"	600'	White	1,098	2,635
PDCT1/4	California Combo	1/4"	600'	White with Orange Tracer	100	240	PDB1/4		1/4"	600'	Black	100	240
PDCT5/16	California Combo	5/16"	600'	White with Orange Tracer	156	374	PDB3/8		3/8"	600'	Black	225	540
PDCT3/8	California Combo	3/8"	600'	White with Orange Tracer	225	540	PDB1/2		1/2"	600'	Black	367	880
PDCT7/16	California Combo	7/16"	600'	White with Orange Tracer	292	700	PDB5/8		5/8"	600'	Black	508	1,220
PDCT1/2	California Combo	1/2"	600'	White with Orange Tracer	367	880	PDB3/4		3/4"	600'	Black	700	1,680
PDCT1/212	California Combo	1/2"	1,200'	White with Orange Tracer	367	880	PDB7/8		7/8"	600'	Black	927	2,225
PDCT9/16	California Combo	9/16"	600'	White with Orange Tracer	433	1,040	PDB1		1"	600'	Black	1,098	2,635
PDCT5/8	California Combo	5/8"	600'	White with Orange Tracer	508	1,220	PDB1-1/4		1-1/4"	600'	Black	1,658	3,980
PDCT5/812	California Combo	5/8"	1,200'	White with Orange Tracer	508	1,220	PD1/4LT		1/4"	600'	Light Tan	100	240
PDCT3/4	California Combo	3/4"	600'	White with Orange Tracer	700	1,680	PD3/8LT		3/8"	600'	Light Tan	225	540
PDCT7/8	California Combo	7/8"	600'	White with Orange Tracer	927	2,225	PD1/2LT		1/2"	600'	Light Tan	367	880
PDCT1	California Combo	1"	600'	White with Orange Tracer	1,098	2,635	PD5/8LT		5/8"	600'	Light Tan	508	1,220
PDCT1-1/8	California Combo	1-1/8"	600'	White with Orange Tracer	1,360	3,265	PD3/4LT		3/4"	600'	Light Tan	700	1,680
PDCT1-1/4	California Combo	1-1/4"	600'	White with Orange Tracer	1,658	3,980	PD1LT		1"	600'	Light Tan	1,098	2,635
PDCT1-1/2	California Combo	1-1/2"	600'	White with Orange Tracer	2,354	5,650	PD1-1/4LT		1-1/4"	600'	Light Tan	1,658	3,980
PDCT1-3/4	California Combo	1-3/4"	600'	White with Orange Tracer	3,071	7,370	PD1-1/2LT		1-1/2"	600'	Light Tan	2,354	5,650
PDCT2	California Combo	2"	600'	White with Orange Tracer	4,004	9,610	PD2LT		2"	600'	Light Tan	4,004	9,610
PD1/212BTR		1/2"	1,200'	White with Black Tracer	367	880	PD5/8TF		5/8"	600'	White with Green Tracer	666	1,599
PD1/4W		1/4"	600'	White	100	240	PD5/836TF		5/8"	3,600'	White with Green Tracer	666	1,599
PD3/8W		3/8"	600'	White	225	540	PD3/4TF		3/4"	600'	White with Green Tracer	1,015	2,436
PD1/2W		1/2"	600'	White	367	880	PD1TF		1"	600'	White with Green Tracer	1,374	3,298



Manila Rope

Manila rope is made from natural abaca fiber and has some advantages over synthetic fibers. It is not affected by heat, and has an excellent resistance to the sun's UV rays. Manila rope has low stretch and good abrasion resistance, but poor chemical resistance, and is subject to rot. Ideal for a low-cost general-purpose rope. Used in shipping, construction, agriculture and many other areas.



Categories: Ropes and Cordages, Manila Rope

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
MAN1/450		1/4"	50'	Natural	45	108
MAN1/4		1/4"	600'	Natural	45	108
MAN1/412		1/4"	1,200'	Natural	45	108
MAN1/41250		1/4"	1,250'	Natural	45	108
MAN5/16		5/16"	600'	Natural	75	180
MAN5/16850		5/16"	850'	Natural	75	180
MAN3/8		3/8"	600'	Natural	101	243
MAN3/812		3/8"	1,200'	Natural	101	243
MAN1/2		1/2"	600'	Natural	199	477
MAN1/212		1/2"	1,200'	Natural	199	477
MAN5/8100		5/8"	100'	Natural	330	792
MAN5/8		5/8"	600'	Natural	330	792
MAN5/812		5/8"	1,200'	Natural	330	792
MAN3/450		3/4"	50'	Natural	405	972
MAN3/41		3/4"	100'	Natural	405	972
MAN3/43		3/4"	300'	Natural	405	972
MAN3/4		3/4"	600'	Natural	405	972
MAN3/412		3/4"	1,200'	Natural	405	972

Part #	Special Type	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
MAN7/8		7/8"	600'	Natural	578	1,386
MAN150		1"	50'	Natural	675	1,620
MAN11		1"	100'	Natural	675	1,620
MAN13		1"	300'	Natural	675	1,620
MAN1		1"	600'	Natural	675	1,620
MAN112		1"	1,200'	Natural	675	1,620
MAN1-1/8		1-1/8"	600'	Natural	900	2,160
MAN1-1/4125		1-1/4"	125'	Natural	1,013	2,430
MAN1-1/4		1-1/4"	600'	Natural	1,013	2,430
MAN1-1/412		1-1/4"	1,200'	Natural	1,013	2,430
MAN1-1/2125		1-1/2"	125'	Natural	1,388	3,330
MAN1-1/2		1-1/2"	600'	Natural	1,388	3,330
MAN250		2"	50'	Natural	2,325	5,580
MAN21		2"	100'	Natural	2,325	5,580
MAN2		2"	600'	Natural	2,325	5,580
MAN3		3"	600'	Natural	4,792	11,500
MAN1-1/41254S	4-Strand	1-1/4"	125'	Natural	1,013	2,430



Sisal Rope

Our sisal rope is biodegradable, knots well, and low chemical resistance. Sisal rope is commonly used in the shipping industry for mooring small craft, lashing, and handling cargo. The strength and length make this choice popular.

Categories: Ropes and Cordages, Sisal Rope

Key Features

100% sisal

Biodegradable and recyclable

Bundling rope for home farming and shipping

Special unoiled option is animal friendly

Part #	Special Type	Diameter	Length	Color
SRC1/450		1/4"	50'	Natural
SRC1/41		1/4"	100'	Natural
SR1/415		1/4"	1,500'	Natural
SR1/415OU	UNOILED	1/4"	1,500'	Natural
SR1/425		1/4"	2,500'	Natural
SR1/425OU	UNOILED	1/4"	2,500'	Natural
SR5/1617		5/16"	1,725'	Natural
SRC3/850		3/8"	50'	Natural
SRC3/8100		3/8"	100'	Natural
SR3/85		3/8"	500'	Natural
SR3/812		3/8"	1,200'	Natural
SR3/812OU	UNOILED	3/8"	1,200'	Natural
SR3/824OU	UNOILED	3/8"	2,400'	Natural
SRC1/250		1/2"	50'	Natural
SRC1/2100		1/2"	100'	Natural
SR1/26		1/2"	600'	Natural
SR1/20U	UNOILED	1/2"	600'	Natural
SR3/4		3/4"	600'	Natural
SR1370		1"	370'	Natural
SR16		1"	600'	Natural



Hollow Braid Polypro Rope

Hollow braid polypropylene rope is a strong lightweight rope that floats in water, great abrasion resistance, spliceable and will not kink. This rope is great for pulling wires, life ring throw ropes, buoys, floating lines, tie-downs, and crowd control barriers.

- Standard Colors: Yellow and Black (additional colors available)
- Standard reels of 500 ft. and 1000 ft.

Categories: Ropes and Cordages, Hollow Braid Polypro Rope



Key Features

- Does not mildew, rot, or deteriorate even if stored wet
- Will not kink
- Floats
- Minimal stretch design for durability

Part #	Size	Diameter	Length	Color
HBPP3/16250	#6	3/16"	250'	Yellow
HBPP3/161	#6	3/16"	1,000'	Yellow
HBPP1/4	#8	1/4"	500'	Yellow
HBPP1/41	#8	1/4"	1,000'	Yellow
HBPP5/16	#10	5/16"	500'	Yellow
HBPP5/161	#10	5/16"	1,000'	Yellow
HBPP3/8	#12	3/8"	500'	Yellow
HBPP3/81	#12	3/8"	1,000'	Yellow
HBPP1/21	#16	1/2"	1,000'	Yellow
HBPPB1/4	#8	1/4"	500'	Black
HBPPB1/41	#8	1/4"	1,000'	Black
HBPPB5/16	#10	5/16"	500'	Black
HBPPB5/161	#10	5/16"	1,000'	Black

Part #	Size	Diameter	Length	Color
HBPPB3/8	#12	3/8"	500'	Black
HBPPB3/81	#12	3/8"	1,000'	Black
HBPPB1/2	#16	1/2"	500'	Black
HBPPB1/21	#16	1/2"	1,000'	Black
HBPPR3/81	#12	3/8"	1,000'	Red
HBPPW1/41	#8	1/4"	1,000'	White
HBPPBW1/43	#8	1/4"	300'	Blue/ White
HBPPGW1/41	#8	1/4"	1,000'	Aqua Green/ White
HBPPHCW1/41	#8	1/4"	1,000'	Hunter Green/ White
HBPPG1/41	#8	1/4"	1,000'	Light Aqua Green
HBPPHG1/41	#8	1/4"	1,000'	Hunter Green
HBPPG1/21	#16	1/2"	1,000'	Gold
HBPPG1-3/4		1-3/4"	500'	Gold



Bulwark Safety X Kernmantle Static Rope

Our Bulwark Safety X Kernmantle Static Rope is a superior strength rope with low elongation and rotation. This smooth rope is commonly used for mountain climbing, cave exploration, arborist, rescue applications, and horizontal lifeline.

Categories: Ropes and Cordages, Bulwark Safety X Kernmantle Static Rope

Key Features

Excellent grip cover

Low Elasticity

NAFTA parallel twisted nylon core for superior strength

Soft and supple with excellent abrasion elements.

Balanced-Ply non-rotational inner core and outer sheath

Excellent UV and abrasion resistance

Good resistance to chemical

Specific gravity: 1.38 (sinks in water)

5:1 recommended working load

UL certified to NFPA 1983-2017 Technical Use

Part #	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Recommended Working Load (lbs.)
KMIII5/163	5/16"	300'	White with Blue Tracer	4,800	960
KMIII5/166	5/16"	600'	White with Blue Tracer	4,800	960
KMIII3/83	3/8"	300'	White with Blue Tracer	5,781	1,156
KMIII3/86	3/8"	600'	White with Blue Tracer	5,781	1,156
KMIII7/163	7/16"	300'	White with Blue Tracer	6,676	1,335
KMIII7/166	7/16"	600'	White with Blue Tracer	6,676	1,335
KMIII1/23	1/2"	300'	White with Blue Tracer	8,621	1,724
KMIII1/26	1/2"	600'	White with Blue Tracer	8,621	1,724
KMIII1/212	1/2"	1,200'	White with Blue Tracer	8,621	1,724



3-Strand Mega Rope

General Work Products registered trademark Mega Blue-3S™ is one of the strongest co-polymer ropes in the market today. The Sky-Blue fiber with two Red tracers have become the industry standard for high performance marine rope. Manufactured from high tenacity polyolefin yarns, Mega Blue-3S™ offers easy handling, high strength, excellent abrasion resistance and excellent UV characteristics. Custom order is available to match boat fleet colors per request.

Categories: Ropes and Cordages, Mega Rope

Key Features

- Super strength and easy handling
- Excellent UV and abrasion resistance
- High-performance marine rope
- No loss of strength when wet; and floats in water.
- Specific gravity 0.91.
- Available in a variety of put-ups, 3-strand, 8 braid and 12-strand



Part #	Special Type	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
MR5/1612		5/16"	1,200'	Blue with Red Tracer	2,820	235	564
MR3/8		3/8"	600'	Blue with Red Tracer	4,330	361	866
MR3/812		3/8"	1,200'	Blue with Red Tracer	4,330	361	866
MR7/16		7/16"	600'	Blue with Red Tracer	4,700	392	940
MR1/2		1/2"	600'	Blue with Red Tracer	6,240	520	1,248
MR5/8		5/8"	600'	Blue with Red Tracer	10,640	887	2,128
MR3/4		3/4"	600'	Blue with Red Tracer	12,200	1,017	2,440
MR3/412		3/4"	1,200'	Blue with Red Tracer	12,200	1,017	2,440
MR7/8		7/8"	600'	Blue with Red Tracer	18,780	1,565	3,756
MR1		1"	600'	Blue with Red Tracer	23,000	1,917	4,600
MR1-1/2		1-1/2"	600'	Blue with Red Tracer	44,400	3,700	8,880
MR1-3/4		1-3/4"	600'	Blue with Red Tracer	68,000	5,667	13,600
MR23		2"	300'	Blue with Red Tracer	83,500	6,958	16,700

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

3-Strand Mega Rope

Part #	Special Type	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
MR2		2"	600'	Blue with Red Tracer	83,500	6,958	16,700
MR2-1/43		2-1/4"	300'	Blue with Red Tracer	110,000	9,167	22,000
MR2-1/4		2-1/4"	600'	Blue with Red Tracer	110,000	9,167	22,000
MR2-1/2		2-1/2"	600'	Blue with Red Tracer	115,500	9,625	23,100
MR3		3"	600'	Blue with Red Tracer	167,500	13,958	33,500
MR1/2PB		1/2"	2,400'	Pacific Blue with Red and Blue Tracer	6,240	520	1,248
MR9/16PB		9/16"	2,400'	Pacific Blue with Red and Blue Tracer	8,900	742	1,780
MRCT1/4	Mega California Truck	1/4"	600'	Green with Orange Tracer	1,650	138	330
MRCT5/16	Mega California Truck	5/16"	600'	Green with Orange Tracer	2,820	235	564
MRCCT3/8	Mega California Truck	3/8"	600'	Green with Orange Tracer	4,330	361	866
MRCCT1/2	Mega California Truck	1/2"	600'	Green with Orange Tracer	6,240	520	1,248
MR3/825		3/8"	2,500'	Yellow with Black Tracer	4,330	361	866
MR3/836		3/8"	3,600'	Yellow with Black Tracer	4,330	361	866
MO5/8		5/8"	600'	Orange with Blue Tracer	10,640	887	2,128
MR2O		2"	600'	Orange with Blue Tracer	83,500	6,958	16,700
MR2-1/2O		2-1/2"	600'	Orange with Blue Tracer	115,500	9,625	23,100
MR1/412BC		1/4"	1,200'	Black	1,650	138	330
MR5/1612BC		5/16"	1,200'	Black	2,820	235	564
PD2MP	Mega Plus Combo	2"	600'	White with Green Tracer	83,500	6,958	16,700
PD2-1/4MP	Mega Plus Combo	2-1/4"	600'	White with Green Tracer	120,000	10,000	24,000
PD2-1/2MP	Mega Plus Combo	2-1/2"	600'	White with Green Tracer	142,000	11,833	28,400
PD2-5/8MP	Mega Plus Combo	2-5/8"	600'	White with Green Tracer	157,000	13,083	31,400
PD3MP	Mega Plus Combo	3"	600'	White with Green Tracer	180,000	15,000	36,000



HYPER-XII™

HYPER-XII™ is our high strength, low creep, and low weight to diameter 12 strand HMPE. By strategically combining small diameters with high breaking strength our proprietary HMPE, HYPER-XII™, rope is ABS certified to provide the best performance. HYPER-XII™ is commonly used in sectors like passenger and container ships, bulk carriers, LNG and LPG carrier barges, tugs, harbor towing, dredgers, and fishing vessels and nets. Additionally, a specific gravity of 0.975 allows it to float making it very useful in a marine environment.

Categories: Ropes and Cordages, 12-Strand

Key Features

- 12-Strand Braided Rope Made of HMPE
- Excellent Chemical Resistance
- Commonly Known as HMPE: High Modulus PolyEthylene
- Superior Abrasion Resistance
- Very High Strength with Low Weight to Diameter Ratio
- Easy in Handling and Operation
- Comparable to Steel Wire Characteristics
- Made in Belgium



Part #	Diameter	Circumference	Color	Minimum Breaking Strength (lbs.)
HYPER12FOOT3/16	3/16"	9/16"	Blue	4,900
HYPER12FOOT1/4	1/4"	3/4"	Blue	7,700
HYPER12FOOT5/16	5/16"	1"	Blue	12,300
HYPER12FOOT3/8	3/8"	1-1/8"	Blue	17,600
HYPER12FOOT1/2	1/2"	1-1/2"	Blue	30,600
HYPER12FOOT9/16	9/16"	1-3/4"	Blue	36,500
HYPER12FOOT5/8	5/8"	2"	Blue	47,500
HYPER12FOOT3/4	3/4"	2-1/4"	Blue	58,000
HYPER12FOOT7/8	7/8"	2-3/4"	Blue	81,700
HYPER12FOOT1	1"	3"	Blue	98,100
HYPER12FOOT1-1/8	1-1/8"	3-1/2"	Blue	133,000
HYPER12FOOT1-1/4	1-1/4"	3-3/4"	Blue	149,000
HYPER12FOOT15/16	1-5/16"	4"	Blue	166,000
HYPER12FOOT1-3/8	1-3/8"	4-1/8"	Blue	185,000
HYPER12FOOT1-1/2	1-1/2"	4-1/2"	Blue	205,000
HYPER12FOOT1-5/8	1-5/8"	5"	Blue	255,000

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

HYPER-XII™

Part #	Diameter	Circumference	Color	Minimum Breaking Strength (lbs.)
HYPER12FOOT1-3/4	1-3/4"	5-1/2"	Blue	302,000
HYPER12FOOT2	2"	6"	Blue	343,000
HYPER12FOOT2-1/4	2-1/4"	7"	Blue	484,000
HYPER12FOOT2-1/2	2-1/2"	7-1/2"	Blue	529,000
HYPER12FOOT2-5/8	2-5/8"	8"	Blue	595,000
HYPER12FOOT3	3"	9"	Blue	749,000
HYPER12FOOT3-1/4	3-1/4"	10"	Blue	915,000
HYPER12FOOT4	4"	12"	Blue	1,270,000
HYPER12FOOT1/2O	1/2"	1-1/2"	Orange	30,600
HYPER12FOOT5/8O	5/8"	2"	Orange	47,500
HYPER12FOOT3/4O	3/4"	2-1/4"	Orange	58,000
HYPER12FOOT7/8O	7/8"	2-3/4"	Orange	81,700
HYPER12FOOT1O	1"	3"	Orange	98,100
HYPER12FOOT11/8O	1-1/8"	3-1/2"	Orange	133,000
HYPER12FOOT11/4O	1-1/4"	3-3/4"	Orange	149,000
HYPER12FOOT11/2O	1-1/2"	4-1/2"	Orange	205,000



Bexco 12

Bexco 12 strand braided ropes are made of HMPE with improved abrasion resistance, very high strength, and low weight to diameter ratio. This 12 strand HMPE is easy to handle and operate with comparable to steel wire rope characteristics. Common sectors are bulk carriers, container ships, fishing vessels (nets), and passenger ships.

Categories: Ropes and Cordages, 12-Strand



BEXCO

Key Features

Good abrasion resistance

Temperature Resistance: 70°C max continuous

Dry and Wet Conditions: Wet strength equals dry strength

Master Reels

Made in Belgium

Part #	Diameter	Circumference	Color	Minimum Breaking Strength (lbs.)
BEXCO12FOOT1-1/8	1-1/8"	3-1/2"	Blue	133,000
BEXCO12FOOT1-1/4	1-1/4"	3-3/4"	Blue	149,000

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**



Performance HMPE

Our heat-treated 12 strand rope with polyurethane coating is torque-free that yields a maximum strength to weight ratio, with the same strength as steel wire rope of similar diameter. This HMPE rope is an excellent replacement for wire rope. Additionally, a specific gravity of 0.98 makes it very useful in a marine environment.

Categories: Ropes and Cordages, 12-Strand

Key Features

12-Strand Braided Rope Made of HMPE

Commonly Known as HMPE: High Modulus PolyEthylene

Superior Abrasion Resistance

Very High Strength with Low Weight to Diameter Ratio

Easy in Handling and Operation

Comparable to Steel Wire Characteristics

Made in China

Part #	Diameter	Circumference	Color	Minimum Breaking Strength (lbs.)
HMPEFOOT3/16	3/16"	9/16"	Blue	4,900
HMPE3/166	3/16"	9/16"	Blue	4,900
HMPEFOOT1/4	1/4"	3/4"	Blue	7,700
HMPE1/46	1/4"	3/4"	Blue	7,700
HMPEFOOT5/16	5/16"	1"	Blue	12,300
HMPE5/166	5/16"	1"	Blue	12,300
HMPEFOOT3/8	3/8"	1-1/8"	Blue	17,600
HMPEFOOT7/16	7/16"	1-1/4"	Blue	21,500
HMPEFOOT1/2	1/2"	1-1/2"	Blue	30,600
HMPEFOOT9/16	9/16"	1-3/4"	Blue	36,500
HMPEFOOT5/8	5/8"	2"	Blue	47,500
HMPEFOOT3/4	3/4"	2-1/4"	Blue	58,000
HMPEFOOT1-1/4	1-1/4"	3-3/4"	Blue	149,000
HMPEFOOT1-5/16	1-5/16"	4"	Blue	166,000



Fabricated Products

Our skilled splicing facility offers rope assemblies and fabrication services. Along with superior customer service, General Work Products provides you with professional consultation to care for your custom requirements. Other services such as inspection, testing and training services are also available.



Fabrication Service

- Custom synthetic rope fabrication and fittings
- Standard industry assemblies
- Soft eyes
- Hard eyes
- Hand dipped eyes
- Taglines
- Face lines
- Double braid pull-line
- Tethered Tools
- Coated chafe gear

Hardware

- Blue line thimbles
- Stainless thimbles
- Hawser thimbles
- Composite thimbles

Ropes

- 12-strand HMPE ropes
- 12-strand polyester ropes
- 8-strand Mooring ropes
- 12-strand Mooring ropes
- Double braid ropes
- 3-strand ropes

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**



8-Strand Blue Danline w/6' Canvas Covered Eyes Both Ends

8-strand high strength danline mooring lines, used for mooring larger vessels. These ropes have a high strength to weight ratio, float and do not absorb water. Additionally, they have high resistance to abrasion and chemicals. All our mooring lines are supplied with 6-foot covered eyes on both ends and come with either ABS or Lloyds certificates.

Categories: Ropes and Cordages, Mooring Lines/Tails

Key Features

Available colors: Blue

Standard coils of 720 ft.

Part #	Circumference	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
ML5	5"	1-5/8"	720'	Blue	43,477	3,623	8,695
ML6	6"	2"	720'	Blue	63,580	5,298	12,716
ML7PP	7"	2-1/4"	720'	Blue	73,865	6,155	14,773
ML7-1/2	7-1/2"	2-1/2"	720'	Blue	85,085	7,090	17,017
ML8PP	8"	2-5/8"	720'	Blue	97,240	8,103	19,448
ML9PP	9"	3"	720'	Blue	126,310	10,526	25,262
ML10PP	10"	3-1/4"	720'	Blue	158,015	13,168	31,603
ML12	12"	4"	720'	Blue	233,750	19,479	46,750



8-Strand X2 Blue Danline w/6' Canvas Covered Eyes Both Ends

8-strand high strength danline mooring lines, used for mooring larger vessels. These ropes have a high strength to weight ratio, float and do not absorb water. Additionally, they have high resistance to abrasion and chemicals. All our mooring lines are supplied with 6-foot covered eyes on both ends and come with either ABS or Lloyds certificates.

Categories: Ropes and Cordages, Mooring Lines/Tails

Key Features

Available colors: Blue

Standard coils of 720 ft.

High Strength

Part #	Circumference	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
ML6X2	6"	2"	720'	Blue	101,853	8,488	20,371
ML7X2	7"	2-1/4"	720'	Blue	133,650	11,138	26,730
ML7-1/2X2	7-1/2"	2-1/2"	720'	Blue	152,700	12,725	30,540
ML8X2	8"	2-5/8"	720'	Blue	173,800	14,483	34,760
ML9X2	9"	3"	720'	Blue	217,360	18,113	43,472
ML10X2	10"	3-1/4"	720'	Blue	266,860	22,238	53,372



8-Strand Maxiflex Gold w/6' Canvas Covered Eyes Both Ends

8-strand high strength polyester/polypropylene blended mooring lines, used for mooring larger vessels. OCIMF approved for use with oil tankers. These ropes have a higher strength to weight ratio than regular mooring lines and they float. All our mooring lines are supplied with 6-foot covered eyes on both ends and come with either ABS or Lloyds certificates.

Categories: Ropes and Cordages, Mooring Lines/Tails



Key Features

Available colors: White

Standard coils of 720 ft.

Part #	Circumference	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
ML5MFG	5"	1-5/8"	720'	White with Gold Tracer	79,380	6,615	15,876
ML6MFG	6"	2"	720'	White with Gold Tracer	116,800	9,733	23,360
ML7MFG	7"	2-1/4"	720'	White with Gold Tracer	160,900	13,408	32,180
ML7-1/2MFG	7-1/2"	2-1/2"	720'	White with Gold Tracer	176,000	14,667	35,200
ML8MFG	8"	2-5/8"	720'	White with Gold Tracer	196,000	16,333	39,200
ML9MFG	9"	3"	720'	White with Gold Tracer	250,800	20,900	50,160
ML10MFG	10"	3-1/4"	720'	White with Gold Tracer	297,000	24,750	59,400
ML12MFG	12"	4"	720'	White with Gold Tracer	418,950	34,913	83,790

8-Braid X2 Ultima w/6' Canvas Covered Eyes Both Ends

8-strand high strength polyester/polypropylene blended mooring lines, used for mooring larger vessels. OCIMF approved for use with oil tankers. These ropes have a higher strength to weight ratio than regular mooring lines and they float. All our mooring lines are supplied with 6 ft. covered eyes on both ends and come with either ABS or Lloyds certificates.

Categories: Ropes and Cordages, Mooring Lines/Tails

Key Features

Available colors: White

Standard coils of 720 ft.



Ultra High Strength

Part #	Circumference	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
ML6X2U	6"	2"	720'	White with Red and Blue Tracer	136,049	11,337	27,210
ML7X2U	7"	2-1/4"	720'	White with Red and Blue Tracer	178,605	14,884	35,721
ML7-1/2X2U	7-1/2"	2-1/2"	720'	White with Red and Blue Tracer	202,860	16,905	40,572
ML8X2U	8"	2-5/8"	720'	White with Red and Blue Tracer	226,454	18,871	45,291
ML9X2U	9"	3"	720'	White with Red and Blue Tracer	289,076	24,090	57,815
ML10X2U	10"	3-1/4"	720'	White with Red and Blue Tracer	345,083	28,757	69,017

12-Strand MaxiFlex-12 w/6' Canvas Covered Eyes Both Ends

12-strand high strength polyester/polypropylene blended mooring lines, used for mooring larger vessels. OCIMF approved for use with oil tankers. These ropes have a higher strength to weight ratio than regular mooring lines and they float. All our mooring lines are supplied with 6-foot covered eyes on both ends and come with either ABS or Lloyds certificates.

Categories: Ropes and Cordages, Mooring Lines/Tails

Key Features

Available colors: White

Standard coils of 720 ft.

Part #	Circumference	Diameter	Length	Color	Minimum Breaking Strength (lbs.)	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
ML7F12	7"	2-1/4"	720'	White with Red Tracer	138,000	11,500	27,600
ML7-1/2F12	7-1/2"	2-1/2"	720'	White with Red Tracer	158,000	13,167	31,600
ML8F12	8"	2-5/8"	720'	White with Red Tracer	182,100	15,175	36,420
ML9F12	9"	3"	720'	White with Red Tracer	224,900	18,742	44,980
ML10F12	10"	3-1/4"	720'	White with Red Tracer	276,700	23,058	55,340

Mooring Quick Reference Guide



Circumference	Minimum Breaking Strength (lbs.)					
	Danline	X2	Maxiflex Gold	X2 Ultima	12-Strand MaxiFlex	MaxiFlex Tail
5"	43,477	-	79,380	-	-	-
6"	63,580	101,853	116,800	136,049	-	-
7"	73,865	133,650	160,900	178,605	138,000	-
7-1/2"	85,085	152,700	176,000	202,860	158,000	-
8"	97,240	173,800	196,000	226,454	182,100	182,000
9"	126,310	217,360	250,800	289,076	224,900	224,900
10"	158,015	266,860	297,000	345,083	276,700	275,000
12"	233,750	-	418,950	-	-	407,000



Maxiflex Mooring Tail

8-strand high strength polyester/polypropylene blended mooring tails, used for mooring larger vessels. OCIMF approved for use with oil tankers. These ropes have a higher strength to weight ratio than regular mooring tails and they float. All our mooring tails come with either ABS or Lloyds certificates.

- 36 ft. long
- 3 ft. and 6 ft. Canvas Cover Eyes

Categories: Ropes and Cordages, Mooring Lines/Tails

Key Features

- High Strength
- Shock Load Absorption
- 36 ft. Tail Length
- Canvas Covered Eyes



Part Number	Length	Eye Size	Circumference	Tensile	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
MT8MT	36'	3' & 6'	8"	182,000	15,167	36,000
MT9MF	36'	3' & 6'	9"	224,900	18,742	44,980
MT10MF	36'	3' & 6'	10"	275,000	22,917	55,000
MT12MF	36'	3' & 6'	12"	407,000	33,917	81,400

Nylon Plus Mooring Tail

8-Braid plaited nylon plus rope is a non-rotational rope that eliminates hocking and other problems associated with twisted anchor lines. Nylon plus is known for its elasticity and tremendous shock absorbing qualities. Other properties include good abrasion and UV resistance. Additionally, it resists oil, gasoline, and most chemicals.

- 36 ft. long
- 3 ft. and 6 ft. Canvas Cover Eyes

Categories: Ropes and Cordages, Mooring Lines/Tails

Key Features

- High Strength
- Shock Load Absorption
- 36 ft. Tail Length
- Canvas Covered Eyes



Part Number	Length	Eye Size	Circumference	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
MT9	36'	3' & 6'	9"	15,000	36,000
MT10	36'	3' & 6'	10"	19,583	47,000
MT12	36'	3' & 6'	12"	23,750	57,000



8-Braid Nylon Plus Rope

8-Braid plaited nylon plus rope is a non-rotational rope that eliminates hocking and other problems associated with twisted anchor lines. Nylon plus is known for its elasticity and tremendous shock absorbing qualities. Other properties include good abrasion and UV resistance. Additionally, it resists oil, gasoline, and most chemicals. Ideal for use with windlass anchor lines.

Categories: Ropes and Cordages, 8-Braid Nylon Plus Rope

Key Features

Available colors: White

Standard coils of 720 ft.

Part #	Circumference	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
N68B	6"	600'	White	5,917	14,200
N88B	8"	600'	White	12,000	28,800
N98B	9"	600'	White	15,000	36,000
N108B	10"	600'	White	16,667	40,000
N128B	12"	600'	White	25,833	62,000
N148B	14"	600'	White	32,250	77,400
N158B	15"	600'	White	37,917	91,000
N168B	16"	600'	White	37,917	91,000
N188B	18"	600'	White	45,000	108,000



3-Strand Poly Dacron Black Battle Rope

Polydac rope is made from a combination of polyester and polypropylene fibers and is an excellent, low cost, general utility rope. This economical, high strength rope has very low stretch properties, high abrasion resistance and is easily spliced. Additionally polydac has good dielectric properties. Used in construction and fishing industries.

Categories: Ropes and Cordages, 3-Strand Poly Dacron Black Battle Rope

Key Features

Black

Additional sizes and colors available to special order

Standard reels of 600 ft.



Part #	Circumference	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
PDB1-1/2	1-1/2"	600'	Black	3,008	7,220
PD2B	2"	600'	Black	4,004	9,610



Solid Braid

Our soft, high strength, lightweight solid braid rope is highly resistant to abrasion and mildew. This rope is suitable for agricultural, general-purpose utility, and leisure marine industries. It works well with tarps, flag poles, boat covers, awnings, and pulleys.

- Available Colors: White and Black (Special order colors available)
- Standard reels of 500 ft. and 1000 ft.

Categories: Ropes and Cordages, Solid Braid



Key Features

- High strength
- Flexible braided rope
- Excellent abrasion resistance

Part #	Circumference	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
SBN3/321	#3	3/32"	1,000'	White	33	80
SBN1/8	#4	1/8"	500'	White	42	100
SBN1/81	#4	1/8"	1,000'	White	42	100
SBN5/321	#5	5/32"	1,000'	White	56	134
SBN3/1650	#6	3/16"	50'	White	71	170
SBN3/16	#6	3/16"	500'	White	71	170
SBN3/161	#6	3/16"	1,000'	White	71	170
SBN7/321	#7	7/32"	1,000'	White	81	195
SBN1/450	#8	1/4"	50'	White	106	255
SBN1/4100	#8	1/4"	100'	White	106	255
SBN1/42	#8	1/4"	200'	White	106	255
SBN1/43	#8	1/4"	300'	White	106	255
SBN1/4	#8	1/4"	500'	White	106	255
SBN1/41	#8	1/4"	1,000'	White	106	255
SBN1/412	#8	1/4"	1,200'	White	106	255
SBN5/1650	#10	5/16"	50'	White	183	440
SBN5/16100	#10	5/16"	100'	White	183	440
SBN5/16175	#10	5/16"	175'	White	183	440
SBN5/16	#10	5/16"	500'	White	183	440
SBN5/161	#10	5/16"	1,000'	White	183	440
SBN3/850	#12	3/8"	50'	White	263	632

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Solid Braid

Part #	Circumference	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
					Min	Max
SBN3/8100	#12	3/8"	100'	White	263	632
SBN3/8125	#12	3/8"	125'	White	263	632
SBN3/83	#12	3/8"	300'	White	263	632
SBN3/8	#12	3/8"	500'	White	263	632
SBN3/81	#12	3/8"	1,000'	White	263	632
SBN3/812	#12	3/8"	1,200'	White	263	632
SBN3/85	#12	3/8"	5,000'	White	263	632
SBN7/16	#14	7/16"	500'	White	400	960
SBN7/161	#14	7/16"	1,000'	White	400	960
SBN1/280	#16	1/2"	80'	White	425	1,020
SBN1/23	#16	1/2"	300'	White	425	1,020
SBN1/2	#16	1/2"	500'	White	425	1,020
SBN1/21	#16	1/2"	1,000'	White	425	1,020
SBN5/8	#20	5/8"	500'	White	583	1,400
SBN5/81	#20	5/8"	1,000'	White	583	1,400
SBN1/8B	#4	1/8"	500'	Black	42	100
SBN1/81B	#4	1/8"	1,000'	Black	42	100
SBN5/321B	#5	5/32"	1,000'	Black	56	134
SBN3/16B	#6	3/16"	500'	Black	71	170
SBN3/161B	#6	3/16"	1,000'	Black	71	170
SBN1/4B	#8	1/4"	500'	Black	106	255
SBN1/41B	#8	1/4"	1,000'	Black	106	255
SBN5/16B	#10	5/16"	500'	Black	183	440
SBN5/161B	#10	5/16"	1,000'	Black	183	440
SBN3/8B	#12	3/8"	500'	Black	263	632
SBN3/81B	#12	3/8"	1,000'	Black	263	632
SBN7/16B	#14	7/16"	500'	Black	400	960
SBN7/161B	#14	7/16"	1,000'	Black	400	960
SBN1/2B	#16	1/2"	500'	Black	425	1,020
SBN1/21B	#16	1/2"	1,000'	Black	425	1,020
SBN5/8B	#20	5/8"	500'	Black	583	1,400



Double Braid Nylon

Our double braid is high heat resistant and torque-free. It is designed to absorb sudden shock loads and generally used as an anchor, mooring, towing and dock lines. A must-have for securing a boat when not in use. Double Braid Polyester also available in the below sizes.

- Available Colors: White
- Standard reels of 600 ft., 1200 ft., and Master reels

Categories: Ropes and Cordages, Double Braid Nylon



Key Features

- High strength and abrasion resistance
- Multi-Purpose
- Rot and mildew resistant
- Minimal stretch design for durability
- Nylon provides more stretch than polyester
- Double braid construction holds knots firmly in place
- Spliceable
- Perfect for yachting, dock lines, camping, and other outdoor applications

Part #	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
DBN1/4	1/4"	600'	White	167	400
DBN5/16	5/16"	600'	White	263	630
DBN3/8	3/8"	600'	White	367	880
DBN3/812	3/8"	1,200'	White	367	880
DBN1/2	1/2"	600'	White	650	1,560
DBN1/212	1/2"	1,200'	White	650	1,560
DBN5/8	5/8"	600'	White	1,017	2,440
DBN5/812	5/8"	1,200'	White	1,017	2,440
DBN3/4	3/4"	600'	White	1,446	3,470
DBN3/41	3/4"	1,000'	White	1,446	3,470
DBN3/412	3/4"	1,200'	White	1,446	3,470
DBN7/8	7/8"	600'	White	1,950	4,680
DBN7/812	7/8"	1,200'	White	1,950	4,680
DBN1	1"	600'	White	2,521	6,050
DBN112	1"	1,200'	White	2,521	6,050
DBN1-1/8FT	1-1/8"	600'	White	3,150	7,560
DBN1-1/4FT	1-1/4"	600'	White	3,871	9,290
DBN1-1/2FT	1-1/2"	600'	White	5,500	13,200
DBN1-3/4FT	1-3/4"	600'	White	7,442	17,860
DBN2FT	2"	600'	White	9,692	23,260

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**



Cotton Sash Cord

Our cotton sash cord is great general purpose rope. Common uses are repairing wooden windows, film industry, arts and crafts, awnings, hammocks, and draperies.

Categories: Ropes and Cordages, Cotton Sash Cord

Key Features

Forms tight, strong knots

Soft, extremely flexible

Mildew and rot resistant

Part #	Special Type	Size	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
						Min	Max
SC1/848P	Polished	#4	1/8"	48'	Natural White	16	39
SC1/86		#4	1/8"	600'	Natural White	16	39
SC1/83P	Polished	#4	1/8"	3,000'	Natural White	16	39
SC3/161		#6	3/16"	100'	Natural White	20	48
SC1/4		#8	1/4"	100'	Natural White	63	150
SC1/46		#8	1/4"	600'	Natural White	63	150
SC1/41		#8	1/4"	1,000'	Natural White	63	150
SC1/412		#8	1/4"	1,200'	Natural White	63	150
SC5/161		#10	5/16"	100'	Natural White	100	240
SC5/166		#10	5/16"	600'	Natural White	100	240
SC5/1612P	Polished	#10	5/16"	1,200'	Natural White	100	240
SC3/81		#12	3/8"	100'	Natural White	123	295
SC3/86		#12	3/8"	600'	Natural White	123	295
SC3/812		#12	3/8"	1,200'	Natural White	123	295
SC1/21		#16	1/2"	100'	Natural White	142	340
SC1/848BP	Polished	#4	1/8"	48'	Black	16	39
SC1/85BP	Polished	#4	1/8"	500'	Black	16	39
SC1/86B		#4	1/8"	600'	Black	16	39
SC1/812BP	Polished	#4	1/8"	1,200'	Black	16	39
SC1/815BP	Polished	#4	1/8"	1,500'	Black	16	39
SC1/83BP	Polished	#4	1/8"	3,000'	Black	16	39
SC3/161B		#6	3/16"	100'	Black	20	48
SC1/41BP	Polished	#8	1/4"	100'	Black	63	150
SC1/412BP	Polished	#8	1/4"	1,200'	Black	63	150
SC5/161B		#10	5/16"	100'	Black	100	240
SC5/1612BP	Polished	#10	5/16"	1,200'	Black	100	240
SC3/81B		#12	3/8"	100'	Black	123	295
SC1/21BP	Polished	#16	1/2"	100'	Black	142	340



3-Strand Cotton Rope

Our 3-strand cotton rope construction is a 65% cotton / 35% polyester blend produced using three cotton strands twisted together to make a soft, versatile, and dynamic rope. This rope is ideal for horse halters, livestock, lead ropes, hammocks, crafts, bag handles, and decorative projects. Exceptionally simple to tie and graft; makes this rope one of the most mainstream materials for creating versatile DIY crafts, hobbies, and home décor.

· Available lengths include: 300 ft., 600 ft., and 1200 ft.

Categories: Ropes and Cordages, Cotton Rope



Key Features

Environmentally friendly and biodegradable

Easy to work with

Soft to the touch

Part #	Diameter	Length	Color	Working Load Limits Range (WLL) (lbs.)	
				Min	Max
CR1/412	1/4"	1,200'	Natural White	35	84
CR3/8	3/8"	600'	Natural White	74	178
CR1/2	1/2"	600'	Natural White	121	290
CR5/8	5/8"	600'	Natural White	190	455
CR3/4	3/4"	600'	Natural White	258	620
CR13	1"	300'	Natural White	425	1,020
CR1	1"	600'	Natural White	425	1,020



Pull Tape

Our premium polyester pull tape is lightweight, thin, and high strength resulting in enhanced efficiency and worker safety. This wide and flat profile is mostly used in small and almost impossible to reach ducts and conduits. Marked with printed measurements every foot, our premium pull tape is perfect for contractors. When pulling heavy cables, the construction of this cord protects it from heat and friction, preventing breaks.

- Available Colors: White
- Standard widths are 1/2", 5/8", and 3/4"
- Master reels of 3000 ft. to 5000 ft.

Categories:
Ropes and Cordages, Pull Tape

Key Features

- Low Stretch
- Abrasion Resistant
- High Strength

Part #	Width	Length
PULLTAPE1/2500	1/2"	500'
PULLTAPE1/21500	1/2"	1,500'
PULLTAPE1/23000	1/2"	3,000'
PULLTAPE5/85000	5/8"	3,000'
PULLTAPE5/83000	5/8"	5,000'
PULLTAPE3/41500	3/4"	1,500'
PULLTAPE3/43000	3/4"	3,000'
PULLTAPE3/45000	3/4"	5,000'

Poly Pull Line

PALMER POWER - Poly Pull Line is a heavy-duty pull-line available in either white with blue tracer or white with black tracer for easy identification. A continuous-fiber polyline can be blown directly into conduit. Pull-line features convenient packaging in a 4 gallon bucket with pre-punched top for easy access.

PHYSICAL PROPERTIES - Poly Pull Line 6500'

- Capacity: 210 lbs. average breaking strength
- Poly Line 6500' (1981.2m), Blue Tracer

PHYSICAL PROPERTIES - Poly Pull Line 2200'

- Capacity: 500 lbs. average breaking strength
- Poly Line 2200' (670.5m), Black Tracer

Categories: Ropes and Cordages, Twine

Key Features

- Ready-to-use, pre-punched hole in lid with resealable cap.
- Use with power fishing systems directly from the container.
- Resists tangling when dispensing.
- Rot and mildew resistant.
- Handy reusable plastic dispenser pail with handle keeps the line dry.
- Use to pull rope through conduit.

Part #	Color	Length	Tube Weight	Spec Tensile	Ft./Lb.
STTPAILS6500BW	Blue & White	6500 ft.	9 lbs.	210 lb. Avg.	723
STTPAILS2200BLW	Black & White	2200 ft.	9 lbs.	500 lb. Avg.	245





Bungee Cord

Our premium bungee cord with abrasion-resistant cover provides durable flexibility. The interlacing strands of polyester over rubber core provide elasticity and shock absorption that are ideal for securing loads on tractor-trailers, marine vessels, and outdoor activities.

- Available Colors: White with a Black Tracer, White, and Black
- Standard reels of 100 ft., 250 ft. and 500 ft.

Categories: Ropes and Cordages, Bungee Cord



Key Features

Master reel length

Universal

Flexible

Part #	Diameter	Length	Color
SBBUNGEE3/8	3/8"	100'	White with Black Tracer
SBBUNGEE1/2	1/2"	100'	White with Black Tracer
SBBUNGEE5/8	5/8"	100'	White with Black Tracer
BCW1/4250	1/4"	250'	White
BCW1/4500	1/4"	500'	White
BCW3/8250	3/8"	250'	White
BCW3/8500	3/8"	500'	White
BCW1/2250	1/2"	250'	White
BCW1/2500	1/2"	500'	White
BCBL1/4250	1/4"	250'	Black
BCBL1/4500	1/4"	500'	Black
BCBL3/8250	3/8"	250'	Black
BCBL3/8500	3/8"	500'	Black
BCBL1/2250	1/2"	250'	Black
BCBL1/2500	1/2"	500'	Black

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**



Tree Rope

Grip Tight™ Tree Rope is manufactured from a proprietary blend of monofilament polypropylene joined with a spiral wrap. This produces a highly flexible and durable tree rope that will not fray when cut. Our lay-flat design will not damage tree bark, trunk or limbs. Grip Tight™ Tree Rope is more economical when compared to natural fiber rope. Our rope will not mildew, rot and is UV stabilized.

- Average Tube Weight: 4.2 lbs.
- Typical Tensile Strength: 620 lbs.

Categories: Twine

Key Features



Part #	Length	Color	Case	Descriptions
TR620/955	955'	Black with orange spiral wrap	8 coils	TREE ROPE 955' EACH



Sisal Twine

Our Sisal twine is biodegradable, low chemical resistance, and knots well. Sisal twine is commonly used to secure large cartons, and bale heavy recycling. The strength and length make this general purpose twine popular.

- Natural Fiber

Categories: Twine

Key Features

- 100% sisal
- Biodegradable and recyclable

Part #	Special Type	Length	Color	Case
ST1PLY	1 PLY	300'	Natural	10 rolls (10 lbs each)
ST2PLY	2 PLY	300'	Natural	10 rolls (10 lbs each)
ST3PLY	3 PLY	300'	Natural	10 rolls (10 lbs each)
SIST1360	1 PLY	360'	Natural	10 rolls (6 lbs each)
SIST2360	2 PLY	360'	Natural	10 rolls (6 lbs each)
ST2PLY50	2 PLY	300'	Natural	50 lb Reel
SIST2PLY480	2 PLY M/E	480'	Natural	90 lb Reel



Braided and Twisted Mason Seine Twine

Mason Seine Twine is a general-purpose twine featuring excellent resistance to wear and tear and offers high tensile strength. Ideal for both indoor and outdoor applications and commonly used for crafting, camping, boating, surveying, mason line, chalk line, plumb line, fishing, hunting, survival, and marine industry. Sold by the case.

- Available as Twisted and Braided construction
- Available Colors: Yellow, Green, Orange, Pink, Fluorescent, and White (Special order colors available)

Categories: Twine



Key Features

Highly resistant to moisture, UV rays, chemicals, oil, and weather.

Will not degrade or lose strength in direct sunlight or submerged in water

Part #	Roll Weight	Size	Type	Colors	Case
N#181/4	1/4 lb	#18	Twisted	White	12
N#181/2	1/2 lb	#18	Twisted	White	12
N#181	1 lb	#18	Twisted	White	12
N#181/4FG	1/4 lb	#18	Twisted	Fluorescent Green	12
N#181G	1 lb	#18	Twisted	Green	12
N#181/4O	1/4 lb	#18	Twisted	Orange	12
N#181/2O	1/2 lb	#18	Twisted	Orange	12
N#181O	1 lb	#18	Twisted	Orange	12
N#181/4P	1/4 lb	#18	Twisted	Fluorescent Pink	12
N#181/2P	1/2 lb	#18	Twisted	Fluorescent Pink	12
N#181P	1 lb	#18	Twisted	Fluorescent Pink	12
N#181/4Y	1/4 lb	#18	Twisted	Yellow	12
N#181/4FY	1/4 lb	#18	Twisted	Fluorescent Yellow	12
N#181/2FY	1/2 lb	#18	Twisted	Fluorescent Yellow	12

Part #	Roll Weight	Size	Type	Colors	Case
N#181/2Y	1/2 lb	#18	Twisted	Yellow	12
N#181Y	1 lb	#18	Twisted	Yellow	12
N#181/4B	1/4 lb	#18	Braided	White	12
N#181B	1 lb	#18	Braided	White	12
N#181FLG	1 lb	#18	Braided	Fluorescent Green	12
N#181/4BG	1/4 lb	#18	Braided	Green	12
N#181BG	1 lb	#18	Braided	Green	12
N#181/4PB	1/4 lb	#18	Braided	Fluorescent Pink	12
N#181PB	1 lb	#18	Braided	Fluorescent Pink	12
N#181BP	1 lb	#18	Braided	Fluorescent Pink	12
N#181/2BFYB	1/2 lb	#18	Braided	Yellow	12
N#181/2BY	1/2 lb	#18	Braided	Yellow	12
N#181BY	1 lb	#18	Braided	Yellow	12



Baler Twine

Our high quality polypropylene baler twine is a small diameter general purpose twine that is widely used in the agriculture industry. Polypropylene baler twine will not rot or mold, is resistant to most chemicals and acids, floats in salt and freshwater, and can be kept wet.

- Packaged in cases of 2 rolls, 48 tubes, 80 tubes

Categories: Twine

Key Features

- General Purpose
- Can be stored wet or dry
- UV Stabilized

Part #	Knot Strength	Length	Color	Case
BTO3900/550	550	3900'	Orange	48 tubes
BTO4000/350	350	4000'	Orange	48 tubes
BTO6500/240	240	6500'	Orange	48 tubes
BTO8500/245	245	8500'	Orange	48 tubes
BTW8500/245	245	8500'	White	48 Tubes
BTY8500/245	245	8500'	Yellow	48 Tubes
BTO9000/130	130	9000'	Orange	80 tubes
BTO9600/170	170	9600'	Orange	2 rolls



Tying Twine

Our polypropylene tying twine will not rot or mold, is resistant to most chemicals and acids, floats in salt and freshwater, and can be kept wet. This general purpose twine is perfect for any project that requires secure fastening.

- Standard colors include Clear and Black
- Packaged in cases of 4 / 10 lbs boxes

Categories: Twine

Key Features

- General Purpose
- Can be stored wet or dry
- Packaged in cases of 4 / 10 lbs boxes

Part #	Length	Color	Approx Tensile	Approx Knot/Break	Case
STT350	350'	Clear	325 lbs.	240 lbs.	4 / 10 lbs.
STT450	450'	Clear	260 lbs.	190 lbs.	4 / 10 lbs.
STT550	550'	Clear	210 lbs.	155 lbs.	4 / 10 lbs.
STT650	650'	Clear	180 lbs.	125 lbs.	4 / 10 lbs.
STT850	850'	Clear	135 lbs.	100 lbs.	4 / 10 lbs.
STT1050	1,050'	Clear	110 lbs.	80 lbs.	4 / 10 lbs.
STT1250	1,250'	Clear	90 lbs.	70 lbs.	4 / 10 lbs.
STT550BK	550'	Black	210 lbs.	155 lbs.	4 / 10 lbs.
STT1050BK	1,050'	Black	110 lbs.	80 lbs.	4 / 10 lbs.



Tying Tape

Our D8 tying tape is a polyethylene tying ribbon with the ability to stretch without distorting. Commonly used for laundry and soft packaging.

Categories: Twine



Key Features

- Flexible
- Durable
- Minimum 35 lb. tensile

Part #	Color	Approx. Length	Weight per roll	Case
TTD28B	Blue	2,720'	4 lbs.	10
TTD28BL	Black	2,720'	4 lbs.	10
TTD28C	Clear	2,720'	4 lbs.	10
TTD28COP	Copper	2,720'	4 lbs.	10
TTD28G	Green	2,720'	4 lbs.	10
TTD28L	Lavender	2,720'	4 lbs.	10
TTD28R	Red	2,720'	4 lbs.	10
TTD28Y	Yellow	2,720'	4 lbs.	10



PE Tape

Our Polyethylene/Stucco Tape is flexible, resistant to most chemicals, excellent durability with excellent tack and shear strength. These features support a range of applications from surface protection, packing, patch, repair, and wrap. Common industries include screen printing, abatement, remediation, construction, concrete, and stucco.

Categories: Tape, Adhesive

Key Features

- Clean removal from most surfaces
- Stretches without distorting adhesive for consistent seal
- Clear, Orange, White, and Red

Part #	Edges	Mils	Size	Length	Color	Tensile Strength (lbs.)	Case
T2STUCCO		7MIL	2"	60 YD	RED	25 lbs/in	24
T2STUCCO/CLEAR		7MIL	2"	60 YD	CLEAR	25 lbs/in	24
T2STUCCO/ORANGE		7MIL	2"	60 YD	ORANGE	25 lbs/in	24
T2STUCCO/RED		7MIL	2"	60 YD	RED	20 lbs/in	24
T3STUCCO/RED		7MIL	3"	60 YD	RED	24 lbs/in	16
T4STUCCO/RED		7MIL	4"	60 YD	RED	25 lbs/in	12
T4STUCCO/WHITE		7MIL	4"	60 YD	WHITE	25 lbs/in	12
T2PET		7MIL	2"	60 YD	TEAL	25 lbs/in	24
T2PT757WP2	PINKED EDGE	7MIL	2"	60 YD	WHITE	25 lbs/in	24
T4PT759W		9MIL	4"	60 YD	WHITE	30 lbs/in	12

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**



Duct Tape

A wide cloth adhesive tape perfect for sealing and securing. Works great with indoor and outdoor use, including seaming, packaging, repairing, bundling, masking and moisture barrier applications. Common sectors are versatile from commercial to personal.

Categories: Tape, Adhesive

Key Features

Great for outdoor and indoor repair

Versatile use

Silver, White, Red, Black, Green, Yellow, Olive Green, Teal, and Blue

Part	Brand	Special Type	Size	Length	Color	Case	Part	Brand	Special Type	Size	Length	Color	Case
T2DTGP36	PALMER SAFETY	6 MIL	2"	60YD	Silver	24	T2DTGP2280Y	NASHUA	9 MIL	2"	60YD	Yellow	24
T2DTAC6	PALMER SAFETY	6 MIL	2"	60YD	Silver	24	T2DT300B	NASHUA	10 MIL	2"	60YD	Black	24
T2DTI	PALMER SAFETY	6 MIL	2"	60YD	Silver	24	T2DT300	NASHUA	10 MIL	2"	60YD	Silver	24
T2DTPC460	SHURTAPE	6 MIL	2"	60YD	Silver	24	T2DTN396	NASHUA	10 MIL	2"	60YD	Silver	24
T2DTPS	PALMER SAFETY	6 MIL	2"	60YD	Silver	24	T2DTS300	NASHUA	10 MIL	2"	60YD	Silver	24
T2DT307	NASHUA	7 MIL	2"	60YD	Silver	24	T2DTTEAL	POLYKEN	10 MIL	2"	60YD	Teal	24
T2DTGWPS2637	PALMER SAFETY	7 MIL	2"	60YD	Silver	24	T2DTBN398	NASHUA	11 MIL	2"	60YD	Black	24
T2DT64613	TESA	7.4 MIL	2"	60YD	Silver	24	T2DTN398G	NASHUA	11 MIL	2"	60YD	Green	24
T2DTBAC15	INTERTAPE	8 MIL	2"	60YD	Black	24	T2DTN398	NASHUA	11 MIL	2"	60YD	Silver	24
T2DTSAC15	INTERTAPE	8 MIL	2"	60YD	Silver	24	T2DT357WHITE	NASHUA	11 MIL	2"	60YD	White	24
T2DTGP2280BL	NASHUA	9 MIL	2"	60YD	Black	24	T2DTBAC45	INTERTAPE	12 MIL	2"	60YD	Black	24
T2DT9IB	PALMER SAFETY	9 MIL	2"	60YD	Black	24	T2DT229	POLYKEN	12 MIL	2"	60YD	Silver	24
T2DTBL	INTERTAPE	9 MIL	2"	60YD	Blue	24	T2DT64663	TESA	12 MIL	2"	60YD	Silver	24
T2DTGP2280B	NASHUA	9 MIL	2"	60YD	Blue	24	T2DT357BLACK	NASHUA	13 MIL	2"	60YD	Black	24
T2DTGP2280G	NASHUA	9 MIL	2"	60YD	Green	24	T2DT357	NASHUA	13 MIL	2"	60YD	Silver	24
T2DTCDT36OLIVE	ADHESIVE TAPE	9 MIL	2"	60YD	Olive Green	24	T2DTPC657	SHURTAPE	14.5 MIL	2"	60YD	Silver	24
T2DT9IR	PALMER SAFETY	9 MIL	2"	60YD	Red	24	T3DT	PALMER SAFETY	6 MIL	3"	60YD	Silver	16
T2DTGP2280R	NASHUA	9 MIL	2"	60YD	Red	24	T3DTGP2280R	NASHUA	9 MIL	3"	60YD	Red	16
T2DTPC599R	SHURTAPE	9 MIL	2"	60YD	Red	24	T3DT2280	NASHUA	9 MIL	3"	60YD	Silver	16
T2DT GP2280R	NASHUA	9 MIL	2"	60YD	Red	24	T3DT357WHITE	NASHUA	13MIL	3"	60YD	White	16
T2DT9I	PALMER SAFETY	9 MIL	2"	60YD	Silver	24	T4DT	PALMER SAFETY	6 MIL	4"	60YD	Silver	12
T2DTGP2280SILVER	NASHUA	9 MIL	2"	60YD	Silver	24	T4DT2280	NASHUA	9 MIL	4"	60YD	Silver	12
T2DTPC599S	SHURTAPE	9 MIL	2"	60YD	Silver	24	T4DTGP2280Y	NASHUA	9 MIL	4"	60YD	Yellow	12
T2DTAC20	INTERTAPE	9 MIL	2"	60YD	Silver	24	T4DT300	NASHUA	10 MIL	4"	60YD	Silver	12
TGP2280SILVER	NASHUA	9 MIL	2"	60YD	Silver	24	T4DTBN398	NASHUA	11 MIL	4"	60YD	Black	12
T2DTGP2280W	NASHUA	9 MIL	2"	60YD	White	24	T4DTN398	NASHUA	11 MIL	4"	60YD	Silver	12
							T6DT	PALMER SAFETY	9 MIL	6"	60YD	Silver	8



Clear Tape

Our clear packaging tape has a quality adhesive to wrap and secure numerous package types. For home and professional use, our clear packing tape is built for light-duty strapping, bundling, and reinforcing items. This is the best choice for high adhesion and holding power.

Categories: Tape, Adhesive

Key Features

Pressure sensitive

Good holding power

Standard widths are 2", 3"



Part #	Size	Length	Color	Case
T2PT110	2"	110 YD	CLEAR	36
T2PT1102MIL	2"	110 YD	CLEAR	36
T2PT55	2"	55 YD	CLEAR	96
T3PT110	3"	110 YD	CLEAR	24
T3PT1102MIL	3"	110 YD	CLEAR	24

Filament/Strapping Tape

Our Filament Tape is great for any packing functions and supporting heavy loads and weak box construction. This versatile tape is abrasion, moisture and scuff resistant to most fiberboard, plastic, and metal surfaces. Common applications include light-duty strapping, bundling, and reinforcing items. This is a perfect choice for fastening to irregular surfaces, including plastic and metal.

Categories: Tape, Adhesive

Key Features

Great Tensile Strength

Excellent Abrasion Resistance

Standard widths are 3/4", 1", and 2"



Part #	Size	Length	Case
T3/4FT	3/4"	60 YD	48
T3/4ST	3/4"	60 YD	48
T1ST	1"	60 YD	36
T1STI	1"	60 YD	36
T2FT	2"	60 YD	24
T2ST	2"	60 YD	24



Electrical Tape

For long-lasting performance in tough environments, our vinyl electrical tape is resistant to high voltage, hot/cold temperatures, and flame. Applications include PVC pipe, temporary surface repair, color coding, safety, décor, and wire harnessing.

Categories: Tape, Adhesive

Key Features

Strength and Flexibility; 7 mil

Black, Blue, Brown, Green, Orange, Purple, Red, White, Grey, and Yellow

Meets or exceeds ASTM D-1000; UL Approved

Part #	Size	Color	Case
T3/4E	3/4"	Black	200 rolls / 10 per sleeve
T3/4EB	3/4"	Blue	200 rolls / 10 per sleeve
T3/4EBR	3/4"	Brown	200 rolls / 10 per sleeve
T3/4EG	3/4"	Green	200 rolls / 10 per sleeve
T3/4EO	3/4"	Orange	200 rolls / 10 per sleeve
T3/4EP	3/4"	Purple	200 rolls / 10 per sleeve
T3/4ER	3/4"	Red	200 rolls / 10 per sleeve
T3/4EW	3/4"	White	200 rolls / 10 per sleeve
T3/4EY	3/4"	Yellow	200 rolls / 10 per sleeve
T3/4EGY	3/4"	Grey	200 rolls / 10 per sleeve



Painters Tape

Our painters tape provides clean removability from a variety of surfaces and withstands high temperatures. This is an excellent choice as a general-purpose tape that best protects areas from painting, soldering, blasting, spraying, coating, plating, and polishing. Most commonly requested by painters, designers, carpenters, and homeowners.

Categories: Tape, Adhesive

Key Features

Easily hand tearable

Standard widths are 1", 2", and 3"

Part	Brand	Size	Length	Color	Case
T1MTP	INTERTAPE	1"	60 YD	BLUE	36
T2MTP	INTERTAPE	2"	60 YD	BLUE	24
T2MTP2	ADHESIVE TAPE	2"	60 YD	BLUE	24
T2MTPG	INTERTAPE	2"	60 YD	GREEN	24
T2MTP1	PALMER SAFETY	2"	60 YD	BLUE	24
T3MTP	INTERTAPE	3"	60 YD	BLUE	16



Masking Tape

Our masking tape is versatile, lightweight, and has a clean removal from most surfaces. This premium masking tape is a general-purpose tape that best protects areas from painting, soldering, blasting, spraying, coating, plating, and polishing. Most commonly requested by painters, designers, carpenters, and homeowners.

Categories: Tape, Adhesive

Key Features

- Easily hand tearable
- Good holding power
- Standard widths are 3/4", 1", 2", 3", 4"



Part	Brand	Size	Length	Color	Case
T3/4M	INTERTAPE #803	3/4"	60 YD		48
T1MT	INTERTAPE #506	1"	60 YD		36
T1MTCP105	SHURTAPE #105	1"	60 YD		36
T1MTI	PALMER SAFETY	1"	60 YD		36
T1-1/2MT	INTERTAPE #513	1-1/2"	60 YD		24
T2MT	INTERTAPE #513	2"	60 YD		24
T2MT0M4855	INTERTAPE HIGH TEMP	2"	60 YD	ORANGE	24
T2MT2	INTERTAPE #506	2"	60 YD		24
T2MT4421	TESA #4421	2"	60 YD		24
T2MT505	INTERTAPE #PG505	2"	60 YD		24
T2MTCP105	SHURTAPE #CP105	2"	60 YD		24
T2MTCP66	SHURTAPE #CP66	2"	60 YD		24
T2MTCZ901	SHURTAPE #CZ901	2"	60 YD		24
T2MTI	PALMER SAFETY	2"	60 YD		24
T2MTI2	PALMER SAFETY	2"	60 YD		24
T2MTPG49	INTERTAPE #PG49	2"	60 YD		24
T3MT	INTERTAPE	3"	60 YD		16
T3MTCZ901	SHURTAPE HIGH TEMP	3"	60 YD		16
T3MTPG49	INTERTAPE #PG49 HIGH TEMP	3"	60 YD		16
T4MT	INTERTAPE	4"	60 YD		12

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Thread Seal Tape

For professionals and non-professionals alike, our thread seal tape provides a high-grade tool built for a lifetime. Quick and easy application that is flexible, durable, non-toxic, and not reactive to chemicals. This material forms a tight long-lasting seal that is commonly used with water, air, gases, and piping systems servicing most acids.

Categories: Tape, Adhesive

Key Features

Effective on metal and plastic threads

Flexible

Standard sizes are 1/2", 3/4", and 1"



Part #	Size	Length	Case
T1/2T260	1/2"	260'	200
T1/2T260100	1/2"	260'	100
T1/2T520	1/2"	520'	200
T3/4T260	3/4"	260'	144
T3/4T520	3/4"	520'	144
T3/4T520MERC0	3/4"	520'	144
T1T520	1"	520'	144
T1T520100	1"	520'	100



Caution Tape

Our 3-inch Caution Tape can withstand tough weather conditions and is highly visible to pedestrians. Each message is printed in bold black ink on durable yellow polypropylene tape. Common sectors for best use include construction, custodial, safety event management, law enforcement, and utility. Simply unroll the amount of tape needed and block off areas that offer a potential hazard.

Categories: Tape, Barrier / Marking Tape

Key Features

Warn of hazards and prevent accidents

Highly visible heavy-duty construction

Available Prints: Caution, Caution/Do Not Enter, Caution/Cuidado, and Caution/Hydro Blast

Product Name	Part#	Size	Length	Case
Caution	T3C1612/C300	3"	300'	12
Caution	T3C1512/C	3"	1000'	12
Cuidado	T3CS1512/C	3"	1000'	12
Do Not Enter	T3CD2	3"	1000'	8
Hydro Blasting	T3CH12/C	3"	1000'	12

Danger Tape

Our 3-inch versatile use Danger Tape provides a noticeable red strip with bold black lettering printed "DANGER". The durable, weather-resistant polypropylene film prevents accidental tearing. This is a perfect choice for hazardous environments, construction areas, custodial, safety event management, law enforcement, and utility. Simply unroll the amount of tape needed and block off areas that offer a potential hazard.

Categories: Tape, Barrier / Marking Tape



Key Features

Warn of hazards and prevent accidents

Highly visible heavy-duty construction

Available Prints: Danger, Danger/Do Not Enter, Danger/Peligro, and Danger/Hydro Blast

Product Name	Part#	Size	Length	Case
Danger	T3D1612/C300	3"	300'	12
Danger	T3D1512/C	3"	1,000'	12
Do Not Enter	T3CDNE1512/C	3"	1,000'	12
Danger/Peligro	T3DS12/C	3"	1,000'	12
Danger/Hydro Blasting	T3DH12/C	3"	1,000'	12

Flagging Tape

Our highly visible flagging tape colors provide a multitude of marking options. Flagging is preferred by professional sportsmen and surveyors. Applications include marking hazardous areas, boundaries, or identifying areas of high importance.

Categories: Tape, Barrier / Marking Tape



Key Features

Weather-resistant

Standard width is 1-3/16"

Part #	Size	Length	Color	Case
TFTFG	1-3/16"	150'	FLO GREEN	12
TFTFO	1-3/16"	150'	FLO ORANGE	12
TFTFP	1-3/16"	150'	FLO PINK	12
TFTFY	1-3/16"	150'	FLO YELLOW	12
T2FTBLK	1-3/16"	300'	BLACK	12
TFTB	1-3/16"	300'	BLUE	12
TFTG	1-3/16"	300'	GREEN	12
TFTO	1-3/16"	300'	ORANGE	12
TFTP	1-3/16"	300'	PURPLE	12
TFTR	1-3/16"	300'	RED	12
TFTW	1-3/16"	300'	WHITE	12
TFTY	1-3/16"	300'	YELLOW	12



Woven Tape

Our woven barricade tape is an extra durable polypropylene tape that offers a lasting barrier solution. Applications include marking hazardous areas, boundaries, or identifying areas of high importance. This woven barricade tape is perfect for its excellent chemical and weather resistance along with its ability to untangle for reuse.


Categories: Tape, Barrier / Marking Tape

Key Features

Highly visible

Solid Red, Red/Black, and Yellow/Black

Part #	Size	Length	Color	Case
T2WR150	2"	150'	SOLID RED	48
T2WRB150	2"	150'	RED/BLACK	48
T2WYB150	2"	150'	YELLOW/BLACK	48
T2WRB200	2"	200'	RED/BLACK	48
T2WYB200	2"	200'	YELLOW/BLACK	48



Blue Poly Tarps

Our polyethylene tarpaulin sheet has reinforced hem and aluminum eyelets at 3 feet intervals. This lightweight tarp is most commonly used as protection from rain, shade, and ground moisture.

- Weight is 65 grams/square meter
- Eyelets at 3' intervals

Categories: Tarps

Key Features

Lightweight

Waterproof

Provide shade protection or ground cover.

Part#	Size	Color
PT5X7	5' X 7'	Blue
PT6X8	6' X 8'	Blue
PT8X10	8' X 10'	Blue
PT8X12	8' X 12'	Blue
PT10X10	10' X 10'	Blue
PT10X12	10' X 12'	Blue
PT10X16	10' X 16'	Blue
PT10X20	10' X 20'	Blue
PT12X12	12' X 12'	Blue
PT12X14	12' X 14'	Blue

Part#	Size	Color
PT12X16	12' X 16'	Blue
PT12X20	12' X 20'	Blue
PT12X24	12' X 24'	Blue
PT15X30	15' X 30'	Blue
PT16X20	16' X 20'	Blue
PT18X24	18' X 24'	Blue
PT20X20	20' X 20'	Blue
PT20X25	20' X 25'	Blue
PT20X30	20' X 30'	Blue

Part#	Size	Color
PT20X40	20' X 40'	Blue
PT24X36	24' X 36'	Blue
PT30X30	30' X 30'	Blue
PT30X40	30' X 40'	Blue
PT30X50	30' X 50'	Blue
PT30X60	30' X 60'	Blue
PT40X40	40' X 40'	Blue
PT40X60	40' X 60'	Blue
PT50X100	50' X 100'	Blue

Heavy Duty Silver Tarps

Our heavy duty silver polyethylene tarpaulin sheet has reinforced edges with polypro rope in hem with regular interval eyelets and reinforced corners. This super strong tarp is most commonly used as industrial covers, construction covers, truck covers, tent covers and outdoor storage.

Categories: Tarps

Key Features

Heavy Duty

Waterproof

High Density with UV Treatment

Washable and Recyclable



Part#	Special Type	Size	Color
PTS6X8	Heavy Duty	6' X 8'	Silver
PTS8X10	Heavy Duty	8' X 10'	Silver
PTS10X10	Heavy Duty	10' X 10'	Silver
PTS10X12	Heavy Duty	10' X 12'	Silver
PTS10X16	Heavy Duty	10' X 16'	Silver
PTS12X12	Heavy Duty	12' X 12'	Silver
PTS12X16	Heavy Duty	12' X 16'	Silver
PTS12X20	Heavy Duty	12' X 20'	Silver
PTS12X24	Heavy Duty	12' X 24'	Silver

Part#	Special Type	Size	Color
PTS16X20	Heavy Duty	16' X 20'	Silver
PTS18X24	Heavy Duty	18' X 24'	Silver
PTS20X30	Heavy Duty	20' X 30'	Silver
PTS30X30	Heavy Duty	30' X 30'	Silver
PTS30X40	Heavy Duty	30' X 40'	Silver
PTS30X60	Heavy Duty	30' X 60'	Silver
PTS40X40	Heavy Duty	40' X 40'	Silver
PTS40X60	Heavy Duty	40' X 60'	Silver

Stretch Film

Our stretch film is a high quality film providing excellent protection and tear resistance. While holding materials in place stretch film gives protection from theft, dirt, damage, and moisture. Mostly used for packaging warehouse pallets as a perfect alternative to tape and banding.

Available grades are machine and hand grade wraps

Categories: Stretch Film

Key Features

Offers an easy to use extended core

Alternative to tape and banding



Part #	Special Type	Width	Gauge	Length
SW20	MACHINE WRAP	20"	80	5,000'
SW20S	MACHINE WRAP	20"	80	5,000'
SW20115	MACHINE WRAP	20"	115	3,500'
SW20120	MACHINE WRAP	20"	120	3,750'
SW6075	MACHINE WRAP	60"	75	5,000'

Part #	Special Type	Width	Gauge	Color	Length
SW580	HAND GRADE	5"	80		1,500'
SW5120	HAND GRADE	5"	120		700'
SW1280AEP	HAND GRADE	12"	80		1,500'
SW1534	HAND GRADE	15"	34		1,500'
SW17	HAND GRADE	17.2"	30		1,500'
SW1839ECO	HAND GRADE	18"	39		1,500'
SW1851GVF	HAND GRADE	18"	51		1,500'
SW1860	HAND GRADE	18"	60		1,500'
SW1863C	HAND GRADE	18"	63	Green	1,500'
SW1870AEP	HAND GRADE	18"	70		1,500'
SW1814XH	HAND GRADE	18"	80		1,476'
SW1880AEP	HAND GRADE	18"	80		1,500'
SW1880B	HAND GRADE	18"	80	Black	1,500'
SW1880HYBRID	HAND GRADE	18"	80		1,500'
SW18100	HAND GRADE	18"	100		1,500'
SW181B	HAND GRADE	18"	110	Black	1,000'
SW1815B	HAND GRADE	18"	115	Black	1,500'
SW18120AEP	HAND GRADE	18"	120		1,000'
SW18120B	HAND GRADE	18"	120	Black	1,000'
SW18B120	HAND GRADE	18"	120	Blue	1,000'
SWC201070	HAND GRADE W/ HANDLE	20"	70		1,000'
SW20H	HAND GRADE	20"	80		1,000'
SW20B	HAND GRADE	20"	80		5,000'



Steel Banding



Our steel strapping is a strong and reliable strap that provides high shock resistance during delivery. Applications include securing packaged glass, wide loads, wood shipping containers, and securing irregular loads to pallets. Perfect choice for heavy duty loads that require high strength restraint.

- Standard widths include: 1/2", 5/8", 3/4", 1-1/4", 2"
- Packaged on a pallet of 14 or 22 (90-100 lb average) rolls

Categories: Strapping / Seals / Tools, Steel Strapping

Key Features

- High strength
- Stronger than poly strapping

Part #	Width	Thickness	Pallet
SDSS1/2-020	1/2"	0.020"	14 Rolls
SDSS1/2-023	1/2"	0.023"	14 Rolls
SDSS5/8-020	5/8"	0.020"	14 Rolls
SDSS5/8-023	5/8"	0.023"	14 Rolls
SDSS3/4-020	3/4"	0.020"	14 Rolls
SDSS3/4-023	3/4"	0.023"	14 Rolls
SDSS3/4-025	3/4"	0.025"	14 Rolls
SDSS1-1/4-031	1-1/4"	0.031"	22 Rolls
SDSS2-044	2"	0.044"	14 Rolls

Pre-Cut Strapping

Our polypropylene pre-cut strapping comes in multiple colors making it easy to identify. In addition, with the pre-attached poly buckle, this is a perfect choice to quickly strap. Pre-cut strapping is a general-purpose banding ideal for applications including pallets, drums, and boxes.

- Standard size is 1/2" x 17'
- Packaged in cases of 500 rolls

Categories: Strapping / Seals / Tools, Pre-cut Strapping

Key Features

- Quick and easy
- General-purpose



Part #	Special Type	Size	Color	Case
PSB1/217	With Buckle	1/2" x 17'	Blue	500
PSBL1/217	With Buckle	1/2" x 17'	Black	500
PSC1/217	With Buckle	1/2" x 17'	Green	500
PSO1/217	With Buckle	1/2" x 17'	Orange	500
PSP1/217	With Buckle	1/2" x 17'	Purple	500
PSR1/217	With Buckle	1/2" x 17'	Red	500
PSW1/217	With Buckle	1/2" x 17'	White	500
PSY1/217	With Buckle	1/2" x 17'	Yellow	500

Open Seals

Our open seal clips are the most common type of seal, ideal for your strapping needs. This steel strapping is an efficient accessory that provides a solid hold and strap alignment before tensioning.

Standard sizes are 1/2", 5/8", 3/4", and 1-1/4"

Categories: Strapping / Seals / Tools, Seals



Key Features

Tight seal

Strong hold

Part #	Size	Case
CLIPS1/2O	1/2"	5,000 CT
CLIPS5/8O	5/8"	5,000 CT
CLIPS3/4O	3/4"	5,000 CT
CLIPS1-1/4	1-1/4"	1,000 CT



Closed Seals

Our closed seals are a great alternative to open seal clips. This mechanically crimped accessory is threaded onto steel banding to create a tighter hold during strap placement.

Categories: Strapping / Seals / Tools, Seals

Key Features

Tight seal

Strong hold

Part #	Size
CLIPS3/4C	3/4"
CLIPS1-1/4CLOSED	1-1/4"



Crimpers



Our commercial grade hand crimping tool is easy to use, lightweight, and great for uneven surfaces. This hand sealer is ideal for crimping and sealing to create a solid banding connection. Most used for thick packaged materials, securing goods for transport, pallets, and warehouses loads.

Categories: Strapping / Seals / Tools, Tools

Key Features

- Easy to use
- Great for uneven surface
- Creates tight seals and strong hold

Part #	Size	Special Type
BT1/2CRIMPER	1/2"	
BT5/8CRIMPER	5/8"	
BT3/4CEP1800	3/4"	Premium
BT3/4CRIMPER	3/4"	

Tensioner

Our tensioner is a manual tensioner that is easy to use, lightweight, and great for uneven surfaces. Most used for industrial strapping and household packaging. Applications include securing goods for transport, pallets, and warehouses loads.

Categories: Strapping / Seals / Tools, Tools

Key Features Part #: BTTEN

- Easy to use
- Great for uneven surface
- 3/8"-3/4"



Sealless Tensioner

Our sealless tensioner is a two in one manual tensioner and sealer that is easy to use, lightweight, and great for uneven surfaces. Most used for industrial strapping and household packaging. Applications include securing goods for transport, pallets, and warehouses loads.

Categories: Strapping / Seals / Tools, Tools



Key Features Part #: STCSL200

Easy to use

Great for uneven surface

1/2"-3/4"



Banding Cart

Our banding cart is portable and provides easy dispensing of steel strapping or banding.

Categories: Strapping / Seals / Tools, Carts

Key Features Part #: BCART

Mobile

Works great with steel and plastic banding

Durable

Easy to use



3-1/2 Lb. Tie Wire

Our industrial use tie wire is easy to bend and manipulate for flexible fastening. This wire is commonly used to secure a rebar in place or tie several rebars together before concrete is poured. No tool box should be without a roll.

Categories: Tie Wire

Key Features

Flexible, Durable, and Thin

Part #	Size	Special Type	Case
CMBW16	16 GA. (3-1/2 lb roll)	Black	20 rolls
CMBW16.5	16.5 GA. (3-1/2 lb roll)	Black	20 rolls

100 Lb. (9 gauge) Tie Wire

Our industrial use 9-gauge black annealed tie wire is a 100 lb spool that is softer and more flexible than iron. Common uses may include binding, tying, bundling, and bailing for farm work or personal use.

Categories: Tie Wire

Key Features

More flexible than iron; Annealed

Part #	Size	Color	Pallet
CMBW9	9 GA. / 100lbs	Black	Bundle/10



Oil Pads

Our sonic bonded oil pads are long-lasting pads that bond fibers together at small points, making this product highly sorbent. Perfect for small spills or dripping on tools, equipment, and cement floors. These high performance oil pads absorb industrial fluids cleanly and efficiently, even in small and hard to reach spaces.

- Our white oil pad is perfect for petroleum based product spills.
- Our grey oil pad is a universal pad ideal for all liquids including aggressive chemical spills and leaks.

Categories: Sorbents

Key Features

Highly absorbent

Polyethylene construction



Part#	Weight	Color	Size	Special Type	Pack	Pallet
OPL1003C	Light	White	15"x18"	Sonic Bonded - Petroleum Only	100 CT	60 PER SKID
OPL1003CG	Light	Grey	15"x18"	Sonic Bonded - Universal	100 CT	60 PER SKID
OPLUSMWC	Light	Grey	15"x18"	Sonic Bonded - Universal (Economy)	200 CT	60 PER SKID
OPM10027C	Medium	White	15"x18"	Sonic Bonded - Petroleum Only	100 CT	48 PER SKID
OPM10027CG	Medium	Grey	15"x18"	Sonic Bonded - Universal	100 CT	48 PER SKID
OPH10029C	Heavy	White	15"x18"	Sonic Bonded - Petroleum Only	100 CT	36 PER SKID
OPH10029CG	Heavy	Grey	15"x18"	Sonic Bonded - Universal	100 CT	36 PER SKID

Oil Booms

Our oil boom is a temporary floating barrier used to contain oil spills. They are ideal for outdoor spill response application. Additionally, our oil booms absorb fuels and petroleum-based products.

Categories: Sorbents

Key Features

Highly absorbent

Floating barrier

Polyethylene construction



Part #	Size	Bundle	Pallet
OPB510D	5" X 10'	4 BOOMS	20 BUNDLES PER SKID
OPB810D	8" X 10'	4 BOOMS	16 BUNDLES PER SKID



Oil Spill Rolls

Our oil spill roll is a highly absorbent fiber perfect for managing large volume clean ups. The small dimples bond this 100% melt blown polypropylene construction together producing increased strength and durability. These high performance oil rolls absorb industrial fluids cleanly and efficiently.

- Our white oil pad is perfect for petroleum based product spills.
- Our grey oil pad is a universal pad ideal for all liquids including aggressive chemical spills and leaks.

Categories: Sorbents

Key Features

Highly absorbent

Polyethylene construction

Part #	Color	Size	Special Type	Pallet
OPM19/144	Grey	19"x144'	Sonic Bonded - Universal	20 PER SKID
OPB38144G	Grey	38"x144'	Sonic Bonded - Universal	20 PER SKID
OPM36/144	White	36"x144'	Sonic Bonded - Petroleum Only	20 PER SKID
OPM38/144	White	38"x144'	Sonic Bonded - Petroleum Only	20 PER SKID



Plastic Buckets and Lids

Our high-density polyethylene (HDPE) buckets and lids offer strength and durability. This bucket is a great outdoor or household multipurpose accessory that can handle a large range of applications. The metal handle makes this product easy to grip and carry.

- Available in gallons of 1, 2, 3, 3-1/2, 4, and 5
- Available colors are: White, Red, Black, Blue, Yellow, and Green

Categories: Buckets and Lids

Key Features

Metal handle

Food grade

High-density polyethylene (HDPE) construction

Part #	Subcategory	Gallons	Color
PB1G	Buckets	1	White
PB2G	Buckets	2	White
PB3G	Buckets	3	White
PB3-1/2G	Buckets	3-1/2	White
PB4GW	Buckets	4	White
PB5GWN	Buckets	5	White
PB5GMR	Buckets	5	Red
PB5GBLK	Buckets	5	Black
PB5GBN	Buckets	5	Blue
PB5GY	Buckets	5	Yellow
PB5GG	Buckets	5	Green
PB5GST	Screw Top Bucket	5	White

Part #	Special Type	Volume	Color
PL1P	Solid Lid	1	White
PB2GL	Solid Lid	2	White
PL3-1/2G	Solid Lid	3-1/2	White
PB4SL	Pour Spout Lid with tint plug center	4	White
PL5GPN	Solid Lid	5	White
PL5GR	Solid Lid	5	Red
PL5GPB	Solid Lid	5	Black
PL5GPS	Pour Spout Lid	5	White
PL5GPSB	Pour Spout Lid	5	Blue
PL5GSMR	Pour Spout Lid	5	Red
PL5GST	Solid Lid screw top	5	White

Metal Buckets and Lids

Our metal bucket and lids offer additional strength and durability. This bucket is a great outdoor or household multipurpose accessory that can handle a large range of applications. To prevent leakage and adding extraordinary resistance our metal buckets have curling on the top edge that prevents deformation during handling and securing a more reliable closing process.

Categories: Buckets and Lids

Key Features

Metal handle provides high strength reliability

Triple seam technology

Part #	Product	Color	Volume
MB5G	Buckets	Grey	5
PL5GM	Lids	Grey	5



Bright Common

Our bright common nail is a quality metal shank with a solid construction for common use. This construction is mostly used for carpentry and framing. This large shank gives great strength, commonly for outdoor use.

Categories: Nails



Key Features

Common nail

Most popular nail and versatile style

For construction, carpentry and framing

Part#	Size	Box
CMBRTCOMMON8	8D	50 lbs.
CMBRTCOMMON16	16D	50 lbs.



Duplex

Our Duplex Nail has a dual-head for easy removal. This nail is mainly used for temporary structures where nail removal is required. Applications included concrete forming and scaffolding.

- Standard sizes are 8D and 16D
- Packaged in cases of 30lbs. and 50lbs.

Categories: Nails

Key Features

Easy driving

Easy removal

8D and 16D

Part#	Length	Box
CMDUPLEX8	8D	50 lbs.
CMDUPLEX16	16D	50 lbs.
CMDUPLEX1630#	16D	30 lbs.



Fluted Nail

Our fluted nail is a hardened steel shank durable for general purpose projects. This nail is commonly used for cleats, flood plates, fastening furring, and partitions.

Categories: Nails

Key Features

Hardened steel

Flute shank - flat head

50 lb. Box

Part #	Length	Box
CMMASONRY2-1/2	2-1/2"	50 lbs.

Phosphate Coated (PC) Drywall

Our phosphate coated drywall nail with a diamond point and cup dish head. This smooth finish shank is perfect for roofing and drywall. The phosphate coating makes these nails easier to drive and not react with drywall compound.

Categories: Nails

Key Features

Smooth finish shank

General purpose

Diamond point

Part #	Size	Box
CMDRYWALLNAILS	1-3/8"	50 lbs.



Printed

Our durable rubber band printed with country of origin and produce code. Applications include agriculture, farming, and packaging.

- Available Colors: Blue, Purple, Yellow, Red, and White.
- Standard sizes are #63 and #81



Categories: Rubber Bands

Key Features

Reusable

High Elasticity

Durable

Part#	Size	Inches	Color	Case	Product number	Print
RBC#63BL60PL4080	#63	3" x 1/4"	Blue	25 lb. case (1 lb. bag)	4080	Produce of Mexico PLU 4080
RBC#63BLUSPL4080	#63	3" x 1/4"	Blue	25 lb. case (1 lb. bag)	4080	Produce of USA PLU 4080
RBC#63BWFPLU4080	#63	3" x 1/4"	Blue	25 lb. case (1 lb. bag)	4080	Produce of Mexico PLU 4080 in French
RBPC#63BLUS94080	#63	3" x 1/4"	Blue	25 lb. case (1 lb. bag)	94080	Organic Produce of USA PLU 94080
RBC#63PU60PL4080	#63	3" x 1/4"	Purple	25 lb. case (1 lb. bag)	4080	Produce of Mexico PLU 4080
RBC#63WHPLU94080	#63	3" x 1/4"	White	25 lb. case (1 lb. bag)	94080	Organic Produce of USA PLU 94080
RBC#63BLMXPL4629	#63	3" x 1/4"	Blue	25 lb. case (1 lb. bag)	4629	Produce of Mexico PLU 4629
RBC#63PUUSPL4080	#63	3" x 1/4"	Purple	25 lb. case (1 lb. bag)	4080	Produce of USA PLU 4080
RBCR#8125PLU	#81	2" x 3/8"	Blue	25 lb. case (1 lb. bag)	4060	Produce of USA PLU 4060
RBCR#81PLUORG	#81	2" x 3/8"	Blue	25 lb. case (1 lb. bag)	94060	Organic Produce of USA PLU 94060
RBCR#81RPLU4060	#81	2" x 3/8"	Red	25 lb. case (1 lb. bag)	4060	Produce of USA PLU 4060
RBCR#81BUSPL4629	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	4629	Produce of USA PLU 4629
RBCR#81MEX	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	4060	Produce of Mexico PLU 4060
RBCR#81MXPLU4629	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	4629	Produce of Mexico PLU 4629
RBC#81BWFPLU4060	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	4060	Produce of Mexico PLU 4060 in French
RBCR#81	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	4060	Produce of USA PLU 4060
RBCR#81WPLU4060	#81	2" x 3/8"	White	40 lb. case (5 lb. bag)	4060	Produce of USA PLU 4060
RBCR#81YPLU4060	#81	2" x 3/8"	Yellow	40 lb. case (5 lb. bag)	4060	Produce of USA PLU 4060
RBCR#81PLU94060	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	94060	Organic Produce of Mexico PLU 94060
RBCR#81PUPLU4060	#81	2" x 3/8"	Blue	40 lb. case (5 lb. bag)	4060	Produce of USA PLU 4060
RBC#63BL60	#63	3" x 1/4"	Blue	25 lb. case (1 lb. bag)		No Print
RBC#63PURPLE	#63	3" x 1/4"	Purple	25 lb. case (1 lb. bag)		No Print
RBPC#63W	#63	3" x 1/4"	White	25 lb. case (1 lb. bag)		No Print
RBCR#81PLAIN25	#81	2" x 3/8"	Blue	25 lb. case (1 lb. bag)		No Print
RBCR#81PLAIN	#81	2" x 3/8"	Blue	25 lb. case (1 lb. bag)		No Print
RBPC#81P	#81	2" x 3/8"	Purple	25 lb. case (1 lb. bag)		No Print



Crepe



Our crepe band is a soft stretch reusable band. Crepe rubber bands are commonly used as a general-purpose rubber band to stock in the office, warehouse, and home. This elastic band provides a soft hold and excellent durability, perfect for a wide range of applications.

- Available Colors: Natural, Blue, Black, Brown, White, Assorted, Rainbow, Purple, Green, Red, Yellow, Pink, and Orange
- Standard sizes are #8, #10, #12, #14, #16, #18, #19, #26, #27, #30, #31, #32, #33, #62, #63, #64, #84, #105, #107, #124, #125, #127, and #137

Categories: Rubber Bands

Key Features

Softest stretch

General Purpose

Long lasting

Part #	Size	Inches	Color	Case
RBPC#8N	#8	7/8" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#8N	#8	7/8" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#10B	#10	1-1/4" x 1/16"	Blue	25 lb. case (1 lb. bag)
RBPC#10G	#10	1-1/4" x 1/16"	Green	25 lb. case (1 lb. bag)
RBPC#10N	#10	1-1/4" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#10R	#10	1-1/4" x 1/16"	Red	25 lb. case (1 lb. bag)
RBPC#105N	#10	1-1/4" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#12B	#12	1-3/4" x 1/16"	Blue	25 lb. case (1 lb. bag)
RBPC#12N	#12	1-3/4" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#12P	#12	1-3/4" x 1/16"	Purple	25 lb. case (1 lb. bag)
RBPC#12R	#12	1-3/4" x 1/16"	Red	25 lb. case (1 lb. bag)
RBC#14B	#14	2" x 1/16"	Blue	25 lb. case (1 lb. bag)
RBC#14B60	#14	2" x 1/16"	Blue (Premium)	25 lb. case (1 lb. bag)
RBPC#14N	#14	2" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBC#14R	#14	2" x 1/16"	Red	25 lb. case (1 lb. bag)
RBC#16B	#16	2-1/2" x 1/16"	Blue	25 lb. case (1 lb. bag)
RBPC#16N	#16	2-1/2" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBC#16R	#16	2-1/2" x 1/16"	Red	25 lb. case (1 lb. bag)
RBPC#18G	#18	3" x 1/16"	Green	25 lb. case (1 lb. bag)
RBPC#18N	#18	3" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#19B	#19	3-1/2" x 1/16"	Blue	25 lb. case (1 lb. bag)
RBPC#19G	#19	3-1/2" x 1/16"	Green	25 lb. case (1 lb. bag)
RBPC#19N	#19	3-1/2" x 1/16"	Natural	25 lb. case (1 lb. bag)
RBPC#19R	#19	3-1/2" x 1/16"	Red	25 lb. case (1 lb. bag)
RBPC#19Y	#19	3-1/2" x 1/16"	Yellow	25 lb. case (1 lb. bag)

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Crepe

Part #	Size	Inches	Color	Case
RBPC#26N95	#26	7/8" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#27N	#27	1-1/4" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#27N	#27	1-3/4" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#30N	#30	2" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#31N	#31	2-1/2" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#32BL	#32	3" x 1/8"	Black	25 lb. case (1 lb. bag)
RBPC#32B	#32	3" x 1/8"	Blue	25 lb. case (1 lb. bag)
RBPC#32BR	#32	3" x 1/8"	Brown	25 lb. case (1 lb. bag)
RBPC#32G	#32	3" x 1/8"	Green	25 lb. case (1 lb. bag)
RBPC#32N	#32	3" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#32O	#32	3" x 1/8"	Orange	25 lb. case (1 lb. bag)
RBPC#32PI	#32	3" x 1/8"	Pink	25 lb. case (1 lb. bag)
RBPC#32P	#32	3" x 1/8"	Purple	25 lb. case (1 lb. bag)
RBPC#32R	#32	3" x 1/8"	Red	25 lb. case (1 lb. bag)
RBPC#32W	#32	3" x 1/8"	White	25 lb. case (1 lb. bag)
RBPC#32Y	#32	3" x 1/8"	Yellow	25 lb. case (1 lb. bag)
RBC#33ASSORTED	#33	3-1/2" x 1/8"	Assorted	25 lb. case (1 lb. bag)
RBPC#33N	#33	3-1/2" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBC#33RAINBOW	#33	3-1/2" x 1/8"	Rainbow	25 lb. case (1 lb. bag)
RBPC#33R	#33	3-1/2" x 1/8"	Red	25 lb. case (1 lb. bag)
RBPC#33R90	#33	3-1/2" x 1/8"	Red (Premium)	25 lb. case (1 lb. bag)
RBPC#62B	#62	2-1/2" x 1/4"	Blue	25 lb. case (1 lb. bag)
RBPC#62N	#62	2-1/2" x 1/4"	Natural	25 lb. case (1 lb. bag)
RBPC#62N95	#62	2-1/2" x 1/4"	Natural	25 lb. case (1 lb. bag)
RBPC#62R	#62	2-1/2" x 1/4"	Red	25 lb. case (1 lb. bag)
RBPC#63N	#63	3" x 1/4"	Natural	25 lb. case (1 lb. bag)
RBPC#63W	#63	3" x 1/4"	White	25 lb. case (1 lb. bag)
RBPC#64N	#64	3-1/2" x 1/4"	Natural	25 lb. case (1 lb. bag)
RBPC#84N	#84	3-1/2" x 1/2"	Natural	25 lb. case (1 lb. bag)
RBPC#84N	#84	3-1/2" x 1/2"	Natural	25 lb. case (1 lb. bag)
RBPC#105N	#105	5" x 5/8"	Natural	25 lb. case (1 lb. bag)
RBPC#107N	#107	7" x 5/8"	Natural	25 lb. case (1 lb. bag)
RBPC#124N	#124	4" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#125N	#125	5" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#127N	#127	7" x 1/8"	Natural	25 lb. case (1 lb. bag)
RBPC#137N	#137	7" x 1/4"	Natural	25 lb. case (1 lb. bag)



Ceramic

Our ceramic rubber band is a heavy duty rubber band used on ceramic molds. Great for pottery, woodworking, and plaster molds.

Categories: Rubber Bands

Key Features

UV Additive

Durable

Heavy Duty

Part#	Size	Inches	Color	Case
RBCER#173	#173	3" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#174	#174	4" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#175	#175	5" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#176	#176	6" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#177	#177	7" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#178	#178	8" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#179	#179	9" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#1710	#1710	10" x 3/4"	Natural	25 lb. case (1 lb. bag)
RBCER#173-179MIX	#173-179	3" x 3/4" to 9" x 3/4"	Natural	25 lb. case (1 lb. bag)

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Pallet Bands

Our pallet band is a large durable, flexible and reusable rubber band. This is a great choice for pallet securing/supporting content and covers such as tarps during transport.

Categories: Rubber Bands



Key Features

Reusable

Prevent toppling

Part#	Size	Color	Case
RBPC 12 X 3/8	12" x 3/8"	Natural Crepe	25 lb. case
RBPC 14 X 3/8	14" x 3/8"	Natural Crepe	25 lb. case
RBPC46-3/4G	46" x 3/4"	Green	25 lb. case
RBPC46-3/4N	46" x 3/4"	Natural	25 lb. case



Palmer Safety PS360 Series

The Palmer Safety PS360 Glove with Para-Aramid lining delivers an ANSI Cut Level A6 and an ANSI Puncture Level 4. The Goat Skin Leather provides premium dexterity and comfort along with a Hi-Vis Fluorescent Orange TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves



Key Features Part #: G9050

APPLICATIONS:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	100% Goat Skin Leather / ThermoplasticRubber (TPR) / Para-Aramid Lining
COLOR:	Hi-Vis Fluorescent Orange / Beige
CUFF STYLE:	Shirred Elastic Wrist
ANSI:	Cut Level A6; Puncture Level 4

Size Available	S	M	L	XL	2XL	3XL
Hem Color	Red	Green	Brown	Blue	Black	Orange
Total Length (cm)	23	24	25	26	26.5	28
Palm Width (cm)	8.5	9.5	10.3	11	11.5	12.3



Palmer Safety PS360 Series

The Palmer Safety PS360 Glove with Para-Aramid lining delivers an ANSI Cut Level A6 and an ANSI Puncture Level 4. The Goat Skin Leather provides premium dexterity and comfort along with a Hi-Vis Fluorescent Orange and Black TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G9060

APPLICATIONS:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	100% Goat Skin Leather / ThermoplasticRubber (TPR) / Para-Aramid Lining
COLOR:	Hi-Vis Fluorescent Orange / Black
CUFF STYLE:	Shirred Elastic Wrist
ANSI:	Cut Level A6; Puncture Level 4

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5

Let us know
how we can help.



Palmer Safety PS360 Series

The Palmer Safety PS360 Glove with Para-Aramid lining delivers an ANSI Cut Level A5 and an ANSI Puncture Level 3. The Goat Skin Leather provides premium dexterity and comfort along with a Hi-Vis Fluorescent Green and Black TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G9065

APPLICATIONS:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	100% Goat Skin Leather / Thermoplastic Rubber (TPR) / Para-Aramid Lining
COLOR:	Hi-Vis Fluorescent Green / Black
CUFF STYLE:	Shirred Elastic Wrist
ANSI:	Cut Level A5; Puncture Level 3



Size Available	S	M	L	XL	2XL	3XL
Hem Color	Red	Green	Brown	Blue	Black	Orange
Total Length (cm)	23	24	25	26	26.5	28
Palm Width (cm)	8.5	9.5	10.3	11	11.5	12.3

Palmer Safety PS933 Series

The Palmer Safety PS933 Glove with Para-Aramid/Steel lining delivers an ANSI Cut Level A6 and an ANSI Puncture Level 4. The Goat Skin Leather provides premium dexterity and comfort along with a Hi-Vis Green and Yellow TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G933G

DESIGN:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	100% Goat Skin Leather / Thermoplastic-Rubber (TPR) / Para-Aramid / Steel Lining / Breathable Mesh
COLOR:	Hi-Vis Green / Yellow
ANSI:	Cut Level A6; Puncture Level 4



Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5



Palmer Safety X75

The Palmer Safety X75 glove with velcro strap delivers an ANSI Cut Level A7 and an ANSI Puncture Level 5. The red, sandy nitrile anti vibration padded palm provides optimal abrasion and cut resistance along with a strong grip in dry and wet environments. The light and breathable 13-gauge High Performance Polyethylene (HPPE) backing provides a moisture wick material with the flexibility needed to get any job done. There is a reinforced support between the thumb and forefinger to prevent wear along with a stitched Hi-Vis TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves



Key Features Part #: G4575

APPLICATIONS:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	High Performance Polyethylene (HPPE) /Thermoplastic-Rubber (TPR)
COLOR:	Red / Hi-Vis Yellow / Black
CUFF STYLE:	Adjustable Velcro Closure
ANSI:	Cut Level A7; Puncture Level 5

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5

Palmer Safety X64



The Palmer Safety X64 glove with velcro strap delivers an ANSI Cut Level A6 and an ANSI Puncture Level 4. The black, sandy Nitrile palm provides optimal abrasion and cut resistance along with a strong grip in dry and wet environments. The light and breathable 13-gauge High Performance Polyethylene (HPPE) backing provides a moisture wick material with the flexibility needed to get any job done. There is a reinforced support between the thumb and forefinger to prevent wear along with a stitched Hi-Vis TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4570

APPLICATIONS:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	High Performance Polyethylene (HPPE) /Thermoplastic-Rubber (TPR)
COLOR:	Light Grey and Black / Hi-Vis Yellow / Black
CUFF STYLE:	Adjustable Velcro Closure
ANSI:	Cut Level A6; Puncture Level 4

Size Available	S	M	L	XL	2XL	3XL
Hem Color	Red	Green	Brown	Blue	Black	Orange
Total Length (cm)	23	24	25	26	26.5	28
Palm Width (cm)	8.5	9.5	10.3	11	11.5	12.3

Let us know
how we can help.



Palmer Safety X55

The Palmer Safety X55 glove with velcro strap delivers an ANSI Cut Level A5, ANSI Puncture Level 5 and ANSI Abrasion Level 5. The orange, sandy Nitrile palm provides optimal abrasion and cut resistance along with a strong grip in dry and wet environments. The light and breathable 13-gauge High Performance Polyethylene (HPPE) backing provides a moisture wick material with the flexibility needed to get any job done. There is a reinforced support between the thumb and forefinger to prevent wear along with a stitched Hi-Vis TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4580

APPLICATIONS: General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry

MATERIAL: Material: High Performance Polyethylene (HPPE) / Thermoplastic-Rubber (TPR)
Cuff Style: Adjustable Velcro Closure

COLOR: Hi-Vis Yellow and Orange / Black

ANSI: Cut Level A5; Puncture Level 5; Abrasion Level 5; Impact Level 2



Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5

Gulf Grip Plus

The Palmer Safety Gulf Grip Plus glove with velcro strap delivers an ANSI Cut Level A5 and an ANSI Puncture Level 3. The black, sandy Nitrile palm provides optimal abrasion and cut resistance along with a strong grip in dry and wet environments. The light and breathable 13-gauge High Performance Polyethylene (HPPE) backing provides a moisture wick material with the flexibility needed to get any job done. There is a reinforced support between the thumb and forefinger to prevent wear along with a stitched Hi-Vis TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4565

APPLICATIONS: General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry

MATERIAL: Nylon / High Performance Polyethylene (HPPE) / Thermoplastic-Rubber (TPR)

COLOR: Hi-Vis Yellow / Black

ANSI: Cut Level A5; Puncture Level 3



Size Available	S	M	L	XL	2XL	3XL
Hem Color	Red	Green	Brown	Blue	Black	Orange
Total Length (cm)	23	24	25	26	26.5	28
Palm Width (cm)	8.5	9.5	10.3	11	11.5	12.3



Gulf Grip

The Palmer Safety Gulf Grip glove delivers an ANSI Cut Level A4 and an ANSI Puncture Level 3. The black, sandy Nitrile palm provides optimal abrasion and cut resistance along with a strong grip in dry and wet environments. The light and breathable 13-gauge High Performance Polyethylene (HPPE) backing provides a moisture wick material with the flexibility needed to get any job done. There is a reinforced support between the thumb and forefinger to prevent wear along with a stitched Hi-Vis TPR for ideal impact resistance.

Categories: Personal Protective Equipment, Gloves



Key Features Part #: G4564

DESIGN:	General Construction, Industrial, Tool Use, Power Tools, Material Handling, Demolition and Assembly, Wet and Dry Conditions, Heavy Lifting, Oil and Gas Industry
MATERIAL:	Nylon / High Performance Polyethylene (HPPE) / Thermoplastic-Rubber (TPR)
COLOR:	Hi-Vis Yellow / Black
ANSI:	Cut Level A4; Puncture Level 3

Size Available	S	M	L	XL	2XL	3XL
Hem Color	Red	Green	Brown	Blue	Black	Orange
Total Length (cm)	23	24	25	26	26.5	28
Palm Width (cm)	8.5	9.5	10.3	11	11.5	12.3

Low Profile Impact Glove A4

Our low profile impact glove with breathable coating is designed to keep hands protected with outstanding wet/dry grip. Common uses include electronics, glass cutting, sheet metal handling, and general assembly.

Categories: Personal Protective Equipment, Gloves



TOUCHSCREEN COMPATIBLE



Key Features Part #: G4500

APPLICATIONS:	Electronics, Glass Cutting, Sheet Metal Handling and General Assembly
MATERIAL:	13 Gauge, Nitrile Palm, Low Profile TPR
COLOR:	Grey / Orange / Black
ADDITIONAL FEATURES:	Reinforced Thumb Crotch, Cut Resistant, Excellent Dexterity, Sensitivity and Tactility, Extreme Form Fit and Comfortable, Touchscreen Compatible, Knitted Stretchable Wrist Reduces Debris from Entering the Glove
ANSI:	Cut Level A4, Abrasion Level 4, Puncture Level 4, Impact Level 1

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

G820 Series

Our G820 Series is a HPPE Diamond blended and Fiberglass form fitting glove with breathable coating is designed to keep hands protected with an outstanding wet/dry grip. It is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Common uses include electronics, glass cutting, sheet metal handling, and general assembly.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G820-7, G820-6, G820-5

APPLICATIONS:	Electronics, Glass Cutting, Sheet Metal Handling and General Assembly
MATERIAL:	13 Gauge Nylon, High Performance Polyethylene (HPPE) and Fiberglass; Polyurethane Coated Palm
COLOR:	Grey
ADDITIONAL FEATURES:	<ul style="list-style-type: none"> • Cut Resistant • Excellent Dexterity, Sensitivity and Tactility • Extreme Form Fit and Comfortable • Touchscreen Compatible • Knitted Stretchable Wrist Reduces Debris from Entering the Glove
ANSI:	<p>G820-7: Cut Level A7; Puncture Level 4 G820-6: Cut Level A6; Puncture Level 4 G820-5: Cut Level A5; Puncture Level 4</p>

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5



Part #: G820-7

Part #: G820-6

Part #: G820-5





G-Core 4590

Our form fitting HPPE and Fiberglass Core glove with breathable coating is designed to keep hands protected with outstanding wet/dry grip. Common uses include electronics, glass cutting, sheet metal handling, and general assembly.

Categories: Personal Protective Equipment, Gloves



Key Features Part #: G4590

- APPLICATIONS:** Electronics, Glass Cutting, Sheet Metal Handling and General Assembly
- MATERIAL:** 13 Gauge Nylon, HPPE and Fiberglass; Polyurethane Coated Palm
- COLOR:** Grey
- ADDITIONAL FEATURES:** Cut Resistant; Excellent Dexterity, Sensitivity and Tacility; Extreme Form Fit and Comfortable; Touchscreen Compatible; Knitted Stretchable Wrist Reduces Debris from Entering the Glove
- ANSI:** Cut Level A4

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5



Gulf Flex Gloves

Handling of glass, metals and other sharp objects, parts assembly, MEP and general construction.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4542 & G4543

- FEATURES:** Excellent grip in oily, wet and dry environments, nylon knit wrist helps prevent debris from entering into the glove.
- MATERIAL:** 13 gauge high performance polyethylene / fiberglass shell; Black Sandy Nitrile Palm
- COLOR:** G4542 - Mandarin Orange | G4543 - Hi Vis Yellow
- CUFF STYLE:** Knit Wrist
- ANSI:** Cut Level 4; Puncture Level 3

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	27
Palm Width (cm)	8.5	9.5	10.3	11	11.6

Let us know
how we can help.



G-Flex 4595

Our extreme form fit and comfortable G-Flex glove is designed for dry/oily grip with minimal liquid penetration. Common trade users include mechanical, electrical, plumbing, HVAC, light industrial and general assembly. Excellent choice for extreme dexterity and sense of touch.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4595

APPLICATIONS:	Mechanical, Electrical, Plumbing, HVAC, Light Industrial and General Assembly
MATERIAL:	15 Gauge Grey Nylon with Spandex Liner; Ultra-Lightweight, Microfoam Nitrile Palm
COLOR:	Grey and Black
ADDITIONAL FEATURES:	Touchscreen Compatible; Excellent Dexterity, Sensitivity and Tactility; Minimal Liquid Penetration; Breathable Palm Coating; Silicone Free; Produces Minimal Lint and Dust Particulate; Knitted Stretchable Wrist Reduces Debris from Entering the Glove
ANSI:	Cut Level A1



TOUCHSCREEN COMPATIBLE

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5

G-Flex Dot 4596

Our extreme form fit and comfortable G-Flex Dot glove is designed for dry/oily grip with minimal liquid penetration. Common trade users include mechanical, electrical, plumbing, HVAC, light industrial and general assembly. Excellent choice for extreme dexterity and sense of touch.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4596

APPLICATIONS:	Mechanical, Electrical, Plumbing, HVAC, Light Industrial and General Assembly
MATERIAL:	15 Gauge Grey Nylon with Spandex Liner; Ultra-Lightweight, Microfoam Nitrile Palm
COLOR:	Grey and Black
ADDITIONAL FEATURES:	Touchscreen Compatible; Excellent Dexterity, Sensitivity and Tactility; Nitrile Dots on Fingers and Palm for Added Grip Assistance; Minimal Liquid Penetration; Breathable Palm Coating; Silicone Free; Produces Minimal Lint and Dust Particulate; Knitted Stretchable Wrist Reduces Debris from Entering the Glove
ANSI:	Cut Level A1



TOUCHSCREEN COMPATIBLE

Size Available	S	M	L	XL	2XL
Hem Color	Red	Green	Brown	Blue	Black
Total Length (cm)	23	24	25	26	26.5
Palm Width (cm)	8.5	9.5	10.3	11	11.5



Buffalo Leather Driver with Orange Tips Gloves

Our natural soft buffalo leather driver glove provides excellent durability and abrasion resistance. Great for wet work, carpentry, construction, driving, equipment operation, farming, landscaping, tractor trailer operators, and fork lift operations. This general-purpose glove is perfect for indoor and outdoor use.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G9035HVWH

APPLICATIONS:	Construction, Electrical Contractors, Marine, MEP, Fabrication, Agriculture & Transportation
MATERIAL:	100% Buffalo Leather
COLOR:	Beige with Orange Fingers
ADDITIONAL FEATURES:	Lining: Unlined; Cuff Style: Shirred Elastic Wrist; Palm Style: Full Leather; Thumb Type: Keystone Thumb; Glove Pattern: Gunn Cut

Size Available	S	M	L	XL	XXL	3XL	4XL
Hem Color	Red	Green	Brown	Blue	Black	Orange	Grey
Total Length (cm)	22.5	23.2	24.5	25.1	26.3	26.5	27.5
Palm Width (cm)	10.5	11.6	12.25	12.55	13.15	14.25	14.75

Buffalo Leather Driver

Our natural soft buffalo leather driver glove provides excellent durability and abrasion resistance. Great for wet work, carpentry, construction, driving, equipment operation, farming, landscaping, tractor trailer operators, and fork lift operations. This general-purpose glove is perfect for indoor and outdoor use.

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G9035

APPLICATIONS:	Construction, Electrical Contractors, Marine, MEP, Fabrication, Agriculture & Transportation
MATERIAL:	100% Buffalo Leather
COLOR:	Beige
ADDITIONAL FEATURES:	Lining: Unlined; Cuff Style: Shirred Elastic Wrist; Palm Style: Full Leather; Thumb Type: Keystone Thumb; Glove Pattern: Gunn Cut



Size Available	S	M	L	XL	XXL	3XL	4XL
Hem Color	Red	Green	Brown	Blue	Black	Orange	Grey
Total Length (cm)	22.5	23.2	24.5	25.1	26.3	26.5	27.5
Palm Width (cm)	10.5	11.6	12.25	12.55	13.15	14.25	14.75

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Cow Split Double Leather Palm

Our Double Leather Palm glove gives a comfortable and secure fit. The reinforced leather palm is designed for heavy or abrasive object handling. Professionals commonly use this glove for massive assembly, rigging, construction, splicing work, and manufacturing.

Categories: Personal Protective Equipment, Gloves



Key Features **Part #: G3281**

Double palm for enhanced protection

Heavy duty

One size fits most

Part #	Special Type	Size	Case
G3281	One size fits most	L/XL	10 DOZ



Cow Split Leather Palm

Our Leather Palm glove gives a comfortable and safe fit application. These traditional work gloves are designed for construction, light-medium fabrication, lumber industry, steel and iron work, and handling rebar. This general-purpose glove is perfect for indoor and outdoor use.

Categories: Personal Protective Equipment, Gloves

Key Features **Part #: G3260 & G3280**

Durable and strong

Heavy duty

Comfortable and safe

One size fit most

Part #	Special Type	Size	Case
G3260	One sizes fits most	L/XL	10 DOZ
G3280	One sizes fits most	L/XL	10 DOZ



String Knit PVC Palm Coated

Our string knit gloves are comfortable and flexible with a PVC palm coat for an extra layer of protection. This string knit is great for general hand protection for numerous light duty task and keeps hands warm while working in the warehouse.

- Made of a cotton/polyester blend
- Packaged in cases of 25 dozen

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4718

FEATURES:	<ul style="list-style-type: none"> • Warm and comfortable • Reversible • Elastic knit wrist • Seamless knitted
SPECIAL TYPE:	7 Gauge
COLOR:	Natural white string knit Brown PVC coating
CASE:	25 DOZ

String Knit Latex Palm Coated

Our string knit gloves are comfortable and flexible with a latex palm coat for an extra layer of protection. This string knit is great for general hand protection for numerous light duty task and keeps hands warm while working in the warehouse.

- Made of a cotton/polyester blend
- Packaged in cases of 25 dozen

Categories: Personal Protective Equipment, Gloves



Key Features Part #: G4719, G4722RL

FEATURES:	<ul style="list-style-type: none"> • Warm and comfortable • Reversible • 7 Gauge • Elastic knit wrist • Seamless knitted
COLOR:	Blue, Red
CASE:	25 DOZ

Part #	Size	Color	Case
G4719S	Small	Blue	25 DOZ
G4719M	Medium	Blue	25 DOZ
G4719L	Large	Blue	25 DOZ
G4722RL	Large	Red	25 DOZ
G4719XL	XL	Blue	25 DOZ

Let us know
how we can help.

String Knit

Our string knit gloves are comfortable and flexible. This string knit is great for general hand protection for numerous light duty task and keeps hands warm while working in the warehouse. This glove is most commonly used as a second layer of protection as a glove-liner.

- Made of a cotton/polyester blend

Categories: Personal Protective Equipment, Gloves



Key Features Part #: G4517

FEATURES: • Warm and comfortable, Reversible, 7 Gauge, Elastic knit wrist, Seamless knitted

SPECIAL TYPE: 38 GRAMS PER PAIR

LENGTH: 26CM

CASE: 25 DOZ



Brown Jersey Glove

Our premium cotton glove is a light weight, low density, comfortable fit, cool, breathable, and absorbent material. This glove is excellent for low heat, light duty, and general purpose applications.

- Packaged in cases of 25 dozen
- One size fit most

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4503

FEATURES: • Light weight and comfortable, 7 oz., Machine Washable, Multipurpose, Elastic knit wrist

CASE: 25 DOZ



Welder

Our Welders Glove is flexible and durable for comfortable fit. Excellent choice for heavy duty work and keeps hands cool even in the hottest temperatures. Designed with a full leather armored glove cuff and one-piece palm has no exposed seams.

- Packaged in cases of 5 and 6 dozen

Categories: Personal Protective Equipment, Gloves

Key Features

FEATURES: • Regular shoulder split leather
• Full sock lined
• Wing thumb

COLOR: Grey, Red, Blue

CASE: 6 DOZ, 5 DOZ

Part #	Color	Case
G7270	GREY	6 DOZ
G7630	Red	5 DOZ
G7380K	Blue	6 DOZ



Black Dot

Our general-purpose black dot glove is light weight and made of a cotton/polyester blend that protects your hand during light duties. Perfect for warehouse, construction sites, and carpentry work. The quality and comfort of this black dot glove makes it versatile, and useful addition to your safety gear.

- One size fits most
- Packaged in cases of 25 dozen

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4505

FEATURES:

- Universal fit
- Firm grip/extra grip
- General purpose use
- Washes well

CASE:

25 DOZ

Part #	Case	Color
G4505	25 DOZ	
G4505A	25 DOZ	
G4505O	25 DOZ	Orange

Double Dot

Our PVC double dot glove is a practical choice for most men and women hand sizes alike. Designed for a number of situations this Double Dot glove is a seamless knit cover made for comfortable and flexible use. Applications such as construction, general work, package handling, warehousing, and general assembly.

- Packaged in cases of 25 dozen

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G4715QL

FEATURES:

- Universal fit
- Firm grip/extra grip
- General purpose use
- Washes well

CASE:

25 DOZ



Let us know
how we can help.

PVC Rough 12" and 14"

Our PVC glove with rough finish is designed to provide maximum protection and durability. Industry professionals would consider this as general-purpose and best for most industrial settings and applications. This glove provides workers a protection barrier from basic chemicals, oils, acid, and grease.

- Available lengths: 12" and 14"
- Packaged in cases of 10 dozen

Categories: Personal Protective Equipment, Gloves



Key Features

- FEATURES:**
- Liquid and basic chemical protection
 - Washable
 - Rough grip

COLOR: 12", 14"

CASE: 10 DOZ

Part #	Special Type	Length	Case
G2233R		12"	10 DOZ
G2234R		14"	10 DOZ
G2234RRHO	Right Hand Only	14"	10 DOZ



PVC Smooth 12", 14", and 18"

Our PVC smooth glove is general-purpose and best for most industrial settings and applications. This glove provides workers a protection barrier from basic chemicals, oils, acid, and grease. Perfect choice for mining, fishing, utilities, and refining.

- Available lengths: 12", 14", and 18"
- Packaged in cases of 10 dozen

Categories: Personal Protective Equipment, Gloves

Key Features

- FEATURES:**
- Liquid and basic chemical protection
 - Washable

COLOR: 12", 14", 18"

CASE: 10 DOZ

Part #	Length	Case
G2233S	12"	10 DOZ
G2234	14"	10 DOZ
G2238	18"	10 DOZ



Latex

Our powder free dishwashing latex glove is a glove that provides perfect protection for general purpose tasks. With an excellent tensile strength, capabilities include gripping wet or dry materials for home and industrial use. Considered applications include general cleaning, janitorial, maintenance, and architectural projects.

- Available size: Large
- Packaged 12 dozen per case

Categories: Personal Protective Equipment, Gloves

Key Features Part #: G2870

FEATURES:	<ul style="list-style-type: none"> • 17 mil thickness • Embossed grip on palm and fingers • 12" length • Ingredients comply with FDA regulations for food contact
COLOR:	Yellow
SIZE:	Large
CASE:	12 DOZ

Glove Clip Orange

Categories: Personal Protective Equipment, Gloves

Part Number DPGLOVECLIP



Let us know
how we can help.

White Microporous Disposable Coveralls

Our microporous white disposable coveralls are a breathable laminated material providing general protection to soft liquid splashes and dust protection. The microporous material is perfectly manufactured for durability and added protection. Common uses may include painting, machine maintenance, polishing, and light duty cleaning.

- Available sizes: Medium - 7XL
- Packaged in Cases: 25 Suits

Categories: Personal Protective Equipment, Disposable Coveralls

Key Features

FEATURES: Microporous, Aerosol or Mist Protection, Breathable Protection, Laydown collar, Elastic Wrists, Elastic Ankles, Front Zipper closure

Part #	Size	Color	Case
PPCW1600M	Medium	White	25
PPCW1600L	Large	White	25
PPCW1600XL	XL	White	25
PPCW16002XL	2XL	White	25
PPCW16003XL	3XL	White	25
PPCW16004XL	4XL	White	25
PPCW16005XL	5XL	White	25
PPCW16006XL	6XL	White	25
PPCW16007XL	7XL	White	25



FR Blue Disposable Coveralls

Our high quality blue disposable coveralls are optimized for breathable protection being fire retardant and self-extinguishing as defined by ASTM D6413. Common industries may include turnarounds, oil / gas manufacturing, and industrial. Meet or Exceeds NFPA 701-2019.

- Available sizes: Medium - 7XL
- Packaged in Cases: 25 Suits

Categories: Personal Protective Equipment, Disposable Coveralls

Key Features

FEATURES: Fire Retardant and Self-Extinguishing, Spun Polypropylene, Ideal for Dry Particulate, Breathable Protection, Laydown collar, Elastic Wrist, Elastic Ankle, Front Zipper closure

Part #	Size	Color	Case
PPCB1601M	Medium	Blue	25
PPCB1601L	Large	Blue	25
PPCB1601XL	XL	Blue	25
PPCB16012XL	2XL	Blue	25
PPCB16013XL	3XL	Blue	25
PPCB16014XL	4XL	Blue	25
PPCB16015XL	5XL	Blue	25
PPCB16016XL	6XL	Blue	25
PPCB16017XL	7XL	Blue	25



Fire Retardant
Meets NFPA 701 (2019)
Self-Extinguishing
As defined by ASTM D6413



FR Coverall

- Lightweight 7 ounce 100% cotton FR treated
- Meets the following standards:
 - (1) UL Certified NFPA 2112-2018
 - (2) HRC2 / CAT2
 - (3) ATPV 8

Categories: Personal Protective Equipment, Coveralls

Key Features

FABRIC:	<ul style="list-style-type: none"> • 7 ounce FR fabric • 100% FR cotton
GARMENT CONSTRUCTION:	<ul style="list-style-type: none"> • All metal thermally protected from the skin • Heavy duty brass zipper • Breakaway zipper • Storm guard over front zipper with 3 snaps closure • Full action back for mobility • Elasticized waist • Cuffs with 1 position snap for adjustment
POCKETS:	<ul style="list-style-type: none"> • 2 chest patch pockets, pencil slot on the left pocket • 2 waist patch pockets with side access, 1 snap closure • 2 rear hip patch pockets • Pen pocket on left sleeve
COLORS:	<ul style="list-style-type: none"> • Navy Blue • Tan • Grey

Sizing Chart

Coverall	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
NUMERIC	34/36	38/40	42/44	46/48	50/52	54/56	58/60	62/24	66/68
CHEST	41	44	48	52	56	60	64	68	72
EXTEND WAIST	36	39	43	47	51	55	59	63	67
TRUCK	35	36	37	38	39	40	41	42	43
TRUCK LONG	35.75	36.75	37.75	38.75	39.75	40.75	41.75	42.75	43.75
TRUCK SHORT	34.25	35.25	36.25	37.25	38.25	39.25	40.25	41.25	42.25
INSEAM	29	29.5	30	30.5	31	31.5	32	32.5	33
INSEAM LONG	30.5	31	31.5	32	32.5	33	33.5	34	34.5
SLEEVE	31	32	34	36	37	38	40	41	42
SLEEVE LONG	32.75	33.75	35.75	37.75	38.75	39.75	41.75	42.75	43.75
SLEEVE SHORT	29.25	30.25	32.25	34.25	35.25	36.25	38.25	39.25	40.25

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

FR Coverall

Part #	Size	Color	Case
COVERALLFRNS	Small	Navy Blue	10/Case
COVERALLFRNM	Medium	Navy Blue	10/Case
COVERALLFRNL	Large	Navy Blue	10/Case
COVERALLFRNXL	XL	Navy Blue	10/Case
COVERALLFRN2XL	2XL	Navy Blue	10/Case
COVERALLFRN3XL	3XL	Navy Blue	10/Case
COVERALLFRN4XL	4XL	Navy Blue	10/Case
COVERALLFRN5XL	5XL	Navy Blue	10/Case
COVERALLFRN6XL	6XL	Navy Blue	10/Case
COVERALLFRTS	Small	Tan	10/Case
COVERALLFRTM	Medium	Tan	10/Case
COVERALLFRTL	Large	Tan	10/Case
COVERALLFRTXL	XL	Tan	10/Case
COVERALLFRT2XL	2XL	Tan	10/Case
COVERALLFRT3XL	3XL	Tan	10/Case
COVERALLFRT4XL	4XL	Tan	10/Case
COVERALLFRT5XL	5XL	Tan	10/Case
COVERALLFRT6XL	6XL	Tan	10/Case
COVERALLFRGS	Small	Grey	10/Case
COVERALLFRGM	Medium	Grey	10/Case
COVERALLFRGL	Large	Grey	10/Case
COVERALLFRGXL	XL	Grey	10/Case
COVERALLFRG2XL	2XL	Grey	10/Case
COVERALLFRG3XL	3XL	Grey	10/Case
COVERALLFRG4XL	4XL	Grey	10/Case
COVERALLFRG5XL	5XL	Grey	10/Case
COVERALLFRG6XL	6XL	Grey	10/Case



GENERAL WORK PRODUCTS



Endless selection.
We've got you covered.

CORE Eyewear

CORE Eyewear offers a sleek design which allows for a perfect fit for both men and women, ensuring all around acceptance. Durable lens coated for scratch resistance and 99.9% UV protection. Protective polycarbonate lens provides impact resistance. Safety Glass meets ANSI Z87.1+

Categories: Personal Protective Equipment, CORE Eyewear

Key Features

- STYLE:**
- Clear Hard Coat
 - Smoke Hard Coat
 - Indoor/Outdoor
 - Clear Hard Coat with TPR Coated Temples
 - Clear Hard Coat with TPR Coated Temples and Nose Pad

PACKAGING: 12 per box, 300 per case



Part#	Style/Lens Color
SGCORECLEARH/C	Clear Hard Coat
SGCOREGREYH/C	Smoke Hard Coat
SGCOREI/O	Indoor/Outdoor
SGTICORE	Clear Hard Coat with TPR Coated Temples
SGTICORENO	Clear Hard Coat with TPR Coated Temples and Nose Pad

AEGIS Eyewear

AEGIS Eyewear fits securely over prescription glasses while feeling extremely comfortable with a non slip design. Comes standard with anti-fog, anti-scratch lenses and 99.9% UV protection. Meets ANSI Z87.1+ Impact Rating.

Categories: Personal Protective Equipment, AEGIS Eyewear

Key Features

STYLE: Clear Hard Coat

PACKAGING: 12 per box, 300 per case



Part#	Style/Lens Color
SGAEGISCLEARH/C	Clear Hard Coat

Let us know
how we can help.

RIVAL Eyewear



Lightweight, cool-looking RIVAL Safety Glasses will appeal to all workers. The convenient neck cord keeps glasses always within reach. Rubber-tipped temples help relieve pressure and a soft rubber nosepiece offer all-day comfort. Durable lens coated for scratch resistance and 99.9% UV protection. Safety Glass meets ANSI Z87.1+

Categories: Personal Protective Equipment, RIVAL Eyewear

Key Features

- STYLE:**
- Clear Anti-Fog
 - Clear Hard Coat
 - Smoke Anti-Fog
 - Smoke Hard Coat
 - Indoor/Outdoor

PACKAGING: 12 per box, 300 per case

Part#	Style/Lens Color
SGRIVALLCLEARA/F	Clear Anti-Fog
SGRIVALLCLEARH/C	Clear Hard Coat
SGRIVALLGREYA/F	Smoke Anti-Fog
SGRIVALLGREYH/C	Smoke Hard Coat
SGRIVALI/O	Indoor/Outdoor



PS6525 Spoggle

Our PS6525 Spoggles combine safety glasses and safety goggles giving you the best of both worlds. This unique eyewear construction is designed with a TPR gasket, detachable arms and strap providing extra protection from debris and impact. With unobstructed field of vision, the PS6525 Spoggles eliminate most blind spots to enhance user performance. Most used for general purposes that require debris, dust, and impact protection. Meets or exceeds ANSI Z87.1-2015.

Color: Clear or Grey
Size/Length: Universal
Pack Count: 12 Count/Box
Case Quantity: 300 Count / 25 Boxes

Categories: Personal Protective Equipment, Spoggles

Key Features

- Meets or exceeds ANSI Z87.1-2015, Provides wide, unobstructed field of vision, Anti-Scratch/Fog Lens, TPR Gasket, Removable Strap, Removable Arms/Temples, Perfect for General Manufacturing



Part#	Style/Lens Color
SG6525CLEARA/F	Clear
SG6525GREYA/F	Grey





PS363 Goggles

Our PS363 goggles features 99.99% UV protective, anti-scratch/fog lens and a neoprene strap. The wide body frame includes form fitting foam cushions that provides excellent viewing and maximum worker comfort. Applications may include oil/gas work, plant, refinery, and general manufacturing. Meets or exceeds ANSI Z87.1-2015.

- Case count of 72
- Box count of 6
- Size/Length: Universal

Categories: Personal Protective Equipment, Goggles

Key Features


- Meets or exceeds ANSI Z87.1-2015
- Meets Droplet and Splash Hazard section 9.17 of the ISEA/ANSI Standard
- Provides wide, unobstructed field of vision
- 99.99% UV Protective
- High Impact Lens
- Anti-scratch/fog lens
- Foam Eye Pad
- Perfect for General Manufacturing



Part#	Style/Lens Color
SG363GCLEAR	Clear
SG363GI/O	Indoor/Outdoor
SG363GGREY	Grey
SG363GCLEARLENS	Clear
SG363GI/OLENS	Indoor/Outdoor
SG363GGREYLENS	Grey



SG363GCLEARLENS
Replacement Lens - Clear



SG363GI/OLENS
Replacement Lens -
Indoor/Outdoor



SG363GGREYLENS
Replacement Lens - Grey

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

PS320 Clear Lens Lab Goggle



Our PS320 clear lens safety laboratory goggle is purposely manufactured to provide lightweight and clear see through body to minimize the loss of peripheral vision. In addition, these goggles make a comfortable fit over prescription eye wear and include indirect vents to limit the passage of liquid splash. Meets or exceeds ANSI Z87.1-2015.

Case Count of 160
Size/Length: Universal

Categories: Personal Protective Equipment, Goggles

Key Features Part #: SG320CLEAR

- Meets or exceeds ANSI Z87.1-2015
- Meets Droplet and Splash Hazard section 9.17 of the ISEA/ANSI Standard
- Provides wide, unobstructed field of vision
- 99.99% UV Protective
- High Impact Lens
- Indirect Vents
- Elastic Headband
- Perfect for General Manufacturing



Safety Shirt Long Sleeve Class 3



Our Hi-Viz safety long sleeve shirt comes in a bright florescent lime green with a 2" silver vertical reflective tape in suspender pattern over top of shoulders as well as two 360 degree reflective bands circling torso to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors.

- Color: Hi-Viz Lime Green
- Available sizes: Small, Medium, Large, XL, 2XL, 3XL, 4XL, 5XL, 6XL, and 7XL
- Case Quantity: 50 Shirts

Categories: Personal Protective Equipment, Safety Vests

Key Features

- 100% Polyester Fabric
- Meets ANSI/ISEA 107-2015
- Meets Class 3 standards
- Meets ASTM D6413
- Self-Extinguishing



Part #	Size	Color	Pallet
SSL2104FRS	Small	Hi-Viz Lime Green	50
SSL2104FRM	Medium	Hi-Viz Lime Green	50
SSL2104FRL	Large	Hi-Viz Lime Green	50
SSL2104FRXL	XL	Hi-Viz Lime Green	50
SSL2104FR2XL	2XL	Hi-Viz Lime Green	50

Part #	Size	Color	Pallet
SSL2104FR3XL	3XL	Hi-Viz Lime Green	50
SSL2104FR4XL	4XL	Hi-Viz Lime Green	50
SSL2104FR5XL	5XL	Hi-Viz Lime Green	50
SSL2104FR6XL	6XL	Hi-Viz Lime Green	50
SSL2104FR7XL	7XL	Hi-Viz Lime Green	50



Palmer SV2184FR Class 2 Vest (5 Pocket Vest)

Our Hi-Viz safety vest comes in bright fluorescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors. Detailing include zipper front closure, silver reflective tape in suspender pattern over top of shoulders and a 360-degree reflective band encircling torso.

Categories: Personal Protective Equipment, Safety Vests

Key Features

DESIGN:	<ul style="list-style-type: none"> • 100% mesh polyester • Meets ANSI/ISEA 107-2015 • Meets ASTM D6413
AVAILABLE SIZES :	Small, Medium, Large, XL, 2XL, 3XL, 4XL, 5XL, 6XL, and 7XL.
AVAILABLE COLORS :	Hi-Viz Lime Green and Fluorescent Orange
POCKETS:	2 Front Lower, 2 Inside Lower, 1 Front Chest



Part#	Size	Colors	Case
SVL2184FRS	Small	Hi-Viz Lime Green	50
SVL2184FRM	Medium	Hi-Viz Lime Green	50
SVL2184FRL	Large	Hi-Viz Lime Green	50
SVL2184FRXL	XL	Hi-Viz Lime Green	50
SVL2184FR2XL	2XL	Hi-Viz Lime Green	50
SVL2184FR3XL	3XL	Hi-Viz Lime Green	50
SVL2184FR4XL	4XL	Hi-Viz Lime Green	50
SVL2184FR5XL	5XL	Hi-Viz Lime Green	50
SVL2184FR6XL	6XL	Hi-Viz Lime Green	50
SVL2184FR7XL	7XL	Hi-Viz Lime Green	50
SVO2184FRS	Small	Hi-Viz Fluorescent Orange	50
SVO2184FRM	Medium	Hi-Viz Fluorescent Orange	50
SVO2184FRL	Large	Hi-Viz Fluorescent Orange	50
SVO2184FRXL	XL	Hi-Viz Fluorescent Orange	50
SVO2184FR2XL	2XL	Hi-Viz Fluorescent Orange	50
SVO2184FR3XL	3XL	Hi-Viz Fluorescent Orange	50
SVO2184FR4XL	4XL	Hi-Viz Fluorescent Orange	50
SVO2184FR5XL	5XL	Hi-Viz Fluorescent Orange	50
SVO2184FR6XL	6XL	Hi-Viz Fluorescent Orange	50
SVO2184FR7XL	7XL	Hi-Viz Fluorescent Orange	50

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Palmer SV2187FR Two-Tone Vest (6 Pocket Vest)

Our Hi-Viz two-tone safety vest comes in bright fluorescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors. Detailing include zipper front closure, silver reflective tape in suspender pattern over top of shoulders and a 360 degree reflective band encircling torso.

Categories: Personal Protective Equipment, Safety Vests

Key Features

DESIGN:	<ul style="list-style-type: none"> • 100% mesh polyester • Meets ANSI/ISEA 107-2015 • Meets ASTM D6413
AVAILABLE SIZES :	Small, Medium, Large, XL, 2XL, 3XL, 4XL, 5XL, 6XL, and 7XL.
AVAILABLE COLORS :	Two-tone Hi-Viz Lime Green and Fluorescent Orange
POCKETS:	2 Front Flaps lower, 2 Inside Lower, 2 Front Chest



Part#	Size	Colors	Case
SVL2187FRS	Small	Hi-Viz Lime Green	50
SVL2187FRM	Medium	Hi-Viz Lime Green	50
SVL2187FRL	Large	Hi-Viz Lime Green	50
SVL2187FRXL	XL	Hi-Viz Lime Green	50
SVL2187FR2XL	2XL	Hi-Viz Lime Green	50
SVL2187FR3XL	3XL	Hi-Viz Lime Green	50
SVL2187FR4XL	4XL	Hi-Viz Lime Green	50
SVL2187FR5XL	5XL	Hi-Viz Lime Green	50
SVL2187FR6XL	6XL	Hi-Viz Lime Green	50
SVL2187FR7XL	7XL	Hi-Viz Lime Green	50
SVO2187FRS	Small	Hi-Viz Fluorescent Orange	50
SVO2187FRM	Medium	Hi-Viz Fluorescent Orange	50
SVO2187FRL	Large	Hi-Viz Fluorescent Orange	50
SVO2187FRXL	XL	Hi-Viz Fluorescent Orange	50
SVO2187FR2XL	2XL	Hi-Viz Fluorescent Orange	50
SVO2187FR3XL	3XL	Hi-Viz Fluorescent Orange	50
SVO2187FR4XL	4XL	Hi-Viz Fluorescent Orange	50
SVO2187FR5XL	5XL	Hi-Viz Fluorescent Orange	50
SVO2187FR6XL	6XL	Hi-Viz Fluorescent Orange	50
SVO2187FR7XL	7XL	Hi-Viz Fluorescent Orange	50



Palmer SV2301 and SV2302 Class 2 Type R Vest

Our Hi-Viz safety vest comes in bright fluorescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors. Detailing includes Hi-Viz Lime Green or Hi-Viz Fluorescent Orange class two, type R 100% mesh polyester with zipper front closure, 2" reflective strip, mic tab, 3 pockets, and meets ANSI/ISEA 107-2015 Class 2, Type R.

Categories: Personal Protective Equipment, Safety Vests

Key Features

DESIGN:	<ul style="list-style-type: none"> • Class 2, Type R • 360 degree reflective band encircling torso • 100% mesh polyester • 3 pockets • Meets ANSI/ISEA 107-2015
AVAILABLE SIZES :	Small, Medium, Large, XL, 2XL, 3XL, 4XL, and 5XL.
AVAILABLE COLORS :	Hi-Viz Lime Green and Fluorescent Orange
POCKETS:	1 Front Inside Chest Pocket and 2 Inside Front Lower Pockets

Part#	Size	Colors	Case
SVL2301S	Small	Hi-Viz Lime Green	50
SVL2301M	Medium	Hi-Viz Lime Green	50
SVL2301L	Large	Hi-Viz Lime Green	50
SVL2301XL	XL	Hi-Viz Lime Green	50
SVL23012XL	2XL	Hi-Viz Lime Green	50
SVL23013XL	3XL	Hi-Viz Lime Green	50
SVL23014XL	4XL	Hi-Viz Lime Green	50
SVL23015XL	5XL	Hi-Viz Lime Green	50
SVO2302S	Small	Hi-Viz Fluorescent Orange	50
SVO2302M	Medium	Hi-Viz Fluorescent Orange	50
SVO2302L	Large	Hi-Viz Fluorescent Orange	50
SVO2302XL	XL	Hi-Viz Fluorescent Orange	50
SVO23022XL	2XL	Hi-Viz Fluorescent Orange	50
SVO23023XL	3XL	Hi-Viz Fluorescent Orange	50
SVO23024XL	4XL	Hi-Viz Fluorescent Orange	50
SVO23025XL	5XL	Hi-Viz Fluorescent Orange	50

Let us know
how we can help.

Palmer SV2313 Two-Tone with Black Bottom Vest

Our Hi-Viz safety vest comes in bright fluorescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors. Detailing include left chest mic tab, zipper front closure, black mesh bottom with black trim, and 360 degree reflective band encircling torso.

Categories: Personal Protective Equipment, Safety Vests



Key Features

DESIGN:	<ul style="list-style-type: none"> • Multiple pockets with radio tab • Class 2 Type R • Meets ANSI/ISEA 107-2015
AVAILABLE SIZES :	Small, Medium, Large, XL, 2XL, 3XL, 4XL, and 5XL.
AVAILABLE COLORS :	Two-tone Hi-Viz Lime Green or Fluorescent Orange with black bottom and trim
POCKETS:	1 Front Left chest and bottom waist pocket

Part#	Size	Colors	Case
SVL2313S	Small	Hi-Viz Lime Green	50
SVL2313M	Medium	Hi-Viz Lime Green	50
SVL2313L	Large	Hi-Viz Lime Green	50
SVL2313XL	XL	Hi-Viz Lime Green	50
SVL23132XL	2XL	Hi-Viz Lime Green	50
SVL23133XL	3XL	Hi-Viz Lime Green	50
SVL23134XL	4XL	Hi-Viz Lime Green	50
SVL23135XL	5XL	Hi-Viz Lime Green	50
SVO2313S	Small	Hi-Viz Fluorescent Orange	50
SVO2313M	Medium	Hi-Viz Fluorescent Orange	50
SVO2313L	Large	Hi-Viz Fluorescent Orange	50
SVO2313XL	XL	Hi-Viz Fluorescent Orange	50
SVO23132XL	2XL	Hi-Viz Fluorescent Orange	50
SVO23133XL	3XL	Hi-Viz Fluorescent Orange	50
SVO23134XL	4XL	Hi-Viz Fluorescent Orange	50
SVO23135XL	5XL	Hi-Viz Fluorescent Orange	50



Palmer SV2327 Six Pocket Surveyors Vest

Our Hi-Viz safety vest comes in bright fluorescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors. Detailing includes zipper front closure, Hi Vis solid color vest with HD Radio tabs, six pockets, and 360 degree reflective band encircling torso.

Categories: Personal Protective Equipment, Safety Vests

Key Features

DESIGN:	<ul style="list-style-type: none"> • Class 2 • 6 pockets • Meets ANSI/ISEA 107-2015
AVAILABLE SIZES :	Small, Medium, Large, XL, 2XL, 3XL, 4XL, and 5XL.
AVAILABLE COLORS :	Hi-Viz Lime Green and Fluorescent Orange
POCKETS:	Radio, Chest, 2 waists, 2 inside, and 4 pen pockets

Part#	Size	Colors	Case
SVL2327S	Small	Hi-Viz Lime Green	50
SVL2327M	Medium	Hi-Viz Lime Green	50
SVL2327L	Large	Hi-Viz Lime Green	50
SVL2327XL	XL	Hi-Viz Lime Green	50
SVL23272XL	2XL	Hi-Viz Lime Green	50
SVL23273XL	3XL	Hi-Viz Lime Green	50
SVL23274XL	4XL	Hi-Viz Lime Green	50
SVL23275XL	5XL	Hi-Viz Lime Green	50
SVO2327S	Small	Hi-Viz Fluorescent Orange	50
SVO2327M	Medium	Hi-Viz Fluorescent Orange	50
SVO2327L	Large	Hi-Viz Fluorescent Orange	50
SVO2327XL	XL	Hi-Viz Fluorescent Orange	50
SVO23272XL	2XL	Hi-Viz Fluorescent Orange	50
SVO23273XL	3XL	Hi-Viz Fluorescent Orange	50
SVO23274XL	4XL	Hi-Viz Fluorescent Orange	50
SVO23275XL	5XL	Hi-Viz Fluorescent Orange	50

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

Palmer SV2339

Our Hi-Viz safety vest comes in bright fluorescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors. This Hi-Viz vest has reflective chainsaw pattern strip with, one large chest pocket, 2 waist pockets (with Velcro), ID badge holder, and 2 radio mic tabs. Detailing includes Hi-Viz Lime Green or Fluorescent Orange mesh vest and black bottom with DOT contrasting.

Categories: Personal Protective Equipment, Safety Vests



Key Features

DESIGN:	<ul style="list-style-type: none"> • Class 2 Type R Standard • 360 degree reflective band encircling torso • Meets ANSI/ISEA 107-2015
AVAILABLE SIZES :	Small, Medium, Large, XL, 2XL, 3XL, 4XL, and 5XL.
AVAILABLE COLORS :	Hi-Viz Lime Green and Fluorescent Orange
POCKETS:	1 Large chest pocket, Velcro ID badge holder, 2 radio mic tabs and 2 waist pockets

Part#	Size	Colors	Case
SVL2339S	Small	Hi-Viz Lime Green	50
SVL2339M	Medium	Hi-Viz Lime Green	50
SVL2339L	Large	Hi-Viz Lime Green	50
SVL2339XL	XL	Hi-Viz Lime Green	50
SVL23392XL	2XL	Hi-Viz Lime Green	50
SVL23393XL	3XL	Hi-Viz Lime Green	50
SVL23394XL	4XL	Hi-Viz Lime Green	50
SVL23395XL	5XL	Hi-Viz Lime Green	50
SVO2339S	Small	Hi-Viz Fluorescent Orange	50
SVO2339M	Medium	Hi-Viz Fluorescent Orange	50
SVO2339L	Large	Hi-Viz Fluorescent Orange	50
SVO2339XL	XL	Hi-Viz Fluorescent Orange	50
SVO23392XL	2XL	Hi-Viz Fluorescent Orange	50
SVO23393XL	3XL	Hi-Viz Fluorescent Orange	50
SVO23394XL	4XL	Hi-Viz Fluorescent Orange	50
SVO23395XL	5XL	Hi-Viz Fluorescent Orange	50



Class 2 Type R Safety Vests

Our hi-viz safety vest come in bright florescent colors with a reflective silver tape to ensure proper visibility. Perfect choice for crossing guards, utility, emergency work, airport luggage handlers, highways, and surveyors.

Categories: Personal Protective Equipment, Safety Vests

Key Features

DESIGN:

- Class 2 Type R
- Meets ANSI/ISEA 107-2015
- Self-Extinguishing
- Maximum visibility
- Lightweight
- Comfortable fit

AVAILABLE SIZES :

Small, Medium, Large, XL, 2XL, 3XL, and 4XL.

AVAILABLE COLORS :

Hi-Viz Lime Green and Fluorescent Orange

POCKETS:

1 Front Chest and 1 lower inside front



Part#	Size	Colors	Case
SVLS	Hi-Viz Lime Green	Small	25/Case
SVLM	Hi-Viz Lime Green	Medium	25/Case
SVLL	Hi-Viz Lime Green	Large	25/Case
SVLXL	Hi-Viz Lime Green	XL	25/Case
SVLXXL	Hi-Viz Lime Green	2XL	25/Case
SVL3XL	Hi-Viz Lime Green	3XL	25/Case
SVL4XL	Hi-Viz Lime Green	4XL	25/Case
SVOS	Hi-Viz Fluorescent Orange	Small	25/Case
SVOM	Hi-Viz Fluorescent Orange	Medium	25/Case
SVOL	Hi-Viz Fluorescent Orange	Large	25/Case
SVOXL	Hi-Viz Fluorescent Orange	XL	25/Case
SVOXXL	Hi-Viz Fluorescent Orange	2XL	25/Case
SVO3XL	Hi-Viz Fluorescent Orange	3XL	25/Case
SVO4XL	Hi-Viz Fluorescent Orange	4XL	25/Case

Let us know
how we can help.

Chem Suit - 42 mil PVC/Polyester, Liquid Penetration, 3 pc. Jacket, Hood, & Bib

**PALMER RAINWEAR SERIES
MARLIN**

Categories: Personal Protective Equipment, Chem Suits

Key Features Part #: RS96S

- DESIGN:**
- PVC on polyester (42 mil)
 - Liquid Penetration (ASTM F903)
 - Stand-up collar snaps and detachable hood
 - Neck tab on collar
 - Raglan shoulder design
 - Inner sleeves on arms with elastic
 - Snap front closure
 - High bib front trousers
 - Adjustable suspenders
 - Inner sleeves on bottom leg openings
 - Non-conductive snaps
 - Electronically sealed seams

COLOR : Green

SIZE : Sizes Small to 6XL



Part#	Size
RS96SS	Small
RS96SM	Medium
RS96SL	Large
RS96SXL	XL
RS96S2XL	2XL
RS96S3XL	3XL
RS96S4XL	4XL
RS96S5XL	5XL
RS96S6XL	6XL



**PALMER RAINWEAR SERIES
DOLPHIN**

Hydroblasting Suit PVC/Polyester Snap Front Storm Flap, Jacket, Hood, & Bib

For those tough wet jobs that include washdown, splash, pressure washing and any job with extreme exposure.

Categories: Personal Protective Equipment, Hydroblasting

Key Features Part #: RS600



- DESIGN:**
- PVC on polyester
 - Snaps on front for adjustable exterior shroud adjustment
 - Velcro closures
 - Attached hood with drawing string closures designed for maximum protection
 - Bat wing shoulder design for easy movement
 - Take-up tabs on neck, arms and legs with drawstring jacket sweep
 - High bib trouser
 - Adjustable suspenders
 - Non-conductive snaps
 - Electronically sealed seams

COLOR : Yellow

SIZE : Sizes Small to 6XL

Part#	Size
RS600S	Small
RS600M	Medium
RS600L	Large
RS600XL	XL
RS6002XL	2XL
RS6003XL	3XL
RS6004XL	4XL
RS6005XL	5XL
RS6006XL	6XL

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

30 mil LF 100% PVC 3 Pc. Jacket w/Hood & Bib

**PALMER RAINWEAR SERIES
BARRACUDA**

Categories: Personal Protective Equipment, Rainwear

Key Features **Part #: RS36S**

- DESIGN:**
- PVC on polyester on PVC (30 mil)
 - Double Coated
 - Flame Resistant (ASTM D6413)
 - Stand-up collar snaps and detachable hood
 - Raglan shoulder design with underarm vents
 - Vented back
 - Snap front closure
 - 2 side entry pockets
 - Bib front trousers with safety fly
 - Adjustable suspenders
 - Take-up snaps on sleeves and leg cuffs
 - Non-conductive snaps
 - Electronically sealed seams

COLOR : Yellow

SIZE : Sizes Small to 6XL



Part#	Size
RS36SS	Small
RS36SM	Medium
RS36SL	Large
RS36SXL	XL
RS36S2XL	2XL
RS36S3XL	3XL
RS36S4XL	4XL
RS36S5XL	5XL
RS36S6XL	6XL





**PALMER RAINWEAR SERIES
MAKO**

35 mil LF PVC/Polyester 3 pc. Jacket, Hood, & Bib

Categories: Personal Protective Equipment, Rainwear



Key Features

Part #: RS260FR

DESIGN:

- PVC on polyester (35 mil)
- Flame Resistant (ASTM D6413)
- Stand-up collar snaps and detachable hood
- Raglan shoulder design (**No vents**)
- Snap front closure
- 2 side entry pockets
- Bib front trousers (**No fly**)
- Adjustable suspenders
- Take-up snaps on sleeves, waist and leg cuffs
- Non-conductive snaps
- Electronically sealed seams

COLOR :

Yellow

SIZE :

Sizes Small to 6XL

Part#	Size
RS260FRS	Small
RS260FRM	Medium
RS260FRL	Large
RS260FRXL	XL
RS260FR2XL	2XL
RS260FR3XL	3XL
RS260FR4XL	4XL
RS260FR5XL	5XL
RS260FR6XL	6XL



Let us know
how we can help.

35 mil LF PVC/Polyester 3 pc. Jacket, Hood, & Bib

**PALMER RAINWEAR SERIES
HAMMERHEAD**

Categories: Personal Protective Equipment, Rainwear

Key Features

Part #: RS160FR

DESIGN:

- PVC on polyester (35 mil)
- Flame Resistant (ASTM D6413)
- Stand-up collar snaps and detachable hood
- Raglan shoulder design with underarm vents
- Vented back
- Snap front closure
- 2 side entry pockets
- Bib front trousers with safety fly
- Adjustable suspenders
- Take-up snaps on sleeves and waist
- Non-conductive snaps
- Electronically sealed seams

COLOR :

Yellow

SIZE :

Sizes Small to 6XL



Part#	Size
RS160FRS	Small
RS160FRM	Medium
RS160FRL	Large
RS160FRXL	XL
RS160FR2XL	2XL
RS160FR3XL	3XL
RS160FR4XL	4XL
RS160FR5XL	5XL
RS160FR6XL	6XL





**PALMER RAINWEAR SERIES
COBIA**

35 mil PVC/Polyester 3 pc. Jacket, Hood, & Bib



This is an ideal basic three-piece rain suit to have on hand for times when the weather changes and coverage is needed fast. It is made of durable water-resistant PVC over polyester with electronically welded seams.

Categories: Personal Protective Equipment, Rainwear

Key Features Part #: RS260

DESIGN:

- PVC on polyester (35 mil)
- Stand-up collar snaps and detachable hood
- Raglan shoulder design **(No vent)**
- Snap front closure
- 2 side entry pockets
- Bib front trousers **(No fly)**
- Adjustable suspenders
- Take-up snaps on sleeves, waist and leg cuffs
- Non-conductive snaps
- Electronically sealed seams

COLOR :

Yellow

SIZE :

Sizes Small to 6XL

Part#	Size
RS260S	Small
RS260M	Medium
RS260L	Large
RS260XL	XL
RS2602XL	2XL
RS2603XL	3XL
RS2604XL	4XL
RS2605XL	5XL
RS2606XL	6XL

Let us know
how we can help.

35 mil PVC/Polyester 3 pc. Jacket, Hood, & Bib

**PALMER RAINWEAR SERIES
SNAPPER**

This is an ideal basic three-piece rain suit to have on hand for times when the weather changes and coverage is needed fast. It is made of durable water-resistant PVC over polyester with electronically welded seams.

Categories: Personal Protective Equipment, Rainwear

Key Features Part #: RS160

- DESIGN:**
- PVC on polyester (35 mil)
 - Stand-up collar snaps and detachable hood
 - Raglan shoulder design with underarm vents
 - Vented back
 - Snap front closure
 - 2 side entry pockets
 - Bib front trousers with safety fly
 - Adjustable suspenders
 - Take-up snaps on sleeves and leg cuffs
 - Non-conductive snaps
 - Electronically sealed seams

COLOR : Yellow

SIZE : Sizes Small to 6XL



Part#	Size
RS160S	Small
RS160M	Medium
RS160L	Large
RS160XL	XL
RS1602XL	2XL
RS1603XL	3XL
RS1604XL	4XL
RS1605XL	5XL
RS1606XL	6XL



PALMER RAINWEAR SERIES
TARPON

35 mil PVC/ Polyester 48" Rain Coat

Categories: Personal Protective Equipment, Rainwear



Key Features Part #: RC165

- DESIGN:**
- PVC on polyester (35 mil)
 - Stand-up collar with snaps and detachable hood
 - Raglan shoulder design with underarm vents
 - Vented back
 - Snap front closure
 - Take up snaps on sleeves
 - 2 side entry pockets
 - Non-conductive snaps
 - Electronically sealed seams
- COLOR :** Yellow
- LENGTH:** Coat is 48" long
- SIZE:** Sizes Small to 6XL

Part#	Size
RC165S	Small
RC165M	Medium
RC165L	Large
RC165XL	XL
RC1652XL	2XL
RC1653XL	3XL
RC1654XL	4XL
RC1655XL	5XL
RC1656XL	6XL

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

35 mil PVC/ Polyester 60" Rain Coat - Yellow

**PALMER RAINWEAR SERIES
YELLOWFIN**

Categories: Personal Protective Equipment, Rainwear

Key Features **Part #: RC179**

- DESIGN:**
- PVC on polyester (35 mil)
 - Stand-up corduroy collar with snaps and detachable hood
 - Raglan shoulder design with underarm vents
 - Vented back
 - Snap front closure
 - Take up snaps on sleeves
 - 2 side entry pockets
 - Badge patch on left chest
 - Non-conductive snaps
 - Electronically sealed seams

COLOR : Yellow

LENGTH: Coat is 60" long

SIZE : Sizes Small to 6XL



Part#	Size
RC179S	Small
RC179M	Medium
RC179L	Large
RC179XL	XL
RC1792XL	2XL
RC1793XL	3XL
RC1794XL	4XL
RC1795XL	5XL
RC1796XL	6XL



PALMER RAINWEAR SERIES
BLACKFIN

35 mil PVC/ Polyester 60" Rain Coat - Black

Categories: Personal Protective Equipment, Rainwear

Key Features Part #: RCB179



DESIGN:	<ul style="list-style-type: none"> • PVC on polyester (35 mil) • Stand-up corduroy collar with snaps and detachable hood • Raglan shoulder design with underarm vents • Vented back • Snap front closure • 2 side entry pockets • Badge patch on left chest • Non-conductive snaps • Electronically sealed seams
COLOR :	Black
LENGTH:	Coat is 60" long
SIZE:	Sizes Small to 6XL

Part#	Size
RCB179S	Small
RCB179M	Medium
RCB179L	Large
RCB179XL	XL
RCB1792XL	2XL
RCB1793XL	3XL
RCB1794XL	4XL
RCB1795XL	5XL
RCB1796XL	6XL

Let us know
how we can help.



**GENERAL
WORK
PRODUCTS**

35 mil LF PVC/ Polyester 60" Rain Coat - Black

**PALMER RAINWEAR SERIES
STINGRAY**

Categories: Personal Protective Equipment, Rainwear

Key Features **Part #: RCB179FR**

- DESIGN:**
- PVC on polyester (35 mil)
 - Flame Resistant (ASTM D6413)
 - Stand-up corduroy collar with snaps and detachable hood
 - Raglan shoulder design with underarm vents
 - Vented back
 - Snap front closure
 - 2 side entry pockets
 - Badge patch on left chest
 - Non-conductive snaps
 - Electronically sealed seams

COLOR : Black

LENGTH: Coat is 60" long

SIZE : Sizes Small to 6XL



Part#	Size
RCB179FRS	Small
RCB179FRM	Medium
RCB179FRL	Large
RCB179FRXL	XL
RCB179FR2XL	2XL
RCB179FR3XL	3XL
RCB179FR4XL	4XL
RCB179FR5XL	5XL
RCB179FR6XL	6XL





Plain Toe Boots

Our flexible boots are waterproof and resistant to most common chemicals. The textured and wider sole provides a sure grip for non-slip traction. The application includes environmental clean-up, construction, and agriculture.

Categories: Personal Protective Equipment, PVC Boots

Key Features

DESIGN:

- PVC Rubber
- Removal insole
- Lined for Comfort
- Slip-resistant sole
- Abrasion-resistant PVC leakproof protection

Part#	RB#15506	RB#15507	RB#15508	RB#15509	RB#155010	RB#155011	RB#155012	RB#155013	RB#155014
Size	SIZE 6	SIZE 7	SIZE 8	SIZE 9	SIZE 10	SIZE 11	SIZE 12	SIZE 13	SIZE 14
Case	6	6	6	6	6	6	6	6	6

Steel Toe Boots

Our steel toe PVC boots are resistant to organic chemicals and some exposure to oils. These steel toes provide a comfortable fit with a removable cushion insole for better alignment and improved heel cushioning.

Categories: Personal Protective Equipment, PVC Boots



DESIGN:

- Slip-resistant sole
- 100% waterproof
- Removal insole
- Comfortable and flexible

STANDARDS:

Steel Toe meets or exceeds ASTM F2413-11 I/75 C/75.

Part#	RB#15516	RB#15517	RB#15518	RB#15519	RB#155110	RB#155111	RB#155112	RB#155113	RB#155114
Size	SIZE 6	SIZE 7	SIZE 8	SIZE 9	SIZE 10	SIZE 11	SIZE 12	SIZE 13	SIZE 14
Case	6	6	6	6	6	6	6	6	6

Steel Toe with Steel Sole

Our steel toe and steel sole PVC boots are resistant to organic chemicals, and some exposure to oils. These steel toe and steel sole boots provide a comfortable fit with a removal cushion insole for better alignment and improved heel cushioning. Additionally, the steel plate in the sole helps protect from sharp objects penetrating the bottom of this steel-plated boot.

Categories: Personal Protective Equipment, PVC Boots



Key Features

DESIGN:

- Slip-resistant sole
- 100% waterproof
- Removal insole
- Comfortable and flexible

STANDARDS:

Steel Toe meets or exceeds ASTM F2413-11 I/75 C/75.

Part#	RB16116	RB16117	RB16118	RB16119	RB16110	RB16111	RB16112	RB16113	RB16114
Size	SIZE 6	SIZE 7	SIZE 8	SIZE 9	SIZE 10	SIZE 11	SIZE 12	SIZE 13	SIZE 14
Case	6	6	6	6	6	6	6	6	6



Plain Toe Slush Boot

Our plain toe slush boot is bright yellow with a black tread sole for longer wear and traction. This premium rubber boot is purposely sized to cover most shoes with an adjustable calf strap. Perfect use for wading through mud, water, and messy working conditions for waterproof protection. Applications may include agriculture, surveying, construction, food processing and the petrochemical industry.

Categories: Personal Protective Equipment, Rubber Boots

Key Features

- Adjustable Calf Strap
- Cotton Liner Coated With Rubber
- High Visibility Yellow
- Over The Shoe Sizing

Part #	Size	Color	Pallet
RBS200012	12-Inch	Yellow	6/Case
RBS200013	13-Inch	Yellow	6/Case
RBS200014	14-Inch	Yellow	6/Case
RBS200015	15-Inch	Yellow	6/Case
RBS200016	16-Inch	Yellow	6/Case
RBS200017	17-Inch	Yellow	6/Case



FR Safety Debris Netting

Our debris netting is a 1/4", 1/8" or 1/16" mesh hole opening made to protect workers and patrons near commercial buildings and industrial plants. This netting provides privacy, dust and debris control for job sites, shipyards, and dry-docks.

Categories: Safety Fencing and Netting

Key Features

DESIGN:

- NFP-701 flame retardant
- UV protection
- Orange reinforced hem
- Privacy screening
- Scaffolding enclosures
- High-Density Knitted Polyethylene




Part #	Opening	Height	Length	Grams per Square meter	Color	Tearing Strength	Tensile Strength	Bursting Strength
DN2150100	1/4"	2'	150'	100	Orange	WARP 12.14 lbs. WEFT 13.19 lbs.	WARP 81.5 lbs. WEFT 92.4 lbs.	92 psi
DN4150100	1/4"	4'	150'	100	Orange	WARP 12.14 lbs. WEFT 13.19 lbs.	WARP 81.5 lbs. WEFT 92.4 lbs.	92 psi
DN415100BL	1/4"	4'	150'	100	Blue	WARP 12.14 lbs. WEFT 13.19 lbs.	WARP 81.5 lbs. WEFT 92.4 lbs.	92 psi
DN4150110	1/4"	4'	150'	110	Orange	WARP 13.7 lbs. WEFT 14.16 lbs.	WARP 89.9 lbs. WEFT 98.9 lbs.	94.9 psi
DN4150120	1/4"	4'	150'	120	Orange	WARP 15.28 lbs. WEFT 17.2 lbs.	WARP 91 lbs. WEFT 103 lbs.	104.4 psi
DN5.6150100O	1/4"	5' 6"	150'	100	Orange	WARP 12.14 lbs. WEFT 13.19 lbs.	WARP 81.5 lbs. WEFT 92.4 lbs.	92 psi
DN8150200B	1/16"	8'	150'	200	Black	WARP 24.26 lbs. WEFT 25.2 lbs.	WARP 102.5 lbs. WEFT 122 lbs.	141.52 psi
DN8.6150100B	1/4"	8' 6"	150'	100	Black	WARP 12.14 lbs. WEFT 13.19 lbs.	WARP 81.5 lbs. WEFT 92.4 lbs.	92 psi
DN10150200B	1/16"	10'	150'	200	Black	WARP 24.26 lbs. WEFT 25.2 lbs.	WARP 102.5 lbs. WEFT 122 lbs.	141.52 psi
DN8.6150100B1/8	1/8"	8' 6"	150'	100	Black/Orange	WARP 12.14 lbs. WEFT 13.19 lbs.	WARP 81.5 lbs. WEFT 92.4 lbs.	92 psi

Let us know
how we can help.

Safety Fencing

Our orange fencing is a general purpose fencing for homeowners and professionals that will not rust or corrode. Common uses include yard sectioning, crowd control, and construction site.

Categories: Safety Fencing and Netting



Key Features

DESIGN:

- General-purpose
- Durable
- Maximum visibility

SIZES: Standard sizes are 100' x 4'

Part #	Height	Length	Grams per Square meter
SF410080	4'	100'	80
SF4100100	4'	100'	100
SF4100140	4'	100'	140
SF47.25100230DF	47.2"	100'	230



Why Palmer Safety?

Palmer Safety is a full service fall protection and safety training organization with offices in Houston, New Orleans, New York, and Los Angeles.

We are different in regards to how we go to business. We believe knowledge is power and, in the case of fall protection, can mean life or death. We want our customers to buy our material, but most importantly we want to be the place you come to for information that is critical for you, the end user, to run your safety operations.

Our technical sales force has the background to deliver a service level that most of our competition has given up on due to indirect costs. We pride ourselves on being able to work with you to solve your safety needs as a team.

There are a number of companies out there that you can buy from, and there are plenty of choices you can use. We hope you base your buying decision on not only price, but also the knowledge and customer service that comes with that purchase. We offer the complete package: high quality products serviced by experienced personnel with industry knowledge. Along with that, we provide first rate industry specific safety training courses with more in development. That is our definition of full service and what Palmer Safety delivers to our customers across the United States.

Most importantly we believe in stocking what we sell. If we offer it, we should be stocking it.


We take your safety seriously!

Greg Palmer
CEO - Palmer Safety

Let us know how we can help.



PALMER SAFETY HARNESS SIZING CHART



Our Harness Series



Example Part #:
H211101031

- Full Body Harness
- 5 PT Adjustment
- Dorsal D-Ring
- Pass Through or Tongue and Buckle Leg Straps
- Pass Through Chest Buckle
- Breakaway Lanyard Keepers
- Rated up to 420 lbs.



Example Part #:
H222101128

- Upgraded Full Body Harness
- 5 PT Adjustment
- Air Flow Shoulder and Back Padding
- Dorsal D-Ring
- With or Without Tool Belt
- With or Without Side D-Rings
- Tongue and Buckle Leg Straps
- QC Chest Strap
- Captive Chest Strap
- Breakaway Lanyard Keepers
- Rated up to 420 lbs.



AKULA **HARNESS SERIES**



Example Part #:
H223111621

- Premium Full Body Harness
- 5 PT Adjustment
- Air Flow Shoulder / Back / Leg Padding
- Aluminum Dorsal D-Ring
- Aluminum Roller Buckles
- QC Aluminum Chest Strap
- With or Without Tool Belt
- With or Without Side D-Rings
- Captive Chest Strap
- Breakaway Lanyard Keepers
- Built-In Double SRL Connector
- Lightest In Class
- Rated up to 420 lbs.



STINGRAY **HARNESS SERIES**



Example Part #:
H225101005

- Specialty Full Body Harness (Urethane Coated / Dielectric / FR)
- 5 PT Adjustment
- Dorsal D-Ring
- Pass Through Chest Strap
- Multi-configuration Leg Straps
- Breakaway Lanyard Keepers
- Rated up to 420 lbs.

Harness 3pt., Pass Through Legs, Back D-Ring.

Full body harness with 3 point adjustment, dorsal D-ring, adjustable mating buckle leg straps, and fall indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021, A10.32-2012.

Categories: Bodywear, Full Body Harnesses



Key Features

Part #: H11110005

USER CAPACITY: 130 - 310 lbs.

DESIGN: Dorsal D-ring for fall arrest
 Adjustable leg straps
 Breakaway Lanyard Keepers

WEBBING: Material: Polyester
 Width: 1.73 in.

METAL COMPONENT: Alloy Steel

WEIGHT OF HARNESS: 2.23 lbs.

Harness 3pt., Tongue and Buckle Leg Straps, Back D-Ring, Yellow Color.

3 point adjustment harness, dorsal D-ring, tongue and buckle leg straps. Fall indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021, A10.32-2012.

Categories: Bodywear, Full Body Harnesses



Key Features

Part #: H11210005

USER CAPACITY: 130 - 310 lbs.

DESIGN: Dorsal D-ring for fall arrest
 Adjustable grommeted leg straps
 Breakaway Lanyard Keepers

WEBBING: Material: Polyester
 Width: 1.73 in.

METAL COMPONENT: Alloy Steel

WEIGHT OF HARNESS: 2.81 lbs.

Harness 3pt., Pass Through Legs, Back/Side D-Rings, Yellow Color.



3 point adjustment harness, dorsal D-ring, hip D-rings, adjustable mating buckle leg straps. Fall indicators. Various sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H11110105

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Dorsal D-ring for fall arrest Two lateral D-rings at waist for positioning Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	2.91 lbs.

Part#	Size
H11110105.SM	Small
H11110105	Universal
H11110105.XXL	2XL

Harness 3pt., Tongue and Buckle Leg Straps and Back/Side D-Rings, Yellow Color.

Yellow full body harness with 3 point adjustment, dorsal D-ring, hip D-rings, tongue and buckle leg straps, and fall indicators. Various sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H11210105

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Dorsal D-ring for fall arrest Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy steel
WEIGHT OF HARNESS:	3.53 lbs.

Part#	Size
H11210105.SM	Small
H11210105	Universal
H11210105.XXL	2XL





Harness 5pt., Dorsal D-Ring, QCB Chest, Tongue and Buckle Leg Straps, Orange Color

Orange Top, Black Heavy Duty Bottom with 5 point adjustment. Quick Connect Chest, Tongue and Buckle Leg Straps, Back D-ring. Universal size. Meets or Exceeds ANSI Z359.11-2021, A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H222100041SD

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal D-ring Breakaway Lanyard Keepers Tongue and Buckle Leg Straps Quick Connect Chest Buckle
WEBBING:	Material: Polyester Width: 1.73 in.
HARDWARE COMPONENT:	Alloy Steel

Harness 5pt. Dorsal D-Ring, QCB Chest, Tongue and Buckle Leg Straps, High Vis Green Color

High Vis Green Top, Black Heavy Duty Bottom with 5 point adjustment. Quick Connect Chest, Tongue and Buckle Leg Straps, Back D-ring. Universal size. Meets or Exceeds ANSI Z359.11-2021, A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H222100081

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Breakaway Lanyard Keepers Tongue and Buckle Leg Straps Quick Connect Chest Buckle
WEBBING:	Material: Polyester Width: 1.73 in.
HARDWARE COMPONENT:	Alloy Steel



Let us know how we can help.

Harness 5pt. Back Padded, Dorsal D-Ring, QCB Chest, Tongue and Buckle Leg Straps, Orange Color

Orange Top, Black Heavy Duty Bottom with 5 point adjustment. Quick Connect Chest, Tongue and Buckle Leg Straps. Back D-Ring, Sewn In Back Pad. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses



Key Features Part #: H222100141SD

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal D-ring Sewn In Back Pad Breakaway Lanyard Keepers Tongue and Buckle Leg Straps Quick Connect Chest Buckle
WEBBING:	Material: Polyester Width: 1.73 in. ± 0.008 in. (44mm ± 0.2mm)
METAL COMPONENT:	Alloy Steel

Part#	Size
H222100141SD.SM	Small
H222100141SD	Universal
H222100141SD.2XL	2XL



Harness 5pt. Back Padded, Dorsal D-Ring, QCB Chest, Tongue and Buckle Leg Straps, High Vis Green Color

High Vis Green Top, Black Heavy Duty Bottom with 5 point adjustment. Quick Connect Chest, Tongue and Buckle Leg Straps, Back D-Ring, Sewn In Back Pad. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H222100181

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Sewn In Back Pad Breakaway Lanyard Keepers Tongue and Buckle Leg Straps Quick Connect Chest Buckle
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel

Part#	Size
H222100181.SM	Small
H222100181	Universal
H222100181.2XL	2XL

Harness 5pt., Back and Side D-Rings, Pass Through Legs, Blue Color

MAKO SERIES

Blue top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, Side D-ring, pass through leg straps, Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021, A10.32-2012

Categories: Bodywear, Full Body Harnesses



Key Features Part #: H211101031

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Dorsal D-ring and Side D-Rings Breakaway Lanyard Keepers Pass through leg straps
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	3.64 lbs.

Harness 5pt., Back and Side D-Rings, Tongue and Buckle Leg Straps, Blue Color

MAKO SERIES

Blue top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, Side D-ring, Tongue and Buckle Leg Straps, Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021, A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212101031

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal D-ring and Side D-Rings Breakaway Lanyard Keepers Tongue and Buckle Leg Straps
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	4.08 lbs.





Harness 5pt., Back, Front and Side D-Rings, Tongue and Buckle Leg Straps, Blue Color

MAKO SERIES

Blue top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, Front D-ring, Side D-ring, Tongue and Buckle Leg Straps, Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021. A10.32-2013

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212111031

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal, Chest and Side D-Rings Breakaway Lanyard Keepers Tongue and Buckle Leg Straps
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	4.0 lbs.

Harness 5pt., Back and Shoulder D-Rings, Tongue and Buckle Leg Straps, Blue Color

MAKO SERIES

Blue top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, Confined Space D-rings, Tongue and Buckle Leg Straps, Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212300031

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal and Shoulder Rescue D-Rings Breakaway Lanyard Keepers Tongue and Buckle Leg Straps
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy steel
WEIGHT OF HARNESS:	3.6 lbs.



Harness 5pt., Tongue and Buckle Leg Straps, Back D-Ring.

MAKO SERIES

Full body harness with 5 point adjustment, Dorsal D-ring, Tongue and Buckle Leg Straps, and Fall Indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features

USER CAPACITY:	130 – 420 lbs.
DESIGN:	Dorsal D-ring for fall arrest Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	3.30 lbs.

Part#	Color	Size
H212100031.SM	Blue	Small
H212100031		Universal
H212100031.2XL		2XL
H212100061.SM	Green	Small
H212100061		Universal
H212100061.2XL		2XL
H212100061.3XL		3XL



Let us know how we can help.

**Harness 5pt., Pass Through Legs, Back D-Ring,
Black Color.**

MAKO SERIES

Full body harness with 5 point adjustment, Dorsal D-ring, Pass through leg straps. Fall indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses



Key Features Part #: H211100021

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Dorsal D-ring for fall arrest Adjustable torso Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	2.88 lbs.

Harness 5pt. Back Padded, QCB Chest, Tongue and Buckle Leg Straps, Back/Side D-Rings, Positioning Belt.



MOISTURE WICKING PADDING



HAMMERHEAD SERIES

5 point adjustment harness, dorsal D-ring, hip D-rings, heavy duty back support/positioning pad with removable tool belt, Tongue and buckle leg straps. Quick connect chest. Sewn in back pad. Fall indicators. Multiple sizes available. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal D-ring for fall arrest Adjustable torso Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	5.28 lbs.



Part#	Color	Size
H222101121SM	Red	Small
H222101121MD		Medium
H222101121LG		Large
H222101121XLG		XL
H222101121.2XLG		2XL
H222101123SM	Blue	Small
H222101123MD		Medium
H222101123LG		Large
H222101123XLG		XL
H222101123.2XLG		2XL
H222101123.3XLG		3XL
H222101126SM	Green	Small
H222101126MD		Medium
H222101126LG		Large
H222101126XLG		XL
H222101128SM	Hi Vis Green	Small
H222101128MD		Medium
H222101128LG		Large
H222101128XLG		XL
H222101128.2XLG		2XL
H222101129SM	Hi Vis Orange	Small
H222101129MD		Medium
H222101129LG		Large
H222101129XLG		XL
H222101129.2XLG		2XL



Let us know how we can help.

Harness 5pt., Tongue and Buckle Leg Straps, Padded Back, Back/Side D-Rings.



HAMMERHEAD SERIES

5 point adjustment harness. Pass Through Chest, Tongue and Buckle Leg Straps, Hip D-Rings, Sewn In Back Pads. Fall Indicators. Multiple Colors. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features

- USER CAPACITY:** 130 - 420 lbs.
- DESIGN:** Dorsal D-ring for fall arrest
Adjustable torso
Breakaway Lanyard Keepers
- WEBBING:** Material: Polyester
Width: 1.73 in.
- METAL COMPONENT:** High Strength Steel
- WEIGHT OF HARNESS:** 3.97 lbs.

Part#	Color
H21210111	Red
H21210115	Yellow
H21210116	Green





Harness 5pt., Tongue and Buckle Leg Straps, Padded Back, Back/Side D-Rings

HAMMERHEAD SERIES

Blue Top. Black Heavy Duty Bottom with 5 point adjustment. Quick Connect Chest, Tongue and Buckle Leg Straps, Hip D-Rings, Sewn In Back Pads, SRL back plate. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212101131

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Full body Harness 5 Point Adjustment Dorsal D-ring . SRL Back Plate for easy dual connector installation. Steel Quick Lock Chest Hip D-rings for positioning. Grommeted leg straps. Breakaway Lanyard Keepers (approximately 90 lbs.)
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	4.35 lbs.

Part#	Size
H212101131.SM	Small
H212101131	Universal
H212101131.2XL	2XL



Let us know how we can help.

Harness 5pt., Padded Back, Legs and Belt, QCB Chest and Legs, Back D-Ring, and Side D-Rings

HAMMERHEAD SERIES

5 point harness, QCB, padded back sewn in, padded QCB legs. Positioning belt black. 3 D-Rings. Oil and Dust Resistant, fall indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212100574

USER CAPACITY:	130 - 420 lbs.
DESIGN:	One Dorsal D-Ring for fall arrest Adjustable shoulder straps for easy adjustment & Snug fitting. Equipped with work positioning belt with 2 side D-Rings Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Material: Alloy Steel Quick Locks and Aluminum D-Rings
WEIGHT OF HARNESS:	5.88 lbs.

Part#	Size
H212100574	Universal
H212100574.2XL	2XL
H212100574.3XL	3XL



Harness 5pt., Padded Back, Tongue and Buckle Leg Straps, Back D-ring. Red/Black color.

HAMMERHEAD SERIES

5 point FBH. Red top, black bottom, grommeted legs, single dorsal D-ring, and fall indicators. This is a premium harness with full padding shoulder/back and legs. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212100511

USER CAPACITY:	130 - 310 lbs.
DESIGN:	One dorsal attachment D-ring for fall arrest Adjustable torso Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	3.30 lbs.

Part#	Size
H212100511.SM	Small
H212100511	Universal
H212100511.XXL	2XL



Harness 5pt., QCB, Padded Back & Leg, Side D-Rings, Positioning Belt, Dual Front D Rings.

AKULA SERIES

Black top, black padding, 5 point FBH, QCB all aluminum hardware, padded back sewn in, padded legs sewn in. Positioning belt black. 1 Back D-ring, 2 Hip D-rings, 2 Front D-rings. Multiple sizes. SRL back plate. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H22312162

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal D-ring for fall arrest and two front D-rings for climbing and rescue Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	All Black Aluminum Hardware
WEIGHT OF HARNESS:	5.82 lbs.

Part#	Size
H22312162.S/M	Small - Medium
H22312162.L/XL	Large - XL



Harness 5pt., QCB, Padded Back and Legs, Back D-Ring, Side D-Rings with Positioning Belt, Black Color.

AKULA SERIES

5 point adjustable harness, QCB, padded back sewn in, QCB padded legs. 3 D-rings. Fall indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H223111621

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Dorsal D-ring for fall arrest Adjustable torso for easy adjustment and snug fitting Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	5.89 lbs.



Part#	Size
H223111621.Med	Medium
H223111621.LG	Large
H223111621.XLG	XL



Harness 3pt., Dielectric, Loop D-Ring, Orange Color.

STINGRAY SERIES

3 point adjustment harness, loop dorsal D-ring, mating buckle chest and leg straps. All Dielectric hardware. Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H134200021

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Dorsal loop attachment for fall arrest Adjustable leg straps Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
HARDWARE COMPONENT:	Reinforced Polymer with Alloy Steel core
WEIGHT OF HARNESS:	1.98 lbs.



Harness 5pt., Urethane Coated, Back D-Ring, Tongue and Buckle Leg Straps, Red Color

STINGRAY SERIES

Red top Urethane Coated harness with 5 point adjustment, Pass Through Chest, dorsal D-ring, Tongue and Buckle Leg Straps, Fall Indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H212100014

USER CAPACITY:	130 - 420 lbs.
DESIGN:	One dorsal attachment D-ring for fall arrest; 5 adjustment points Adjustable shoulder straps with spring adjust buckles and Pass Through chest buckle; Adjustable tongue and buckle leg straps Spark resistant urethane coated torso and leg straps Breakaway Lanyard Keepers
WEBBING:	Material: Polyester & Urethane Width: 1.77 in. ± 0.008 in. (45mm ± 0.2mm) Thickness: 0.09 in. ± 0.003 in. (2.3mm ± 0.1mm) Breaking Strength: 6000 lbs.
METAL COMPONENT:	Material: Steel Finish: Silver or yellow golden galvanized

Part#	Size
H212100014	Universal
H212100014.2XL	2XL
H212100014.3XL	3XL





FR Harness 5pt., QCB Chest and Legs, Back D-Ring, and Side D-Rings

STINGRAY SERIES

Para-Aramid/Aramid webbing, Para-Aramid stitching thread, Aramid label cover, Steel hardware, QCB steel chest, H style QCB Steel buckle leg straps, Back D-ring, Side D-rings, SRL Back Plate. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H225101005

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Flame Resistant Para-Aramid/Aramid Webbing Full body Harness, 5 Point Adjustment, Dorsal D-ring and Side D-Rings SRL Back Plate for easy dual connector installation Steel Quick Connect Chest and H-Style Quick Connect Leg Straps Breakaway Lanyard Keepers
WEBBING:	Webbing Outer Shell: Aramid Webbing Inner Core: Para-Aramid Minimum Breaking Strength: 7,500 lbs.
METAL COMPONENT:	Alloy Steel



FR Harness 5pt., QCB Chest and Legs, and Back D-Ring

STINGRAY SERIES

Para-Aramid/Aramid webbing, Para-Aramid stitching thread, Aramid label cover, Steel hardware, QCB steel chest, H style QCB Steel buckle leg straps, Back D-ring, SRL Back Plate. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H225100005

USER CAPACITY:	130 - 420 lbs.
DESIGN:	Flame Resistant Para-Aramid/Aramid Webbing Full body Harness, 5 Point Adjustment, Dorsal D-ring SRL Back Plate for easy dual connector installation Steel Quick Connect Chest and H-Style Quick Connect Leg Straps Breakaway Lanyard Keepers
WEBBING:	Webbing Outer Shell: Aramid Webbing Inner Core: Para-Aramid Minimum Breaking Strength: 7,500 lbs.
METAL COMPONENT:	Alloy Steel



Let us know how we can help.

Harness/Vest Combo 3pt., Tongue and Buckle Leg Straps. Back D-Ring, Orange Color.

STINGRAY SERIES

Vest full body Harness, Three point. Back D-ring, Orange vest. Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses



Key Features Part #: H112100341

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Dorsal D-ring for fall arrest Adjustable leg and torso Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	4.21lbs.

H144 - Harness Kit Combo 3pt.

Harness/Lanyard Combo - 3pt H11110005 FBH with L111111 lanyard . With B0004 Bag. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Kit Part #: H144

Key Features Part #: H11110005

USER CAPACITY:	130 - 130 lbs.
DESIGN:	Dorsal D-ring for fall arrest; Adjustable leg straps; Breakaway Lanyard Keepers
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel
WEIGHT OF HARNESS:	2.23 lbs.

Key Features Part #: L111111

DESIGN:	Single leg lanyard incorporated with shock absorber. Both ends of the lanyard equipped with steel snap hook.
WEBBING:	Material: Polyester Width: 0.98 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	2.72 lbs.





G-Series 5pt. Harness, QCB, Padded Back And Legs, Back D-Ring, Front

4 D-ring harness with 5 points of easy adjustability, quick connect chest and padded leg buckles with roller cam torso, sewn-in back and leg moisture wicking padding, form-fit positioning construction belt, built-in srl back plate tunnel for personal self retracting lifeline. EZ park lanyard keepers, builtin trauma relief straps, heavy duty tag and impact indicators. Meets or exceeds the performance standards of ANSI Z359.11-2021.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: **HGSERIES03**

USER CAPACITY:	130 - 310 lbs.
DESIGN:	Back and front dorsal D-Rings for fall arrest SRL back plate tunnel for personal self-retracting device Work positioning side (hip) D-rings Quick connect chest and leg buckles with roller cam torso EZ park lanyard keepers Built-in Trauma Relief Straps and construction belt
WEBBING:	Material: Polyester Width: 1.73 in. Breaking Strength: 5000 lbs. (Min.)
METAL COMPONENT:	Material: Aluminum Finish: Powder Coated

Part#	Size
HGSERIES03.SM	Small
HGSERIES03.MD	Medium
HGSERIES03.LG	Large
HGSERIES03.XL	X.Large
HGSERIES03.2XL	2XL

Oil Derrick Fall Protection Harness with Single D-Ring Extender

STINGRAY SERIES

Full body harness with 5 point adjustment, Dorsal D-ring, 18" Steel D-Ring Extender Independent of D-Ring, Construction Belt with Restraint D-ring, Padded Shoulders, Tongue and Buckle Leg Straps, and Fall Indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: **H-OilDerrick1**

USER CAPACITY:	130 - 310 lbs.
DESIGN:	18" Steel D-Ring Extender Independent of D-Ring Construction Belt with Restraint D-Ring All Black High Tenacity Polyester Webbing Padded Shoulders for Added Comfort Pass Through Chest Buckle and Tongue Buckle Legs
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Material: Alloy Steel Finish: Silver or yellow golden galvanized

Part#	Size
H-OilDerrick1-SM	Small
H-OilDerrick1-MED	Medium
H-OilDerrick1-LRG	Large
H-OilDerrick1-XL	X.Large
H-OilDerrick1-XXL	2XL



Oil Derrick Fall Protection Harness With Dual D-Ring Extender

STINGRAY SERIES

Full body harness with 5 point adjustment, Dorsal D-ring, 18" Steel D-Ring Extender Independent of D-Ring, Construction Belt with 18" Restraint D-Ring Extender, Padded Shoulders, Tongue and Buckle Leg Straps, and Fall Indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H-OilDerrick2

- USER CAPACITY:** 130 - 310 lbs.
- DESIGN:** 18" Steel D-Ring Extender Independent of D-Ring
 Construction Belt with 18" Restraint D-Ring Extender
 All Black High Tenacity Polyester Webbing
 Padded Shoulders for Added Comfort
 Pass Through Chest Buckle and Tongue Buckle Legs
- WEBBING:** Material: Polyester | Width: 1.73 in.
- METAL COMPONENT:** Material: Alloy Steel | Finish: Silver or yellow golden galvanized

Part#	Size
H-OilDerrick2-SM	Small
H-OilDerrick2-MED	Medium
H-OilDerrick2-LRG	Large
H-OilDerrick2-XL	X.Large
H-OilDerrick2-XXL	2XL



Oil Derrick Fall Protection Harness With Dual D-Ring Extender And Bosun Seat

STINGRAY SERIES

Full body harness with 5 point adjustment, Dorsal D-ring, 18" Steel D-Ring Extender Independent of D-Ring, Construction Belt with 18" Restraint D-Ring Extender, Sewn in Seat Sling with Steel D-Rings for Suspension, Padded Shoulders, Tongue and Buckle Leg Straps, and Fall Indicators. Multiple sizes. Meets or Exceeds ANSI Z359.11-2021. A10.32-2012.

Categories: Bodywear, Full Body Harnesses

Key Features Part #: H-OilDerrick3

- USER CAPACITY:** 130 - 310 lbs.
- DESIGN:** 18" Steel D-Ring Extender Independent of D-Ring
 Construction Belt with 18" Restraint D-Ring Extender
 Sewn in Seat Sling with Steel D-Rings for Suspension
 All Black High Tenacity Polyester Webbing
 Padded Shoulders for Added Comfort
 Pass Through Chest Buckle and Tongue Buckle Legs
- WEBBING:** Material: Polyester | Width: 1.73 in.
- METAL COMPONENT:** Material: Alloy Steel | Finish: Silver or yellow golden galvanized

Part#	Size
H-OilDerrick3-SM	Small
H-OilDerrick3-MED	Medium
H-OilDerrick3-LRG	Large
H-OilDerrick3-XL	X.Large
H-OilDerrick3-XXL	2XL



Rescue Trauma Strap

Trauma Strap step up relief pack.

Categories: Bodywear, Accessories

Key Features **Part #: T2200**

DESIGN: Polyester webbing
Formed pouch
Loops on straps provide height adjustment

WEBBING: Material: Polyester
Width: 0.79 in.

WEIGHT: 0.24 lbs.



Tool Lanyards



Tool Lanyard with Screw Gate Carabiner or Twist Lock Carabiner. 15 lbs. tool rated. Meets or exceeds the ANSI/ISEA 121-2018 standard.

Categories: Bodywear, Accessories, Tool Lanyards

Key Features Part #: T2201 & T2203

DESIGN:	Convenient stretch lanyard for tool holding Provided with a lightweight carabiner for attachment to the user's belt
MATERIAL:	Webbing: 0.55 in. polyester Carabiner: High strength aluminum
STRENGTH:	Strength of tool lanyard is 15 lbs.
LENGTH:	51.18"
WEIGHT:	0.12 lbs.

Bags

Categories: Accessories

Key Features Part #: B0004 & B0005

B0004



B0005



Tool Tethering Kit 1


PN: TTK1

The TTK1 Palmer Safety Tether Kit will allow any worker to safely secure a variety of open handle and captive eye tools including but not limited to; screwdrivers, wrenches, hammers, channellock's, pliers, tape measures, power drills, prybars, tin snips, and more... All Palmer Safety tool tethers meet or exceed the regulatory compliance standards of ANSI 121-2018.

Categories: Bodywear, Accessories, Tool Lanyards

TTK1 Kit Includes:

- DPDRILLHLDR** - Drill Catch (1)
- DPTAPEHLDR** - Tape Measure Catch (1)
- DPDRING05S** - 4.5" Tool Tethers and D-Ring (3)
- DPDRING1L** - 6.5" Tool Tethers and D-Ring (3)
- DPDRINGCORDL** - Tool Tether w/ Elastic Cord (3)
- T2203** - Tool Tethers with Screw Gate Carabiner (3)
- DPTAPE1X25** - 25 ft. Roll of Tool Tape (1)
- B0004** - Kit Bag (1)



Let us know how we can help.

PN: TTK2

Tool Tethering Kit 2

- DPDRILLHLDR - Drill Catch (1)
- DPTAPEHLDR - Tape Measure Catch (1)
- DPDRING05S - 4.5" Tool Tethers and D-Ring (5)
- DPDRING1L - 6.5" Tool Tethers and D-Ring (5)
- DPDRINGCORDL - Tool Tether w/ Elastic Cord (3)
- T2203 - Tool Tethers with Screw Gate Carabiner (5)
- DPTAPE1X25 - 25 ft. Rolls of Tool Tape (2)
- DPCSTX1 - Variety Pack of Cold Shrink Tubing (1)
- DPGLOVECLIP - Glove Clip (1)
- B0004 - Kit Bag (1)

The TTK2 Palmer Safety Tether Kit will allow any worker to safely secure a variety of open handle and captive eye tools including but not limited to; screwdrivers, wrenches, hammers, channellock's, pliers, tape measures, power drills, prybars, tin snips, and more... All Palmer Safety tool tethers meet or exceed the regulatory compliance standards of ANSI 121-2018.

Categories: Bodywear, Accessories, Tool Lanyards

TTK2 Kit Includes:

DPDRILLHLDR (1 qty)



DPTAPEHLDR (1 qty)



DPGLOVECLIP (1 qty)



T2203 (5 qty)



DPTAPE1X25 (2 qty)



B0004 (1 qty)



DPDRINGCORDL (3 qty)



DPDRING1L (5 qty)



DPDRING05S (5 qty)



DPCSTX1 (1 qty)



Lanyard 6 ft. Shock Absorber, Small Hooks, Single Leg.

6 ft. Single leg lanyard, 3/4" hook, Yellow webbing, Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L111111

DESIGN:	Single leg lanyard incorporated with shock absorber. Both ends of the lanyard equipped with steel snap hook.
WEBBING:	Material: Polyester Width: 0.98 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	2.72 lbs.



6 ft. Double Lanyard, Blue Shock Absorber, Steel Snap Hooks.

6 ft. shock absorbing double lanyard with 3/4" hooks. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L111211

DESIGN:	Webbing lanyard incorporated with shock absorber.
WEBBING:	Material: Polyester Width: 1.18 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	3.61 lbs.



Let us know how we can help.

Lanyard 6 ft. Shock Absorber, Rebar Hook, Single Leg.

6 ft. Single leg lanyard, 2-1/4" rebar hook. Yellow webbing. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L112111

DESIGN:	Single leg lanyard incorporated with shock absorber.
WEBBING:	Material: Polyester Width: 0.98 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	3.44 lbs.



Lanyard 6 ft. Shock Absorber, Rebar Hooks, Double Leg.

6 ft. Double leg lanyard, 2-1/4" rebar hooks. Yellow webbing. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L112211

DESIGN:	Double, Y shaped lanyard incorporated with shock absorber. One end of the shock absorber equipped with steel snap hook while the other sides of the lanyard are equipped with Steel rebar hooks.
WEBBING:	Material: Polyester Width: 0.98 in.
METAL COMPONENT:	Medium Carbon Steel
WEIGHT:	3.85 lbs.



Lanyard 6 ft. Internal Shock, Rebar Hook, Single Leg.

6 ft. single leg, internal shock absorber lanyard, 2-1/4" rebar hook. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L122133

DESIGN:	Polyester tubular webbing incorporated with energy absorber (6 ft.).
WEBBING:	Material: Polyester Width: 1.57 in.
METAL COMPONENT:	Alloy steel
WEIGHT:	3.37 lbs.



Lanyard 6 ft. Internal Shock, Small Hook, Single Leg.

6 ft. single leg, internal shock absorbing lanyard, 3/4" hook. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L121133

DESIGN:	Polyester tubular webbing incorporated with energy absorber (6 ft.).
WEBBING:	Material: Polyester Width: 1.57 in.
METAL COMPONENT:	Alloy steel
WEIGHT:	2.54 lbs.

Lanyard 6 ft. Internal Shock, Rebar Hooks, Double Leg.



6 ft. double leg lanyard, internal shock absorber, 2-1/4" rebar hooks. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L122233

DESIGN:	Y shaped polyester tubular webbing incorporated with energy absorber (6 ft.).
WEBBING:	Material: Polyester Width: 1.57 in.
METAL COMPONENT:	Alloy steel
WEIGHT:	5.84 lbs.

Lanyard 6 ft. Internal Shock, Small Hooks, Double Leg.

6 ft. double leg, non-stretch, internal shock absorber lanyard, 3/4" snap hooks. Red webbing. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L121233

DESIGN:	Y shaped polyester tubular webbing incorporated with energy absorber (6 ft.).
WEBBING:	Material: Polyester Width: 1.57 in.
METAL COMPONENT:	Alloy steel
WEIGHT:	4.4 lbs.



Adjustable lanyard 4 - 6 ft. Blue shock absorber, rebar hook.

4 - 6 ft. adjustable shock absorbing lanyard with 2-1/4" rebar hook. Meets or Exceeds ANSI Z359.13-2013.

Categories: Shock Absorbing Lanyards

Key Features

Part #: L212111

DESIGN:	Webbing lanyard incorporated with shock absorber.
WEBBING:	Material: Polyester Width: 1.18 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	3.61 lbs.



Adjustable lanyard 4 - 6 ft. Blue shock absorber, small hook.

4 - 6 ft. adjustable shock absorbing lanyard with 3/4" hook. Meets or Exceeds ANSI Z359.13-2013.

Categories: Shock Absorbing Lanyards

Key Features

Part #: L211111

DESIGN:	Single leg lanyard incorporated with shock absorber.
WEBBING:	Material: Polyester Width: 1.18 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	2.88 lbs.



Lanyard 3 ft. Shock Absorber, Small Hooks, Single Leg.



3 ft. single leg lanyard with small hooks. Meets or Exceeds ANSI Z359.13-2013.

Categories: Connectors, Shock Absorbing Lanyards

Key Features Part #: L311111

DESIGN:	Single leg lanyard incorporated with shock absorber.
WEBBING:	Material: Polyester Width: 1.18 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	2.60 lbs.

D-Ring Extender 18 in. - Loop

18 in. 1-3/4" web single leg D-ring extender, loop on one end and large D-ring on opposite end. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors, Accessories

Key Features Part #: LE18134L

DESIGN:	Polyester webbing having a large D-ring at one end and a loop at other end.
WEBBING:	Material: Polyester Width: 1.75 in.
METAL COMPONENT:	Alloy steel
WEIGHT:	0.4 lbs.





Personal Shock Absorber Extension

Personal shock pack extension, 6 ft. or 12ft free fall, Blue in color. Limit arresting forces to 1350lbs. Meets or exceeds ANSI Z359.13-2013

Categories: Connectors, Shock Absorbing Lanyards

Key Features

DESIGN: Either 6ft. or 12 ft. free fall shock pack
 Forged steel snap hook for better strength

Part#	Size
LS63008	6 ft.
LS123008	12 ft.

D-Ring Extender 18 in.

18 in. D-ring extender, 3/4" snap hook on one end and large D-ring on opposite end. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors, Accessories

Key Features Part #: LE18134

18 in. D-ring extender, 3/4" Forged snap hook connected to a steel O-Ring by vinyl coated 0.25 in. snap hook on one end and aircraft steel cable large D-ring on opposite end. Meets or Exceeds ANSI Z359.12-2009.

MATERIALS: Red vinyl coated Lifeline cable
METAL COMPONENT: Alloy steel | 0.25inch air craft steel cable



Positioning Device Rebar

Rebar chain positioning device, one 2-1/4" swivel rebar hook on top and two 3/4" snap hooks on opposite ends. Meets or Exceeds ANSI Z359.3-2007.

Categories: Connectors, Positioning/Restraint

Key Features

Part #: A00004

DESIGN:	Double, Y shaped lanyard. This positioning device incorporates a high tensile strength chain and has swivel rebar hook.
CHAIN:	0.31" diameter link of chain, Grade 80; 24 inch
METAL COMPONENT:	Alloy steel
WEIGHT:	4.9 lbs.



Positioning Device Lanyard

4 - 6 ft. Adjustable restraint lanyard. Meets or Exceeds ANSI Z359.3-2007.

Categories: Connectors, Positioning/Restraint

Key Features

Part #: L00046

DESIGN:	Designed for work positioning.
WEBBING:	Material: Polyester Width: 1.18 in.
METAL COMPONENT:	Alloy Steel
WEIGHT:	2.29 lbs.

SRD 6' Lightweight Web. Variable Hooks.

MICROBEAST SERIES

6' retractable web, lightweight composite housing, external shock absorber, 1/2" carabiner included. Available with either a 2-1/4" rebar hook, 3/4" double locking snap hook, or a 2-1/4" aluminum rebar hook. Meets or Exceeds ANSI Z359.14-2021 Class 2.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features

PHYSICAL PARAMETERS: Lightest available SRD in its range/class. Composite housing.

LENGTH: 6 ft. (Maximum)

USER CAPACITY: 310 lbs.

WEBBING: Material: Dyneema webbing 13/16" Minimum Breaking Strength: 3000 lbs.

Part#	Model	Hook Type	Weight
SRL121122	Single 6' SRD	2-1/4" Rebar Hook	3.6 lbs.
SRL121122T	Twin 6' SRD	2-1/4" Rebar Hook	7.6 lbs.
SRL121132	Single 6' SRD	3/4" Hook	2.8 lbs.
SRL121132T	Twin 6' SRD	3/4" Hook	6.0 lbs.
SRL121142	Single 6' SRD	2-1/4" Aluminum Rebar Hook	3.3 lbs.
SRL121142T	Twin 6' SRD	2-1/4" Aluminum Rebar Hook	7.1 lbs.

SRL121142

SRL121122

SRL121132



SRL121142T
w/SRL170

SRL121122T
w/SRL170

SRL121132T
w/SRL170



Let us know how we can help.

THE ABC'S OF FALL PROTECTION

A typical Personal Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage/anchorage connector, body support and connecting device - when used together form a complete system for maximum worker protection. But don't forget the other important components of a comprehensive fall protection program: descent and rescue, education and fall protection for tools.



A Anchorages

are a secure point of attachment. Anchorage connectors vary by industry, job, type of installation and structure. They must be able to support the intended loads and provide a sufficient factor of safety for fall arrest.



B Body Support

harnesses distribute fall forces over the upper thighs, pelvis, chest and shoulders. They provide a connection point on the worker for the personal fall arrest system.



C Connectors

such as energy-absorbing lanyards or self-retracting lifelines connect a worker's harness to the anchorage.



D Descent and Rescue

devices are used to raise or lower a fallen injured worker to safety or retrieve them from a confined space.



E Education

is essential. We offer a variety of training and consultative services to fit your needs.

F Fall Protection for Tools

helps make work environments safer and more productive by reducing dropped object incidents.





SRD 8' Lightweight Web with Small Hook.

MICROBEAST SERIES

8ft. Retractable web, plastic housing, 3/4" load indicator hook, 1/2" carabiner included. Blue housing. Min breaking strength 3000 lbs. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features Part #: **SRL221311**

DESIGN:	Equipped with steel Carabiner (C111) at swivel Anchorage with Load Indicator and Double Locking 3/4" Swivel Load Indicator Steel Snap Hook.
MINIMUM BREAKING STRENGTH:	3000 lbs.
CONFORMS:	Meets or Exceeds ANSI Z359.14-2021 Class 1
USER CAPACITY:	310 lbs.

SRD 8' Lightweight Web with Rebar Hook.

MICROBEAST SERIES

8ft. Retractable web, plastic housing, double locking 2-1/4" indicator hook, 1/2" carabiner included. Blue housing. Min breaking strength 3000 lbs. Meets ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features Part #: **SRL221321**

DESIGN:	Equipped with steel Carabiner (C111) at swivel Anchorage with Load Indicator and Double Locking 2-1/4" Swivel Load Indicator Steel Rebar Hook.
MINIMUM BREAKING STRENGTH:	3000 lbs.
CONFORMS:	Meets or Exceeds ANSI Z359.14-2021 Class 1.
USER CAPACITY:	310 lbs.



Let us know how we can help.

SRD 9' Lightweight Web With Tie Back Hook

MICROBEAST SERIES

9 ft. Retractable web, Tie back hook, 1/2" carabiner. Blue housing. Max arresting distance 24", Average arresting force 1,350 lbs. Rated 420 lbs. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features **Part #: SRL1421372**

WEBBING:	9'(6+3) Dyneema(UHMWPE), 13/16" width
AVERAGE LOCKING SPEED:	4.5ft./sec.
AVERAGE ARRESTING FORCE:	1350 lbs.
MAX. ARRESTING DISTANCE:	24"
MAX. ARRESTING FORCE:	1800 lbs.
USER CAPACITY:	310 lbs.
CONFORM TO THE NORM:	Meets or Exceeds ANSI Z359.14 2021 Class 1.
WEIGHT:	3.2 lbs.



Twin SRD 9' Lightweight Web With Tie Back Hooks

MICROBEAST SERIES

Twin 9 ft. Retractable web, Tie back hook, 1/2" carabiner. Blue housing. Max arresting distance 24", Average arresting force 1,350 lbs. Rated 420 lbs. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features **Part #: SRL1421372T**

WEBBING:	9'(6+3) Dyneema(UHMWPE), 13/16" width
AVERAGE LOCKING SPEED:	4.5ft./sec.
AVERAGE ARRESTING FORCE:	1350 lbs.
MAX. ARRESTING DISTANCE:	24"
MAX. ARRESTING FORCE:	1800 lbs.
USER CAPACITY:	310 lbs.
CONFORM TO THE NORM:	Meets or Exceeds ANSI Z359.14-2021 Class 1.
WEIGHT:	3.2 lbs./SRL



SRL Web, Small Hook. Variable Lengths.

BEAST SERIES

11', 15', or 20' retractable web, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner included. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features

PHYSICAL PARAMETERS: Composite housing.
Swivel anchorage eye.

WEBBING: Material: Polyester
Width: 1"

USER CAPACITY: 310 lbs.

Part#	Length	Weight
SRL421311	11'	3.5 lbs.
SRL621311	20'	5.4 lbs.



SRL 11' Web with Rebar Hook

BEAST SERIES

11' retractable web, swivel top composite housing, 2-1/4" load indicator hook, 1/2" carabiner included. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Web

Key Features Part #: SRL421321

PHYSICAL PARAMETERS: Composite housing.
Swivel anchorage eye.

LENGTH: 11 ft.

WEBBING: Material: Polyester
Width: 1"

WEIGHT: 4.4 lbs.

USER CAPACITY: 310 lbs.



SRD Galvanized Cable with Small Hook. Variable Lengths.

BEAST SERIES

10', 15', 20', 30', 50', or 100' retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner with tagline included. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Cable

Key Features

PHYSICAL PARAMETERS: Composite housing, Swivel anchorage eye.

CABLE: 3/16" GAC

USER CAPACITY: 310 lbs.



Part#	Length	Weight
SRL311311	10'	5.3 lbs.
SRL511311	15'	8.2 lbs.
SRL611311	20'	8.5 lbs.
SRL711311	30'	10.8 lbs.
SRL811311	50'	15.3 lbs.
SRL1311311	100'	28.5 lbs.

SRD LE Galvanized Cable with Small Hook. Variable Lengths.

BEAST EDGE SERIES

18', 30', or 50' leading edge retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner. Meets or Exceeds ANSI Z359.14-2021 Class 2.

Categories: Devices, Self-Retracting Lifelines, Cable, SRL-LE

Key Features

PHYSICAL PARAMETERS: Composite housing, Swivel anchorage eye.

CABLE: 3/16" GAC

CONFORM TO THE NORM: Meets or Exceeds ANSI Z359.14-2021 Class 2.

USER CAPACITY: 310 lbs.

Part#	Length	Weight
SRL911212	18'	9.1 lbs.
SRL711212	30'	15.2 lbs.
SRL111212	50'	19.5 lbs.



SRD 12' Leading Edge Galvanized Cable with with Various Hooks

BEAST EDGE SERIES

12 ft. Leading edge single retractable galvanized cable with either a Small Hook, Steel Rebar Hook, or Aluminum Rebar Hook. 1/2" carabiner. Black housing. Max arresting dist. 42". Average arresting force 900 lbs. Meets or Exceeds ANSI Z359.14-2021 Class 2.

Categories: Devices, Self-Retracting Lifelines, Cable, SRL-LE

Key Features

PHYSICAL PARAMETERS: Composite housing. Extremely compact, durable and lightweight plastic casing. Stainless Steel and corrosion-resistant components. Quick activating speed sensing brake systems. For sharp edge application.

LENGTH: 12 ft.

CABLE: Material: Galvanized steel wire rope diameter of 7/32"

USER CAPACITY: 310 lbs.

CONFORM TO THE NORM: Meets or Exceeds ANSI Z359.14-2021 Class 2.

Part#	Length	Hook Type	Weight
SRL411212	12'	Small Snap Hook	5.3 lbs.
SRL411222	12'	Steel Rebar Hook	5.9 lbs.
SRL411242	12'	Aluminum Rebar Hook	5.8 lbs.



SRL1411212 SRL1411222 SRL1411242

SRL-LE 9' Galvanized Cable with Various Hooks

MICROBEAST EDGE SERIES

SRD 9' Leading Edge Single Galvanized Cable with either a Small Hook, Steel Rebar Hook, or Aluminum Rebar Hook, 9' retractable galvanized cable, swivel top composite housing, 1/2" carabiner included. Black housing. Meets or Exceeds ANSI Z359.14-2021 Class 2.

Categories: Devices, Self-Retracting Lifelines, Cable, SRL-LE

Key Features

PHYSICAL PARAMETERS:	Composite housing; Extremely compact, durable and lightweight plastic casing; Has swivel anchorage eye at anchorage end; Galvanized steel wire rope 7/32".
LENGTH:	9 ft.
CABLE:	Material: Galvanized steel wire rope diameter of 7/32"
MINIMUM BREAKING STRENGTH:	3300 lbs.
USER CAPACITY:	310 lbs.
CONFORM TO THE NORM:	Meets or Exceeds ANSI Z359.14-2021 Class 2.



Part#	Length	Hook Type	Weight
SRL1411212	9'	Small Snap Hook	5.1 lbs.
SRL1411222	9'	Steel Rebar Hook	5.6 lbs.
SRL1411242	9'	Aluminum Rebar Hook	5.4 lbs.
SRL1411212T	Dual 9'	Small Snap Hooks	10.6 lbs.
SRL1411222T	Dual 9'	Steel Rebar Hooks	11.5 lbs.
SRL1411242T	Dual 9'	Aluminum Rebar Hooks	11.2 lbs.

SRL1411212T



SRL1411222T



SRL1411242T



SRL 10' Galvanized Cable With Small Hook

BEAST SERIES


10 ft. Retractable galvanized cable, swivel top plastic housing, built in shock-pack, 2-1/4" load indicator hook, 1/2" carabiner included. Blue housing. Min breaking strength 4500 lbs. Meets or Exceeds ANSI Z359.14-2021 Class 1.

Categories: Devices, Self-Retracting Lifelines (SRL), Cable



Key Features Part #: **SRL311321**

DESIGN:	Equipped with steel Carabiner (C111) at swivel Anchorage with Load Indicator and Double Locking 3/4" Swivel Load Indicator Steel Snap Hook.
MINIMUM BREAKING STRENGTH:	3000 lbs.
CONFORMS:	Meets or Exceeds ANSI Z359.14-2021 Class 1.
USER CAPACITY:	310 lbs.



Twin SRD Steel Connector

Dual Leg SRD Converter. Gate Strength 3600 lbs. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors, Carabiners

Key Features Part #: **SRL170**

DESIGN:	Ultimate solution to attach 2 SRD's directly with user's harness with no additional connector required.
MATERIAL:	Alloy Steel
FINISH:	Yellow chromate
MINIMUM BREAKING STRENGTH:	23 kN (5170 lbs.)
WEIGHT:	0.37 lbs.



Cross Arm Strap

3" wide (variable lengths available) with large D-ring and small D-ring. Meets or Exceeds ANSI Z359.18-2017 and OSHA.

Categories: Anchorage, Multi-Purpose

Key Features

DESIGN:	1-3/4" wide polyester webbing stitched with 3" webbing on the back for extra protection.
WEBBING:	Material: Polyester
STITCHING THREAD:	Material: High-tenacity polyester
METAL COMPONENT:	Alloy Steel, Yellow Chromate
VITAL TEST COMPLIANCE:	Static Strength: 5000 lbs.

Part#	Length
A36806	3'
A48806	4'
A72806	6'
A96806	8'
A120806	10'
A144806	12'
A168806	14'
A192806	16'

Anchor Strap

Disposable concrete anchor strap is attached to a structure capable of supporting 5000 lbs. 1-3/4" wide strap (variable lengths available) with a loop on one end, large D-Ring or another loop on the other end, and a full length wear pad. Red strap. Meets or Exceeds ANSI Z359.18-2017 and OSHA.

Categories: Anchorage, Concrete

Key Features

DESIGN:	1-3/4" wide polyester webbing with one end having a textile loop and the other side a D-ring or a textile loop
WEBBING:	Material: Polyester
STITCHING THREAD:	Material: High-tenacity polyester
D-RING:	Yellow Chromate
VITAL TEST COMPLIANCE:	Static Strength: 5000 lbs.

Part#	Type	Length	Part#	Type	Length
A4125000	D-Ring	4'	A4125001	2 Loops	4'
A6125000	D-Ring	6'	A6125001	2 Loops	6'
A8125000	D-Ring	8'	A8125001	2 Loops	8'
A10125000	D-Ring	10'	A10125001	2 Loops	10'
			A12125001	2 Loops	12'



Anchor Cable Cross Arm

4', 6', or 8' X 1/4" vinyl coated I-beam cable cross-over strap with large ring and small ring for pass-through. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Multi-Purpose

Key Features

DESIGN:	Made of PVC coated Galvanized steel
CABLE:	7X19 GAC
VITAL TEST COMPLIANCE:	Static Strength: 5000 lbs.



Part#	Length	Weight
AC48408	4'	1.1 lbs
AC72408	6'	1.4 lbs
AC96408	8'	1.7 lbs



Anchor Cable With Hook

4' or 6' X 1/4" vinyl coated cable I-beam crossover strap, ring on one end and locking snap hook on opposite end. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Multi-Purpose

Key Features

DESIGN:	Made of PVC coated Galvanized steel
CABLE:	7X19 GAC
VITAL TEST COMPLIANCE:	Static Strength: 5000 lbs.

Part#	Length	Weight
ACH48407	4'	1.82 lbs.
ACH72407	6'	2.14 lbs.

Beam Anchor Trolley

Beam Anchor Trolley. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, I-Beam



Key Features Part #: A00008

DESIGN:	Anchor connector installed on flange of beams.
COMPATIBLE WITH MIN FLANGE WIDTH:	3.14"
COMPATIBLE WITH MAX FLANGE WIDTH:	9.84"
MATERIAL:	Aluminum Alloy and Stainless steel.
MINIMUM BREAKING STRENGTH:	5000 lbs.
WEIGHT:	8.59 lbs.

Girder Steel Anchor

Girder Steel Anchor. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Steel

Key Features Part #: A00006

DESIGN:	Girder steel anchor is a removable/reusable anchor that can be mounted on solid steel structures, girders and steel I-Beams.
USAGE:	For use as an anchorage point for fall protection equipment
MATERIAL:	Eye nut and Main body: Alloy steel. Outer Body: Stainless steel molded with polymer.
RECOMMENDED BOLT HOLE SIZE:	0.80" to 1.18"
MINIMUM BREAKING STRENGTH:	5000 lbs.
MAXIMUM THICKNESS OF THE STRUCTURE ON WHICH INSTALLATION POSSIBLE::	1.57"
WEIGHT:	1.21 lbs.





Parapet Anchor

Parapet Anchor. Galvanized Steel. 2.36" - 14.17" parapet range. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Roof

Key Features Part #: A00002

DESIGN:	Anchor suitable to be installed on the parapet of a building such that the anchor point lies at the top on the outside facade of the building.
MIN. WIDTH OF THE PARAPET ON WHICH INSTALLATION IS POSSIBLE:	2.36 in.
MATERIAL:	High strength alloy steel
FINISH:	Silver/yellow galvanized
SYSTEM STRENGTH:	Greater than 25 kN
WEIGHT:	19.84 lbs.

Anchor Door Jamb

Door Jamb Anchor. Aluminum construction. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Multipurpose

Key Features Part #: A00003

DESIGN:	Door/window anchor is compressed against the door or window frame "jamming" itself between the two vertical sides.
MINIMUM OPENING:	23.62"
MAXIMUM OPENING:	49.21"
MATERIAL:	High strength aluminum alloy
FINISH:	Anodized
WEIGHT:	12.47 lbs.
MINIMUM BREAKING STRENGTH:	5000 lbs.



Single Point Steel Anchor

Steel point anchor. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Steel



Key Features Part #: A00001

DESIGN:	Single point anchor is designed to be fixed on walls, ceilings, roof tops or steel structures.
FINISH:	Yellow Chromate
MINIMUM BREAKING STRENGTH:	5000 lbs.
WEIGHT:	0.84 lbs.

100 ft. Rope Horizontal Lifeline System

Horizontal Life line system two man or four man. Covers span length of 15 ft. to 100 ft. Min Breaking Strength 5620 lbs. Kernmantle rope of dia 5/8". Comes complete with carabiners, rope tensioner with tool, 6 ft. cross arm straps and carrying bag. Meets OSHA 1926.502

Categories: Horizontal Lifeline

Key Features Part #: A300200

DESIGN:	<ul style="list-style-type: none"> • Horizontal Lifeline that allows up to (2) workers • Adjustable up to 15 to 100' • Includes (2) 6' cross arm straps • Preassembled and in backpack for easy transport / setup / take down / storage • For Installation: Requires (2) 5,000 lbs. anchor points
MATERIAL:	• 5/8" Kernmantle rope
SYSTEM BREAKING STRENGTH:	5620 lbs.

Key Features Part #: A300400

DESIGN:	<ul style="list-style-type: none"> • Horizontal Lifeline that allows up to (4) workers • Adjustable up to 15 to 100' • Includes (2) 6' cross arm straps • Preassembled and in backpack for easy transport / setup / take down / storage • For Installation: Requires (2) 5,000 lbs. anchor points
MATERIAL:	• 5/8" Kernmantle rope
SYSTEM BREAKING STRENGTH:	5620 lbs.



60 ft. Cable Horizontal Lifeline



Horizontal Lifeline system that allows up to (2) workers adjustable to a length of 60'. System Breaking Strength 5000 lbs. Galvanized cable with a 5/8" diameter. Compliant with all applicable: OSHA 1926 Subpart M, OSHA 1910, ANSI Z359, ANSI A10.32

Categories: Horizontal Lifeline

Key Features Part #: A60160

DESIGN:	<ul style="list-style-type: none"> • Horizontal Lifeline that allows up to (2) workers • Adjustable up to 60' • Includes (2) 6' vinyl coated cable chokers w/ Pass Through rings • Preassembled and in backpack for easy transport / setup / take down / storage • For Installation: Requires (2) 5,000 lbs. anchor points
MATERIAL:	<ul style="list-style-type: none"> • 3/8" Galvanized cable • Stainless Steel Absorbinator • Galvanized turnbuckle • Galvanized fist grips
SYSTEM BREAKING STRENGTH:	5000 lbs.
MAX USER WEIGHT:	420 lbs. each worker
WEIGHT:	32.2 lbs. with bag
NORM:	Compliant with all applicable: OSHA 1926 Subpart M, OSHA 1910, ANSI Z359, ANSI A10.32

100 ft. Cable Horizontal Lifeline

Horizontal Lifeline system that allows up to (2) workers adjustable to a length of 100'. System Breaking Strength 5000 lbs. Galvanized cable with a 5/8" diameter. Compliant with all applicable: OSHA 1926 Subpart M, OSHA 1910, ANSI Z359, ANSI A10.32

Categories: Horizontal Lifeline

Key Features Part #: A100160

DESIGN:	<ul style="list-style-type: none"> • Horizontal Lifeline that allows up to (2) workers • Adjustable up to 100' • Includes (2) 6' vinyl coated cable chokers w/ Pass Through rings • Preassembled and in backpack for easy transport / setup / take down / storage • For Installation: Requires (2) 5,000 lbs. anchor points
MATERIAL:	<ul style="list-style-type: none"> • 3/8" Galvanized cable • (2) Stainless Steel Absorbinators • Galvanized turnbuckle • Galvanized fist grips
SYSTEM BREAKING STRENGTH:	5000 lbs.
MAX USER WEIGHT:	420 lbs. each worker
WEIGHT:	45.4 lbs. with bag
NORM:	Compliant with all applicable: OSHA 1926 Subpart M, OSHA 1910, ANSI Z359, ANSI A10.32



PALMER SAFETY ON-SITE ROAD SHOW DEMONSTRATION

Palmer Safety provides **FREE** on-site fall protection demonstrations. Our specialized van and drop testing trailers offer hands on education and demonstrations with the latest fall protection practices and equipment. Visit us at www.palmersafetyus.com/training or call us at **(504) 733-1808** to schedule a demonstration and training.



Fall Protection Awareness Training Includes:

- Regulatory Standards Overview—OSHA and ANSI
- Fall Protection Applications—Fall Arrest, Travel Restraint, and Work Positioning Systems
- Product Selection—Body Harnesses, Lanyards, Anchorage Connectors, Anchor Points
- Inspection, Care and Use
- Calculating Fall Distance
- Product Drop Test Demonstrations
- Rescue Planning

Fall Protection Training Courses We Offer:

- Fall Protection Competent Training
- Fall Protection Competent Refresher Training
- Fall Protection Awareness Training
- Fall Protection Equipment Inspection Training
- Confined Space Awareness & Training
- Fall Protection Program Development
- EM 385-1-1 24 Hour Fall Protection Course
- Fall Protection Rescue & Program Training



Vertical Co-Polymer Rope Lifeline

Variable Length Lifeline 5/8" co-polymer rope, 3/4" hook on one end. Meets or Exceeds ANSI Z359.15-2014.

Categories: Vertical Lifelines

Key Features

DESIGN: This lifeline is made up of high strength co-polymer twisted rope. The diameter of the rope is 5/8". It is provided with snap hook spliced at one end or both ends.

STEEL SNAP HOOK: Made of Alloy Steel
 Silver or golden yellow galvanized
 Breaking strength: 5000 lbs.

LENGTHS: 50', 100' or 150'



1 Snap Hook

Part#	Length
V503201	50'
V1003201	100'
V1503201	150'

2 Snap Hooks

Part#	Length
V503202	50'
V1003202	100'
V1503202	150'

Roofing Kit

Roofing kit. 5 pt. Harness, 50 ft. lifeline with attached rope grab with shock absorbing lanyard and 3/4" hooks. Roof anchor, Meets or Exceeds ANSI Z359.11-2021, Z359.18-2017, Z359.13-2013, Z359.15-2014.

Categories: Kits, Roofer's Kits

Key Features **Part #: V5501**

USER CAPACITY:	130 – 310 lbs. (59 -140 kg)
DESIGN:	One dorsal attachment D-ring for fall arrest. Adjustable torso.
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy steel
WEIGHT:	15.8 lbs.



Reusable Roof Anchor

Reusable Roof Anchor. Steel with stamped D-ring. Min breaking strength 5000 lbs., Meets or Exceeds ANSI Z359.18-2017.

Categories: Anchorage, Roof

Key Features **Part #: A00150**

DESIGN:	An ideal anchorage device to be fixed on wooden beams used in roofing. The D-ring can be safely used as an anchor point.
MATERIAL:	High strength alloy steel
FINISH:	Powder coated or Zinc plated
MINIMUM BREAKING STRENGTH:	5000 lbs.
WEIGHT:	2.39 lbs.



Rope Grab 5/8" Diameter

5/8" Large Bail Yellow Chromate Finish Rope Grab. Meets or Exceeds ANSI Z359.15- .

Categories: Rope Grabs

Key Features Part #: C0850



DESIGN:	Trailing Rope Grab moves along with the user climbing up or down and locks in case of a fall.
MATERIAL:	High strength alloy steel
FINISH:	Yellow chromate
WEIGHT:	1.21 lbs.

Rope Grab Attached Lanyard 2'

5/8" Large Bail Yellow Chromate Finish Rope Grab, attached 2 ft. shock absorbing web lanyard and 3/4" hook. Meets or Exceeds ANSI Z359.15-2014 and ANSI Z359.13-2013.

Categories: Rope Grabs

Key Features Part #: C3002

DESIGN:	Rope grab with 2' lanyard
WEBBING:	Material: Polyester Width: 1.73 in.
METAL COMPONENT:	Alloy Steel



Confined Space Spreader Bar

Confined Space Spreader Bar. Meets or Exceeds ANSI Z359.12-2009. A10.32-2012.

Categories: Devices, Confined Space



Key Features Part #: CS Spreader Bar

DESIGN:	Designed to be used with a Winch and Davit Arm or Tripod to raise and lower a worker in an upright position into and out of a confined space. The Spreader Bar also functions as a tool for descent and rescue operations. Simply lower into the confined space to allow worker to attach to the lifting yokes and pull worker out of the confined space.
USAGE:	Features two double locking snap hooks. CS Spreader Bar connects to Winch cable and worker's shoulder D-rings. Steel bar is encased in webbing. Keeps worker comfortably suspended upright.



SRLD 60' Galvanized Cable with Small Hook.

Self Retractable Lifeline Retrieval System for tripod. Galvanized cable, 3/4" load indicator hook, 1/2" carabiner. Min breaking strength 3400 lbs. Meets or Exceeds ANSI Z359.14-2021 Class 1 SRL-R.

Categories: Self-Retracting Lifelines (SRL), Cable, Confined Space

Key Features Part #: SRL1211412

DESIGN:	Retrieval fall arrester block in polymer casing coupled with hoisting winch to enable easy retrieval of victim.
PHYSICAL PARAMETERS:	Durable plastic housing.
LENGTH:	60 ft.
CABLE:	3/16" diameter GAC
CONFORM TO THE NORM:	Meets or Exceeds ANSI Z359.14-2021 SRL-R and OSHA Compliant
WEIGHT:	20.3 lbs.

Hook Carabiner .67"

Steel twist lock, 5/8" gate opening. Gate Strength 3600 lbs. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors, Carabiners

Key Features

Part #: C111

DESIGN:	Gate opening 0.67". Oval shaped carabiner made of round steel bar.
FINISH:	Yellow chromate
MATERIAL:	Alloy Steel
MINIMUM BREAKING STRENGTH:	5000 lbs.
GATE FACE STRENGTH:	3600 lbs.
GATE SIDE STRENGTH:	3600 lbs.; Minor axis: 3600 lbs.
WEIGHT:	0.35 lbs.



Hook Carabiner .84"

Steel twist lock, 13/16" gate opening. Gate Strength 3600 lbs. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors, Carabiners

Key Features

Part #: C113

DESIGN:	Gate opening 0.84". Oval shaped carabiner made of 0.43" diameter round bar.
FINISH:	Yellow chromate
MATERIAL:	Alloy Steel
MINIMUM BREAKING STRENGTH:	5000 lbs.
GATE FACE STRENGTH:	3600 lbs.
GATE SIDE STRENGTH:	3600 lbs.; Minor axis: 3600 lbs.
WEIGHT:	0.58 lbs.



Hook Rebar Scaffold



Rebar scaffold hook. Alloy Steel. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors

Key Features Part #: S00140

DESIGN:	Gate opening 2.36" Auto closing and auto locking type steel rebar scaffold hook.
PROCESS:	Forged
MATERIAL:	Alloy Steel
FINISH:	Yellow chromate
MINIMUM BREAKING STRENGTH:	5000 lbs.
GATE FACE STRENGTH:	3600 lbs.
GATE SIDE STRENGTH:	3600 lbs.
WEIGHT:	1.8 lbs.

Hook Carabiner 1.97"

Yellow chromate finish, forged steel twist lock gate, 1-15/16" gate opening. Gate Strength 3600 lbs. Min breaking strength 5000 lbs. Meets or Exceeds ANSI Z359.12-2009.

Categories: Connectors, Carabiners

Key Features Part #: C134

DESIGN:	Gate opening 1.97" Steel tower hook made of 0.55" diameter round bar.
MATERIAL:	Alloy Steel
FINISH:	Yellow chromate
MINIMUM BREAKING STRENGTH:	5000 lbs.
GATE FACE STRENGTH:	3600 lbs.
GATE SIDE STRENGTH:	3600 lbs.; Minor axis: 3600 lbs.
WEIGHT:	1.65 lbs.



Palmer Rescue Kits



Premium Palmer Rescue Kit

Part #: RRDS

5 to 1 Rescue kit complete with 160 feet of rope included. With a heavy duty waterproof bag for storage. The kit includes an integral braking system in case of accidental release of rope by rescuer.

Integral Braking System

Standard Palmer Rescue Kit

Part #: RRDS1

5 to 1 Rescue kit complete with 160 feet of rope included. With a heavy duty waterproof bag for storage.



Accessories



Rescue Pole

Part #: RRDS Pole

12' telescopic pole with an aluminum rebar hook. Comes with a carrying case.



Rope Ascender - Right

Part #: Ascender 1

Rope ascender designed for right hand usage.



Rope Ascender - Left

Part #: Ascender 2

Rope ascender designed for left hand usage.

Guardrail System

Meets or exceeds all OSHA 1910 General Industry Standards and OSHA 1926 Subpart M Construction Standard.

ALWAYS assemble and use Guardrail System according to instructions provided with equipment by the manufacturer.


Materials: powder-coated steel or galvanized steel.

Fall Prevention: Guardrail System may be used in Fall Prevention applications ONLY. Fall Prevention Systems are placed around the leading edges of any and all fall hazards to prevent a worker from going over an edge, and may be used in substitute of Fall Protection or safety netting systems. Installation requirements for Guardrail System set forth in product instruction manual MUST be adhered to. Personal Fall Arrest, Work Positioning, Climbing, Rescue, and any other systems must NEVER be connected to Fall Prevention Systems.

MAXIMUM permitted roof pitch is 1/12 (5°).

Toeboards must be 2" x 4" construction grade lumber. Baseplates must be at least 24" from the edge of any opening or leading edge hazard.

An outrigger is a guardrail installed perpendicular to a continuous run. ALWAYS use outriggers at BOTH ends of any interruption in a Guardrail System, and at BOTH ends of a continuous Guardrail System. There is no limit on the maximum length of a continuous Guardrail System.




Part#	Size	Description
GUARDRAIL6	42"H x 6'L	6' Guardrail
GUARDRAIL8	42"H x 8'L	8' Guardrail
GUARDRAIL10	42"H x 10'L	10' Guardrail
GUARDRAIL12	42"H x 12'L	12' Guardrail
GUARDRAILKNUCKLE	Used with Palmer Safety Guardrail System. Galvanized Steel, Complete with a set of two screws.	
GUARDRAIL2WBASE	10"W x 30"L	Guardrail Baseplate 2 Way
GUARDRAIL4WBASE	21-1/2"W x 21-1/2"L	Guardrail Baseplate 4 Way

BeamGuard HLL Stanchion

The Palmer Safety BeamGuard HLL Stanchion can be used in combination with any of Palmer Safety's rope HLL kits and cable HLL kits. Able to accommodate up to two workers between each set of stanchions (maximum stanchion spacing is 60'), the BeamGuard has three base size options to allow for installation onto a variety of beam sizes. A Pass-Through Top Accessory is also available to facilitate 100% tie-off when transitioning between spans.

Base size compatibility:

- Small: Thickness: Up to 1.25". Width: 4" - 13.75"
- Intermediate: Thickness: Up to 2.125". Width: 4" - 19.75"
- Large: Thickness: Up to 3.375". Width: 4" - 31.75"



USER CAPACITY: 130 - 420 lbs.

- DESIGN:**
- Durable and reusable
 - Use in combination with rope or cable HLL system
 - 300' recommended maximum span length
 - Install HLL system either parallel with or perpendicular to I-beam

MATERIAL: Powder-coated steel

MIN. BREAKING STRENGTH: 5000 lbs.

CONFORMS TO: Meets or Exceeds ANSI Z359.1-07, ANSI A10.32-12, OSHA 1926 Subpart M, OSHA 1910

Part#	Size	Description
BEAMG-S	18" Threaded Rods	Small Flange Hook
BEAMG-M	24" Threaded Rods	Medium Flange Hook
BEAMG-L	36" Threaded Rods	Large Flange Hook
BEAMG-PASS	Pass-Through Top Accessory	



Training Classes Available

When elevated work hazards are present, Fall Protection equipment and Fall Protection systems play an essential role in safely executing work activities.

Palmer Safety is a full-service Fall Protection and safety training organization that strives to be your source for solutions to executing elevated work safely. In doing so, we set ourselves apart from our competition.

With locations in New Orleans, Houston, New York and California, Palmer Safety can fully service your Fall Protection needs. We continue to innovate as we pursue leading edge products. Palmer Safety offers high performance, high quality products along with an experienced and knowledgeable Technical Support Team.

The buying decision should always consider the value of customer service and product support that is part of the Palmer Safety experience.

We take Success in Safety seriously!

Courses Offered

- Fall Protection Component Training
- Fall Protection Component Refresher Training
- Fall Protection Awareness Training
- Fall Protection Equipment Inspection Training
- Confined Space Awareness and Training
- Fall Protection Program Development
- EM 385-1-1 24 Hour Fall Protection Course
- Fall Protection Rescue and Program Training




Let us know how we can help.

Palmer Safety Test Tower

Palmer Safety is committed to everyone's safety. To help ensure our quality, we batch test random samples per every 500 units to confirm compliance to the pertaining ANSI Z359 standard.

Palmer Safety conducts measurements of arrest forces on products including dynamic performance testing on harnesses, SRD's, fall arrestors, personal shock absorbers, positioning lanyards and anchorage connectors and dynamic strength testing on SRD's. Certificates of Conformance can be issued upon request.

Customers are invited to come watch the performance testing of our fall protection equipment. Please call your sales account manager to schedule a test day and tour our facility.



New Arrivals

Check out PalmerSafetyUS.com for information on these new arrivals to our product line.



ANCHOR12PLATE
PA-12



ANCHOR18PLATE
PA-18



ANCHOR24PLATE
CB-24




ANCHOR12POST
PAP-12



ANCHOR18POST
PAP-18



ANCHOR12BACKER
PAB-12



ANCHOR24BACKER
PAB-18/24



ANCHORDRINGSW
METAL ROOF SWIVEL ANCHOR



ANCHOR2WAYSEAM
ANCHOR 2-WAY STANDING SEAM



ANCHORDRING
2-hole D-ring anchor



A00151
Summit anchor single



A00152
Summit anchor double



A00153
O-ring anchor



ANCHORSPEEDY
Speedy Anchor



ANCHOR360
360 Anchor

Let us know how we can help.



GUARDRAILSLAB
C Slab Gripper



GUARDRAILPARAPET
Parapet Clamp with Post



BRIDGEGUARD



DPTAPEHLDR
Tape Measure Holder



DPDRILLHLDR
Drill Boot



DPTAPE1X2
Tool Attachment Tape 1 in. X 2 ft.



DPDRING05S
Tool Attachment D-Ring 0.5x4.5 in.



DPDRING1S
Tool Attachment D-Ring 1.5x5 in.



DPDRING1L
Tool Attachment D-Ring 1x6.5 in.



DPDRINGCORDL
Tool Attachment D-Ring and Cord



DPHHTHVE
Hard Hat Tether Elastic Hi-Vis



DPCSTX1, DPCSTX2
Cold Shrink Tubing (1 or 2) pc 6 Sizes

Terms and Conditions of Sale

The Customer and General Work Products, LLC also doing business as Palmer Safety (collectively "GWP") agree that the purchase and sale of GWP product(s) contained in this catalog are made in accordance with Terms and Conditions of Sale (the "Conditions") listed on GWP's website (www.generalworkproducts.com). Customer's order and acceptance of GWP product(s) shall constitute acceptance of the Conditions by Customer.



Locations Nationwide to Better Assist You!

CORP. OFFICE - NEW ORLEANS

6000 Jefferson Hwy
Harahan, LA 70123
(504) 733-1808

NEW YORK OFFICE

4 Carol Ave.
West Haverstraw, NY 10993
(845) 786-5647

HOUSTON OFFICE

104 Japhet Street
Houston, TX 77020
(713) 671-6061

CCI GROUP, LLC

14401 Industry Circle
La Mirada, CA 90638
(714) 994-3070

STOCKING WAREHOUSES

Florida
Ohio
Georgia
Washington